



Table Of Contents

Box Cars	3
Box Car Groups	3
B-03.14.24-00	3
B-03.22.24-00	4
B-08.14.23-00	5
B-08.14.23-01	6
B-08.24.22-00	7
Mechanical Refrigerator Groups	8
BMR-10.19.23-00	8
BMR-10.19.23-01	9
Flatcars	10
Bulkhead Flatcar Groups	10
FB-01.23.24-00	10
FB-01.23.24-01	11
FB-01.23.24-02	12
FB-01.23.24-03	13
FB-01.23.24-04	14
Center Beam Flatcar Groups	15
FC-01.17.24-00	15
COFC/TOFC Groups	16
FCO-04.05.24-00	16
Gondolas	17
Container Well Gondola Groups	17
GCW-05.16.23-00	17
Flat Bottom Gondola Groups	18
GFR-01.22.24-00	18
GFR-09.07.23-00	19
Mill Gondola Groups	20
GM-01.22.24-00	20
GM-03.05.24-00	21
Tub Gondola Groups	22
GT-01.25.23-00	22
GT-03.12.24-00	23
GT-08.07.23-00	24
GT-09.07.23-00	25
Woodchip Gondola Groups	26
GW-09.19.23-00	26
Hoppers	27
Covered Hopper Groups	27
HC-01.27.23-00	27
HC-02.01.24-00	28



Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net

Office: (708) 251-2502

Fax: (708) 251-0930

Skype: rpaquette168

HC-02.28.24-00	29
HC-04.04.24-00	30
HC-07.27.23-00	31
HC-09.07.23-00	32
HC-10.11.23-00	33
HC-11.02.23-00	34
HC-11.22.22-00	35
Covered Plastic Hopper Groups	36
HCP-09.21.22-00	36
Covered PD Hopper Groups	37
HCPD-02.09.24-00	37
HCPD-04.04.24-00	38
Open Hopper Groups	39
HO-02.27.24-00	39
HO-03.14.24-00	40
Rapid Discharge Hopper Groups	41
HRD-02.08.24-00	41
Locomotives	42
Locomotive Groups	42
L-01.26.23-00	42
L-02.16.24-00	43
L-05.17.23-00	44
L-06.27.23-00	45
L-11.09.23-00	47
L-12.21.22-00	48
Misc Rail Items	49
Misc Groups	49
M-03.26.21-00	49
M-04.12.23-01	50
M-04.12.23-02	51
M-10.22.20-00	52
M-11.14.23-00	53
Tank Cars	54
Tank Car Groups	54
T-01.21.21-00	54
T-03.04.24-00	56
T-06.24.21-00	57
T-07.07.22-00	58



B-03.14.24-00

Category: Box Car

AAR Car Type: A603

Sale Type: Lease Only

Year(s) Built: 1979

Cubes: 6385

Load Cap: 100ton

Length: 67ft 11in outside

Quantity Avail: 42

Notes:

Expounding Info:

Equipment Type A603

Gross Rail Load/Weight 263000 lb

Lease Only

Tare Weight 72100 lb

Load Limit 190900 lb

Cubic Feet Capacity 6385 cuft

Plate Code C

Outside Length 67 ft 11 in

Outside Extreme Width 10 ft 6 in

Outside Extreme Height 15 ft 5 in

Outside Height Extr Width 14 ft 3 in

Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 8 in

Outside Lower Eaves Width 10 ft 0 in

Outside Lower Eaves Hght 14 ft 5 in

Inside Length 60 ft 10 in

Inside Width 9 ft 6 in

Inside Height 11 ft 0 in

Side Door Type Single Sliding Doors

Box Side Door C - Centered

Side Door Width 12 ft 0 in

Side Door Height 10 ft 5 in

Floor Material Steel Nailable, Reinforced (includes alternate

wood and steel floor

Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-03.14.24-00



B-03.22.24-00

Category: Box Car

AAR Car Type: A405

Sale Type: Sale or Lease

Year(s) Built: 1979

Cubes: 5300

Load Cap: 70ton

Length: 50ft 7in inside

Quantity Avail: 24

Notes:

Expounding Info:

Equipment Type Code A405

Partial free move Available in late May or June

Lease Returns

Sale or Lease

Plate Code C

Gross Rail Load/Weigh 220000 lb

Tare Weight 62400 lb

Load Limit 157600 lb

Cubic Feet Capacity 5300 cuft

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 6 In

Outside Extreme Height 15 Ft 5 In

Outside Height Extr Width 14 Ft 3 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 14 Ft 8 In

Outside Lower Eaves Width 10 Ft 0 In

Outside Lower Eaves Hght 14 Ft 5 In

Inside Length 50 Ft 7 In

Inside Width 9 Ft 6 In

Inside Height 11 Ft 0 In

Side Door Type B102 - Single Plug Doors

Box Side Door Orientation C - Centered

Side Door Width 10 Ft 0 In

Side Door Height 10 Ft 3 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-03.22.24-00



B-08.14.23-00

Category: Box Car

AAR Car Type: A402

Sale Type: Sale Only

Year(s) Built: 1974

Cubes: 5077

Load Cap: 100ton

Length: 55ft 8in outside

Quantity Avail: 8

Notes:

Expounding Info:

XP - Box-Non-Insulated

Sale only

Type Code A402

Built Date 12/01/1974

End of Service Date 12/01/2024

Gross Rail Load/Weight 263000 lb

Tare Weight 64000 lb

Load Limit 199000 lb

Cubic Feet 5077 cuft

Plate Code B

Outside Length 55 Ft 8 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 14 Ft 9 In

Outside Height Extr Width 13 Ft 8 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 14 Ft 3 In

Inside Length 50 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 10 Ft 7 In

Truck Center Length 40 Ft 10 In

Single Sliding Doors

Box Side Door C - Centered

Side Door Width 10 Ft 0 In

Side Door Height 10 Ft 0 In

Floor Material 23 - Steel Nailable (includes alternate wood and steel floor

Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-00



B-08.14.23-01

Category: Box Car

AAR Car Type: A403

Sale Type: Sale Only

Year(s) Built: 1974

Cubes: 5283

Load Cap: 70ton

Length: 50ft 7in inside

Quantity Avail: 10

Notes:

Expounding Info:

XP - Box-Non-Insulated Type Code A403

Sale only

Built Date 06/01/1974

End of Service Date 06/01/2024

Gross Rail Load/Weight 220000 lb

Tare Weight 67800 lb

Load Limit 152200 lb

Cubic Feet Capacity 5283 cuft

Plate Code C

Outside Length 57 Ft 10 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 15 Ft 3 In

Outside Height Extr Width 5 Ft 5 In

Outside Upper Eaves Width 9 Ft 6 In

Outside Upper Eaves Hght 14 Ft 8 In

Inside Length 50 Ft 7 In

Inside Width 9 Ft 6 In

Inside Height 10 Ft 11 In

Truck Center Length 40 Ft 10 In

Double Sliding Doors

Box Side Door Orientation C - Centered

Side Door Width 16 Ft 0 In

Side Door Height 10 Ft 4 In

Floor Material Steel Nailable, Reinforced (includes alternate wood and steel floor

Flr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-01



B-08.24.22-00

Category: Box Car

AAR Car Type: A402

Sale Type: Sale or Lease

Year(s) Built: 1979

Cubes: 5347

Load Cap: 70ton

Length: 50ft

Quantity Avail: 6

Notes:

Expounding Info:

Equipment Type A402

Sale or lease

Gross Rail Load 220000 lb

Tare Weight 62900 lb

Load Limit 157100 lb

Cubic Feet 5347 cuft

Plate Code C

Standard Draft Gear

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr 13 Ft 3 In

Outside Upper Eaves 9 Ft 7 In

Outside Upper Eaves Hght 14 Ft 10 In

Outside Lower Eaves Width 10 Ft 0 In

Outside Lower Eaves Hght 18 Ft 6 In

Inside Length 50 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 11 Ft 1 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.24.22-00

**BMR-10.19.23-00**

Category: Mechanical Refrigerator

AAR Car Type: R360

Sale Type: Sale Only

Cubes: 4544cu

Load Cap: 100ton

Length: 63ft 4in outside

Quantity Avail: 10

Notes:

Expounding Info:

Mechanical Designation Box-Refrigerator (Mechanical)

Sale only

Cars have previously been through the ILS process and are approved for operation until 2035

Can be directed to locations on BNSF or UP without charge after being released from prior loading

Equipment Type Code R360

Extended Service A096 1 1st ILS Inspection, additional 5 years of Service

Maint of Way Service Type B403

Built Date BLDT 05/01/1970

Rebuilt / ILS Date 05/01/2001

Gross Rail Load/Weight 263000 lb

Tare Weight 89900 lb

Load Limit 173100 lb

Cubic Feet Capacity 4544 cuft

Plate Code C

Outside Length 63 ft 4 in

Outside Extreme Width 10 ft 8 in

Outside Extreme Height A15 ft 6 in

Outside Height Extr Width 8 ft 6 in

Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 1 in

Inside Length 54 ft 7 in

Inside Width 9 ft 0 in

Inside Height 9 ft 3 in

Truck Center Length 45 ft 9 in

Side Door Type Single Plug Doors

Box Side Door C - Centered

Side Door Width 10 ft 6 in

Side Door Height 8 ft 8 in

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-00

**BMR-10.19.23-01**

Category: Mechanical Refrigerator

AAR Car Type: R661

Sale Type: Sale Only

Year(s) Built: 2000/2001

Cubes: 7883

Load Cap: 286cap

Length: 82ft 2in

Quantity Avail: 20

Notes:

Expounding Info:

AAR Car type R661 Mech Reefer temperature controlled mechanically refrigerated boxcars

Boxcars are equipped with an ARX loading system detail on the racking system are available

Sale only

Gross Rail Load/Weight 286000 lb

Tare Weight 110500 lb

Load Limit 175500 lb

Weighing Date 12/01/2000

Plate Code F

Outside Length 82 Ft 2 In

Outside Extreme Width 10 Ft 5 In

Outside Extreme Height 17 Ft 0 In

Outside Height Extr Width 3 Ft 7 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 16 Ft 7 In

Outside Lower Eaves 10 Ft 5 In

Outside Lower Eaves Hght 16 Ft 0 In

Inside Length 72 Ft 2 In

Inside Width 9 Ft 2 In

Inside Height 11 Ft 11 In

Truck Center Length 52 Ft 0 In

Side Door Type Single Plug Doors

Box Side Door C - Centered

Side Door Width 10 Ft 0 In

Side Door Height 11 Ft 3 In

Floor Material Reinforced

Flr Strength Class 50K - 50000 Pounds

Refrigeration Fuel Type Diesel

Refrigeration Level Wide Range (Frozen to Non-Frozen)

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-01



FB-01.23.24-00

Category: Bulkhead Flatcar

AAR Car Type: FM

Sale Type: Sale Only

Year(s) Built: 1973

Load Cap: 100ton

Length: 51ft 10in inside

Quantity Avail: 1

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-00



FB-01.23.24-01

Category: Bulkhead Flatcar

AAR Car Type: F451

Sale Type: Sale Only

Year(s) Built: 1974

Load Cap: 286

Length: 65ft 8in outside

Quantity Avail: 1

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-01



FB-01.23.24-02

Category:	Bulkhead Flatcar
AAR Car Type:	F451
Sale Type:	Sale Only
Year(s) Built:	1974
Load Cap:	286cap
Length:	65ft 8in outside
Quantity Avail:	1

Notes:

Expounding Info:

At the owner's request please contact us for more information.
We can be reached by phone at: +1 708-251-2502,
by email at: rpaquette@prscorp.net,
or by skype at: rpaquette168

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-02



FB-01.23.24-03

Category: Bulkhead Flatcar

AAR Car Type: FB side stakes

Sale Type: Sale Only

Load Cap: 70ton

Length: 58ft 2 1/4in striker

Quantity Avail: 1

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-03



FB-01.23.24-04

Category:	Bulkhead Flatcar
AAR Car Type:	F141
Sale Type:	Sale Only
Year(s) Built:	1975
Load Cap:	70ton
Length:	60ft 10in
Quantity Avail:	1

Notes:

Expounding Info:

At the owner's request please contact us for more information.
We can be reached by phone at: +1 708-251-2502,
by email at: rpaquette@prscorp.net,
or by skype at: rpaquette168

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-04



FC-01.17.24-00

Category: Center Beam Flatcar

AAR Car Type: F483

Sale Type: Lease Only

Year(s) Built: 2019

Load Cap: 286

Length: 81ft 10in

Quantity Avail: 173

Notes:

Expounding Info:

FBC - Flat-Bulkhead Center Beam

Available 4th quarter

Lease Only

Currently running on CN

Type Code F483

Built Date 01/03/2019

Gross Rail Load/Weigh 286000 lb

Tare Weight 62900 lb

Load Limit 223100 lb

Plate Code E

Outside Length 81 Ft 10 In

Outside Extreme Width 9 Ft 8 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr Width 3 Ft 2 In

Inside Length A135

73 Ft 0 In

Inside Width 9 Ft 2 In

Truck Center Length 60 Ft 0 In

Bulkhead Top Width 9 Ft 2 In

Bulkhd Height Abov Pltfrm 11 Ft 8 In

Floor Material 21 - Steel Floor, (straight deck) without risers (F-8-)

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FC-01.17.24-00

**FCO-04.05.24-00**

Category: COFC/TOFC

AAR Car Type: TOFC

Sale Type: Sale Only

Year(s) Built: see expanded info

Load Cap: 70ton

Length: 85ft

Quantity Avail: 43

Notes:

Expounding Info:

Mechanical Designatio FC - Flat-Intermodal Standard, Low Profile, Stack

Equipment Descriptor B341

FCC - Standard Intermodal

Following (12) cars were built in the 1960's and are

AAR qualified for 65 years service

Equipment Type Code P740

Gross Rail Load/Weight 220000 lb

Tare Weight 60700 lb

Load Limit 159300 lb

B - Plate Code B

Outside Length 88 Ft 0 In

Outside Extreme Width 10 Ft 2 In

Outside Extreme Height 7 Ft 8 In

Outside Height Extr Width 6 Ft 0 In

Inside Length 85 Ft 0 In

Inside Width 8 Ft 2 In

Platform Hght Above Rail 3 Ft 6 In

Intermodal Loading Method CL - Circus and Lift On-Lift Off

1984 2

1982 8

1981 3

1980 3

1979 4

1978 7

1977 1

1976 4

1975 1

10 cars are out of date and have been used in Maintenance of Way Service:

2017 1

2016 2

2014 1

2012 1

2011 4

Unknown 1

More information

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=FCO-04.05.24-00



GCW-05.16.23-00

Category:	Container Well Gondola
-----------	------------------------

AAR Car Type:	3pkt dbl stack
---------------	----------------

Sale Type:	Sale Only
------------	-----------

Load Cap:	100ton
-----------	--------

Length:	40ft
---------	------

Quantity Avail:	300
-----------------	-----

Expounding Info:

40ft 3pack double stack well cars

Sale only

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GCW-05.16.23-00

Notes:

**GFR-01.22.24-00**

Category: Flat Bottom Gondola

AAR Car Type: G119

Sale Type: Sale Only

Year(s) Built: 2024

Cubes: 2480

Load Cap: 286

Length: 37ft 1 1/8in

Quantity Avail: 100

Notes:

Expounding Info:

Available end of Second Quarter

Sale Only

Weights and Capacity

Load Limit Est 235000 lbs

Light Weight of Car Est 51000 lbs

Gross Rail Load 286000 lbs

Capacity level full 2480 cu ft

Body Dimensions Reference Only

Length Inside End Top Chords 37ft 1 3/8in

Over Pulling Face of Couplers Normal 42ft 0in

Over Strikers 39ft 4 1/2in

Truck Centers 27ft 1in

Width Over Top Chord 10ft 0 1/2in

Inside the Side Sheets 9ft 2in

Extreme at Bolster 10ft 8in

Height Light car above rail new

Extreme 11ft 1in

Rail to Top of Floor at Bolster 3ft 7 1/2in

Floor to Top of Top Chord 7ft 4 1/4in

Rail to Centerline of Coupler nominal 2ft 10 1/2in

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=GFR-01.22.24-00

**GFR-09.07.23-00**

Category: Flat Bottom Gondola

AAR Car Type: J301

Sale Type: Lease Only

Year(s) Built: 1985

Cubes: 4300cu

Load Cap: 286cap

Length: 53ft 1in

Quantity Avail: 35

Notes:

Expounding Info:

GT - Gondola-High Sides and Ends Alum - for Unloading in Dumping Machines Only

Lease Only

Equipment Type Code J301

Some freight assistance

E - Built new from July 1, 1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 47300 lb

Load Limit 238700 lb

Cubic Feet Capacity 4300 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme 10 Ft 8 In

Outside Extreme 13 Ft 0 In

Outside Height Extr Width 13 Ft 0 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 13 Ft 0 In

Inside Length 47 Ft 0 In

Inside Width 9 Ft 10 In

Inside Height 9 Ft 4 In

Truck Center Length 40 Ft 6 In

Equipment Builder Greenville Steel Car

Floor Material 01 - Aluminum

Gondola Floor Design Flat Bottom

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=GFR-09.07.23-00



GM-01.22.24-00

Category: Mill Gondola

AAR Car Type: G519

Sale Type: Sale Only

Year(s) Built: 2024

Cubes: 2950

Load Cap: 286cap

Length: 52ft 3 1/2in

Quantity Avail: 100

Notes:

Expounding Info:

New available second quarter of 2024

Sale Only

AAR G519

Weights and Capacity

Load Limit Est. 225700 lbs

Light Weight of Car Est. 60300 lbs

Gross Rail Load 286000 lbs

Capacity Nominal 250 cu. ft.

Capacity Est. including 10in heap 3350 cu. ft.

Body Dimensions Reference Only

Length Inside End Sheets 52ft 3 1/2in

Over Pulling Face of Couplers Normal 57ft 4in

Over Strikers 54ft 8 1/2in

Truck Centers 40ft 4 1/2in

Widths Extreme 10ft 8in

Inside the Side Sheets at Top ft 7 3/4in

Inside the Side Sheets at Bottom ft 1 3/4in

Heights Light car above rail new

Extreme ft 8 /32in

Rail to Top of Floor at Bolster 3ft 7 1/8in

Floor to Top of Top Chord 6ft 0in

Rail to Centerline of Coupler Nominal 2ft 10 1/2in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-01.22.24-00



GM-03.05.24-00

Category:	Mill Gondola
AAR Car Type:	E504
Sale Type:	Sale Only
Year(s) Built:	80/81
Cubes:	1828cu
Load Cap:	100ton
Length:	52ft 6in inside
Quantity Avail:	70

Notes:

Expounding Info:

AAR car type E504
Sale Only
Inside Length 52ft 6in
Inside Height 3ft 8in
Inside Width 9ft 6in
Cubes ft 1828
Outside Length 57ft 2in
Outside Height 7ft 4in
Outside Width 10ft 8in
Height of Extreme Width 7ft 3in
Upper Eaves 7ft 3in
Upper Eaves width 10ft 8in
Max Weight on Rail 263000lbs
Tare 62500lbsLoad Limit 200500lbs
Note: 15 are in Ohio now and moving
Also the owner wants 25K plus per car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-03.05.24-00



GT-01.25.23-00

Category:	Tub Gondola
AAR Car Type:	aluminum BethGon II
Sale Type:	Sale or Lease
Year(s) Built:	2008
Cubes:	4520cu
Load Cap:	286cap
Length:	Length over strikers
Quantity Avail:	200

Notes:

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-01.25.23-00



GT-03.12.24-00

Category:	Tub Gondola
AAR Car Type:	J312
Sale Type:	Sale or Lease
Year(s) Built:	80/85
Cubes:	4240
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	119

Notes:

Expounding Info:

Mechanical Designation GT - Gondola-High Sides and Ends -
for Unloading in Dumping Machines Only

Sale or Lease

Equipment Type Code J312

Extended Service R - Rule 88, Rebuilt cars

Gross Rail Load/Weight 263000 lb

Tare Weight 53000 lb

Load Limit 210000 lb

Cubic Feet Capacity 4240 cuft

Plate Code C

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 4 In

Outside Height Extr Width 11 Ft 2 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 4 In

Inside Length 48 Ft 0 In

Inside Width 9 Ft 10 In

Body Material 19 - Standard Steel

Floor Material 19 - Standard Steel

Gondola Floor Design D - Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-03.12.24-00



GT-08.07.23-00

Category:	Tub Gondola
AAR Car Type:	J311
Sale Type:	Sale or Lease
Year(s) Built:	1984/2006
Cubes:	4520cu
Load Cap:	286cap
Length:	53ft 1in outside
Quantity Avail:	60

Notes:

Expounding Info:

GT - Gondola-High Sides and Ends Alum cars- for Unloading in Dumping Machines Only

Equipment Type Code J311

Sale or lease

35 of the Ortner 1984 built Texas location

25 Freight America cars 2006 built upstate NY

.....35 of the cars are flat bottom (Ortner cars) and the other

.....25 have the concave/depressed bottom

Built new from July 1, 1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 41700 lb

Load Limit 244300 lb

Weighing Date A288 06/02/2006

Cubic Feet Capacity 4520 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 10 In

Outside Height Extr Width 12 Ft 10 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 10 In

Inside Length 47 Ft 10 In

Inside Width 9 Ft 10 In

Inside Height 11 Ft 6 In

Truck Center Length 40 Ft 6 In

Body Material 01 – Aluminum

Gondola Floor Design Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-08.07.23-00



GT-09.07.23-00

Category: Tub Gondola

AAR Car Type: Beth Gon

Sale Type: Lease Only

Year(s) Built: 2005

Cubes: 4520cu

Load Cap: 286cap

Length: 47ft 9 1/8in

Quantity Avail: 25

Notes:

Expounding Info:

Beth Gon II Inside Length 47ft 9 1/8in

Builder Freight car America

Lease

50ft 5 1/2in over striker

Extreame Lenght 53ft 1in

Inside width 9ft 10in

Lt weight 41700lbs

Load Limit 244300lbs

All steel Underframe

Alum Outside stake

Flat intermediate Floor

Twin Alum Round bottom Tubs

AAR Plate B

Rotary dump

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-09.07.23-00



GW-09.19.23-00

Category: Woodchip Gondola

AAR Car Type: E507

Sale Type: Sale Only

Year(s) Built: 1980

Cubes: 7000

Load Cap: 100ton

Length: 65ft outside

Quantity Avail: 68

Notes:

Expounding Info:

Type: E507 Steel suitable for unloading on dumping machines only.

Inside length 57ft 2in

Inside Height 12ft 2in

Inside Width 8ft 8in

Outside Length 65ft

Outside Height 16ft 2in

Outside Width 10ft 6in

Plate F

Cubes 7000

GRL 263000

Load Limit 194500lbs

Tare 68500lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GW-09.19.23-00



HC-01.27.23-00

Category: Covered Hopper

AAR Car Type: c112

Sale Type: Sale or Lease

Year(s) Built: 2011/2012

Cubes: 3258

Load Cap: 286

Length: 41ft 11in

Quantity Avail: 300

Notes:

Expounding Info:

Hopper-Covered

Sale or lease

Builders 2/3 ARI and 1/3 Trinity.

Basically all the same specs have actual specs for each group!

Owner would like to do a net lease

Equipment Type C112

Built new Qualified for 50 Years Service

End of Service 3/01/2061

Gross Rail Load/Weight 286000 lb

Tare Weight 53200 lb

Load LimitL 232800 lb

Cubic Feet Capacity 3258 cuft

Plate Code C

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 8 Ft 7 In

Equipment Builder ARI Industries

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-01.27.23-00



HC-02.01.24-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 1992

Cubes: 3000

Load Cap: 100ton

Length: 41ft 11in outside

Quantity Avail: 4

Notes:

Expounding Info:

AAR Car Type Code C112

Cubic Ft Capacity 03000 cu ft

Sale Only

Round roof hatch center line of car
built 1992

Plate Clearance B

Outside Length 041 ft 11 in

Outside Extreme Height 15 ft 01 in

Outside Extreme Width 10 ft 08 in

Height of Extreme Width 03 ft 00 in

Upper Eaves Height 14 ft 06 in

Max Weight on Rail 263000 lbs.

Tare Weight 056900 lbs.

Load Limit 206100 lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-02.01.24-00



HC-02.28.24-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 2013

Cubes: 3250

Load Cap: 286cap

Length: 39ft 5in over strike

Quantity Avail: 50

Notes:

Expounding Info:

Built Date 2013

Builder Greenbrier

Sale Only

10ft 8 in Ext Width

15ft 3in ext height

Plate C

Lt weight 54500lbs

Load Limit231500lbs

3 round Hatches 36 1/2in

Cubic Capacity 3250 CF

GRL 286,000

Light Weight 54,500

Load Limit 231,500

price includes freight assistance anywhere on CSX and also includes any needed ABT or repairs to make them interchange worthy

Location Various, Southeast

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-02.28.24-00



HC-04.04.24-00

Category: Covered Hopper

AAR Car Type: C111

Sale Type: Lease Only

Year(s) Built: 50 yr service

Cubes: 2980

Load Cap: 286cap

Length: 41ft 11in outside

Quantity Avail: 1

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C111

Covered Hopper, Gravity Unloading, Permanent Roof, Less than 3000 cu ft capacity

Built new from July 1, 1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 53900 lb

Load Limit 232100 lb

Cubic Feet Capacity 2980 cuft

Plate Code B

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 4 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 8 In

Outside Lower Eaves Width 10 Ft 2 In

Outside Lower Eaves Hght 13 Ft 10 In

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-04.04.24-00



HC-07.27.23-00

Category:	Covered Hopper
-----------	----------------

AAR Car Type:	C113
---------------	------

Sale Type:	Lease Only
------------	------------

Year(s) Built:	80/81
----------------	-------

Cubes:	4600
--------	------

Load Cap:	100ton
-----------	--------

Length:	58ft 1in
---------	----------

Quantity Avail:	5
-----------------	---

Notes:

Expounding Info:

LO - Hopper-Covered

Lease only

Free Move for delivery

Cars are being shopped right now, and they are going into grain service and will available in 90-120 days

17 cars are 1981-built

10 cars are 1980-built

Equipment Type Code C113

Built Date 10/01/1981

Gross Rail Load/Weight A266

263000 lb

Tare Weight 63800 lb

Load Limit 199200 lb

Cubic Feet Capacity 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 3 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 9 In

Lining Material 26 - Synthetic

Roof Type 1 - Trough hatch in roof

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=HC-07.27.23-00

**HC-09.07.23-00**

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Lease Only

Year(s) Built: 80/81

Cubes: 4600

Load Cap: 100ton

Length: 58ft 1in

Quantity Avail: 27

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C113

Lease

Extended Service A096

E - Built new from July 1, 1974, Qualified for 50 Years

Service

Gross Rail Load/Weight 263000 lb

Tare Weight 62000 lb

Load Limit 201000 lb

Cubic Feet Capacity 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 3 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 9 In

Unloading System Type GRAV & Gravity

Body Material 19 - Standard Steel

Equipment Builder ACF - American Car & Foundry

Lining Material 26 - Synthetic

Roof Type 1 - Trough hatch in roof

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=HC-09.07.23-00

**HC-10.11.23-00**

Category: Covered Hopper

AAR Car Type: C114

Sale Type: Lease Only

Year(s) Built: 2023

Cubes: 6580

Load Cap: 286cap

Length: 69ft 7in outside

Quantity Avail: 30

Notes:

Expounding Info:

Number Available 30

Mechanical Designation LO

Car Type Code C114

Lease Only

Built Date 2023

Builder Gunderson

GRL 286000

Light Weight 68700

Load Limit 217300

Cubic Capacity 6580 CF

Compartments 4

Linings None

Outside Length 69ft 07in

Extreme Width 10ft 07in

Extreme Height 15ft 06in

Clearance Diagram Plate C

Hatches Trough

Gates Gravity

Bearings 6-1/2 x 9

Wheels 36in

Couplers SBE60EE Bottom

Shelf

Draft Gear Standard

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=HC-10.11.23-00



HC-11.02.23-00

Category: Covered Hopper

AAR Car Type: C114

Sale Type: Lease Only

Year(s) Built: 2016

Cubes: 5400

Load Cap: 286cap

Length: 55ft 5in outside

Quantity Avail: 10

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered

FS lease 4.5 years sub lease

Equipment Type Code C114

Gross Rail Load/Weight 286000 lb

Tare Weight 61800 lb

Load Limit 224200 lb

Cubic Feet Capacity 5400 cuft

Plate Code C

Outside Length 55 ft 5 in

Outside Extreme Width 10 ft 8 in

Outside Extreme Height 15 ft 6 in

Outside Height Extr Width 8 ft 3 in

Roof Type Trough hatch in roof

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.02.23-00



HC-11.22.22-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale or Lease
Year(s) Built:	87/90
Cubes:	3000
Load Cap:	100ton
Length:	41ft 10in
Quantity Avail:	11

Notes:

Expounding Info:

Hopper-Covered
Sale or lease
Cement Gates
Equipment Type C112
Gross Rail Load 263000 lb
Tare Weight 54900 lb
Load Limit 208100 lb
Cubic Feet 3000 cuft
Plate Code B
Outside Length 41 Ft 10 In
Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 15 Ft 0 In
Outside Height Extr Width 13 Ft 8 In
Outside Upper Eaves Width 9 Ft 0 In
Outside Upper Eaves Hght 14 Ft 7 In
Outside Lower Eaves Width 10 Ft 3 In
Outside Lower Eaves Hght 10 Ft 7 In
Lining Material Unlined
Roof TypeA2264 Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.22.22-00



HCP-09.21.22-00

Category: Covered Plastic Hopper

AAR Car Type: C214

Sale Type: Lease Only

Cubes: 5850cu

Load Cap: 263 cap

Length: 68ft 3in outside Len

Quantity Avail: 14

Notes:

Expounding Info:

AAR C214

Formerly Ref# HC-06.14.22-00

Lease only

Plastic Pellet gates

Plate C

5850 cu

4 compartments

Round Hatches

Currently at shop and storage on CSX

68ft 3in Outside Length

15ft 5in Extreme Height

10ft 6in Outside width

Max weight to rail 263

Tare 68900

Load limit 19433lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCP-09.21.22-00



HCPD-02.09.24-00

Category:	Covered PD Hopper
AAR Car Type:	PD Cov Hopper
Sale Type:	Lease Only
Year(s) Built:	2018
Cubes:	3230
Load Cap:	286cap
Length:	43ft 1in over strike
Quantity Avail:	4

Notes:

Expounding Info:

PD Hoppers 14.7 PSIG
Lease Only
Inside Length 36ft 5in
Length over couplers Pulling faces 45ft 8 1/2in
Inside Width 10ft 3 11/16in
Extreme Width 10ft 4 3/4in
Extreme Height 15ft 6in
Cubes 3230
Light Weight 56500
Gross rail Load 286000lbs
Load Limit 229500 LBS

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-02.09.24-00



HCPD-04.04.24-00

Category: Covered PD Hopper

AAR Car Type: C612

Sale Type: Lease Only

Year(s) Built: 50 Years Service

Cubes: 3915cu

Load Cap: 100ton

Length: 61 Ft 10 In Outside

Quantity Avail: 12

Notes:

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C612

Built new from July 1,1974, Qualified for 50 Years Service

AAR End of service Dates below

2/1/2032

12/1/2029

9/1/2029

11/1/2025

1/1/2030

12/1/2029

10/1/2027

9/1/2029

11/1/2025

3/1/2027

1/1/2031

4/1/2031

Gross Rail Load/Weight 263000 lb

Tare Weight 65200 lb

Load Limit 197800 lb

Cubic Feet Capacity 3915 cuft

Plate Code B

Outside Length 61 Ft 10 In

Outside Extreme Width 10 Ft 4 In

Outside Extreme Height 13 Ft 4 In

Outside Height Extr Width 8 Ft 2 In

Outside Upper Eaves Width 7 Ft 5 In

Outside Upper Eaves Hght 13 Ft 4 In

Unloading System Type PSDF - Pressure Differential

4-Pressure ABT Recvr Eqpd E &ndash; Equipped

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:https://www.prscorp.net/ref_details.php?ref=HCPD-04.04.24-00



HO-02.27.24-00

Category: Open Hopper

AAR Car Type: H350

Sale Type: Lease Only

Year(s) Built: 1999/2005

Quantity Avail: 42

Notes:

Expounding Info:

Mechanical Designation HT - Hopper-3 or more Compartments,
Doors Hinged Crosswise, Dumping Between Rails

Lease Only

Type Code H350

Lease Only

Slope Sheets 60 degrees

Gross Rail Load/Weight 286000 lb

Alum body

Tare Weight 49100 lb

Load Limit 236900 lb

Cubic Feet Capacity 4200 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 13 Ft 4 In

Outside Height Extr Width 13 Ft 4 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-02.27.24-00



HO-03.14.24-00

Category:	Open Hopper
-----------	-------------

AAR Car Type:	H351
---------------	------

Sale Type:	Sale Only
------------	-----------

Year(s) Built:	76/78
----------------	-------

Cubes:	4000
--------	------

Load Cap:	100ton
-----------	--------

Length:	53ft 1/2in Outside
---------	--------------------

Quantity Avail:	8
-----------------	---

Notes:**Expounding Info:**

Have available for sale eight steel 100 ton open top hopper cars.

There cars 7 cars that are 4000 cuft and one car that is 3614 cuft.

Sale Only

Cars are built in 1976 and 1978.

There are 5 cars built in 1976 and 3 cars built in 1978.

Load Limit 202700lbs

Lt Wt 60300

Gross 263

Plate B

53ft 1/2in Outside

Inside Width 9ft 9 1/2in

Builder Pullman

some transportation .

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-03.14.24-00



HRD-02.08.24-00

Category:	Rapid Discharge Hopper
AAR Car Type:	Auto Flood 111 Alum
Sale Type:	Lease Only
Year(s) Built:	2006
Cubes:	4200
Load Cap:	286cap
Length:	50ft 5 1/2in
Quantity Avail:	90

Notes:

Expounding Info:

Auto Flood 111 Alum
Lease Only
Rapid Discharge and rotary dump
Possible free move on CSX
Outside Stake Double door design
Inside Length 47ft 9 1/8in
Over Strikers 50ft 5 1/2in
Inside Width 10ft 1 3/8inOver Top Chords 10ft 8in
Height to top of side top chord 13ft 3in
Floor Slope 45 degreesLower Intermediate floor 50 degrees
Cubes 4200cu
Cubes 10in heap 4603
Light weight 49400lbs
Gross Rail Load 286000lbs
Load Limit 236000lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HRD-02.08.24-00



L-01.26.23-00

Category: Locomotive

AAR Car Type: SW1500

Sale Type: Sale Only

Quantity Avail: 2

Notes:

Expounding Info:

Three units in excellent condition inspection reports are available!

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-01.26.23-00



L-02.16.24-00

Category: Locomotive

AAR Car Type: D - Locomotive

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

DFGT Freight Diesel Electric

Sale Only

Locomotive Model Number EMD

Horsepower 1850

Video available

4 axle engine installed new engine in 2015, cameras operational, asset is operational Brakes have 60 Percent remaining. Asset moves forward and backward, Oil changed in November 2023, New Air compressor green 7.3.23. 24 volt batteries were replaced 1 yr ago. Generator is 1 year old.

Service records available.

Outside Length OSLG

56 Ft 2 In

Outside Extreme Width A186

10 Ft 4 In

Outside Extreme Height A185

15 Ft 6 In

Truck Center Length A276

31 Ft 0 In

Front Snowplow Height B101

1 Ft 3 In

Truck Count B256

2

Axle Count A024

4

Wheel Bearing Type B191

R Roller

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-02.16.24-00



L-05.17.23-00

Category: Locomotive

AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

SW900 switcher for sale

Supposed to have 2in wheels

ST. LOUIS location

Unit was in daily use until plant closing, has been winterized for about 18 months.

They can fire it up for you !

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-05.17.23-00



L-06.27.23-00

Category:	Locomotive
AAR Car Type:	SHUTTLEWAGON
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

Engine Cylinders

Cummins QSB6.7 6 Cylinder 185 hp 6.7 L Diesel Engine

Blow by @ idle (subjective visual observation)

Minor

Starter

Operational

Radiator

Rating:

Good

Oil Leaks

No dripping leaks

Fuel Leaks

No dripping leaks

Cooling System Leaks

No dripping leaks

Limited Function Check (Engine)

The engine started and ran.

LOGISTICS INFORMATION

General Condition

Fair

Shipping Dimensions

20 ft Long x 6 ft Wide x 10 ft 5 in Tall

General Shipping Information

Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the unit

taller than 12'? No: Is the unit wider than 8'6"? No:

Noticeable fluid leaks?

Modifications

1 Axles, Track Gauge 56 in - 59 in, Max Speed Capability:

Fuel Capacity:

CONTROL STATION

Hydraulic Controls

Rating:

Good

Drivetrain Controls

Rating:

Good

Steering Control

Rating:

Good

Dash Console Condition

Rating:

Good

Oil Pressure

The gauge registers in the operating range.

Continued on Next Page...



L-06.27.23-00

Expounding Info Continued:

Warning Lights

Operational

Gauges

Operational

Hour Meter/Odometer (Start)

684 hrs

Hour Meter/Odometer

684 hrs, Operational hour meter

Limited Function Check (Control Station)

The main components are in place and operational as noted.

Brand new remote control cable provided and remote control confirmed to work.

SECTION 5

Frame Condition

Rating:

Good

Belly pans

Rating:

Good

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-06.27.23-00



L-11.09.23-00

Category:	Locomotive
AAR Car Type:	SW900
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:
SW900 JUST OFF LEASE
900 Horsepower
8 cyl 567C
D15 MG
Good Wheels
Alignment Controlled Couplers, YES
Location, Illinois
More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=L-11.09.23-00



L-12.21.22-00

Category: Locomotive

AAR Car Type: SD40-2

Sale Type: Sale or Lease

Quantity Avail: 1

Notes:

Expounding Info:

SD40 2 Low nose

Former Conrail & NS unit

Privately owned

Blue card Ready for service

Good wheels

26L brakes with Dynamics

This SD40 2 is an exceptional unit

Completely gone through, no defects blue card qualified

Batteries are new

Has had a new Tri annual

Located in western Indiana near Illinois line

Direct connection on UP

A good lease option to buy as well !

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-12.21.22-00



M-03.26.21-00

Category:	Misc
AAR Car Type:	Scale test car
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

Scale test car 80050 scale test car as is, where is Bid price

Built in 1931 with a tare weight of 80,000 lbs.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-03.26.21-00



M-04.12.23-01

Category:	Misc
AAR Car Type:	Vertical Steam Generator
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

Vertical Steam Generator

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-04.12.23-01



M-04.12.23-02

Category:	Misc
AAR Car Type:	HX30 Vacuum Excavator
Sale Type:	Sale Only
Quantity Avail:	1

Notes:

Expounding Info:

HX30 Vacuum Excavator

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-04.12.23-02



M-10.22.20-00

Category: Misc

AAR Car Type: Concrete Pylons

Sale Type: Sale Only

Quantity Avail: 215

Notes:

Expounding Info:

Here is info for the Prestressed Concrete Pylons I have available

due to bridge design change.

Prestressed concrete pylons

50ft to 120ft long

All 30in square

Quantity 215

179 qty over 100ft long

Weight approximately 660lb foot

Average weight 35 tons

Life cycle 100 years ocean exposure

10000 psi concrete

Designed to be water jetted down to 60ft of ocean floor

allow for 30ft of erosion and still hold bridge in 135 mph wind.

Located coastal North Carolina

Barge loading access available.

Save up to 46 weeks on construction schedule.

Contact for further details.

Can arrange for production of additional materials as needed such as caps beams and deck.

Can assist coordinate logistics and loading.

Suggested use as marker at end of artificial jetties for warning lighting.

ocean piersdocks for LNG Projects

Tank support and ground stabilization

Advise for additional information.

Suggested use as marker at end of artificial jetties for warning lighting.

ocean piers docks for LNG Projects,

Tank support and ground stabilization

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-10.22.20-00



M-11.14.23-00

Category: Misc

AAR Car Type: Tamping machine

Sale Type: Sale Only

Quantity Avail: 2

Notes:

Expounding Info:

The Plasser American Corporation 08 32 Unimat 4s is a fully automatic tamping machine. The 08 32 Unimat can be used to tamp, lift and line switches or plain track. The 08 32 Unimat 4s utilizes the proven Plasser technology along with the AGGS computer geometry system to give superb quality track work. The 08 32 Unimat 4S uses a 32 tool split tamping unit system that allows the independent tamping of inside and outside the rail or any combination thereof. The tamping units can also be traversed side to side and telescoped outside the frame, and rotated to allow for the most complete, accurate tamping of a switch. The rail lifting and lining is done with a rail hook and roller clamp assembly. The 08 32 Unimat 4s also has an auxiliary third rail lifting clamp that will allow the lifting of the turnout rail in conjunction with the main lift to eliminate the need for helper jacks to prevent over lifting of the main rail.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-11.14.23-00

**T-01.21.21-00**

Category:	Tank Car
AAR Car Type:	T178 - Dot 117J
Sale Type:	Sale Only
Year(s) Built:	2014/2015
Gallons:	28371
Load Cap:	286cap
Length:	59ft 5in
Quantity Avail:	211

Notes:

Expounding Info:

Description 2014-2015 Trinity DOT 117J

Sale only

There may be a little wiggle room on pricing depending on quantity of cars purchased!

Category Rail - Tank Cars

Year 2015

Manufacturer/Make TRINITY

Model DOT 117J

Mechanical Designation

Equipment Type Code T178

Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. -

Sample copy of inspection report can be attached. Will consider serious offers to purchase or triple net lease NOVAGUARD 890 coating is a solvent-free, single-coat, novolac phenolic epoxy lining that meets emerging petrochemical industry requirements for the storage of biofuels, including ethanol fuel blends. In addition to holding crude oil at temperatures of up to 194 degrees F, NOVAGUARD 890 coating can be used to store aggressive biofuels, such as gasolines with 5 to 95 percent ethanol. Like NOVAGUARD 840 coating, it has excellent pit-filling characteristics and can be used as a reinforced lining for refurbished tank bottoms.

Built Date 10/01/2014

Gross Rail Load/Weight 286000 lb

Tare Weight 92700 lb

Load Limit 193300 lb

Gallage Capacity 28470 usgl

Plate Code C

Outside Length 59 Ft 5 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr Width 8 Ft 0 In

Major Class 17 DOT 117J100W

Coil Material C Carbon Steel

Coils Exterior Interior E Exterior

head Protection Thickness 0.500 9.999 in

Head Protection Type

F - Full Height Head Shield

Jacket Material Category N - CARBON STEEL

Jacket Thickness 0.1196 9.9999 in

Insulatn Thrmal Prot Type

FC - Fiberglass & Ceramic Fiber

Insulation Thickness 3.5 99.9 in

Bottom Outlet/Fitting Typ C - Bottom Outlet & Sump

Continued on Next Page...



T-01.21.21-00

Expounding Info Continued:

Bottom Outlet Count 1

Btm Outlet Vlv Actuation

C - Handle that is disengaged from the valve when in the closed position and located outside the skid

Condition and Notes 1-21-21: Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. - Sample copy of inspection report is available. Will consider serious offers to purchase or triple net lease.

Cars were previously in Baken Oil however since then blasted with new lining cars will need periodic inspections in 2024

2025 Cars have stainless steel valves.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-01.21.21-00



T-03.04.24-00

Category:	Tank Car
AAR Car Type:	111A100W1
Sale Type:	Sale Only
Year(s) Built:	1975
Gallons:	23500 gal
Load Cap:	100ton
Quantity Avail:	2

Notes:

Expounding Info:

Dot 111a100W1
23500 gal
1975
North American
Last contained Diesel Fuel
Cleansed Certificate's available

More information is available on our website or at:
https://www.prscorp.net/ref_details.php?ref=T-03.04.24-00



T-06.24.21-00

Category: Tank Car

AAR Car Type: T108

Sale Type: Sale Only

Year(s) Built: 2008

Gallons: 30000

Load Cap: 100ton

Length: 59ft 9in outside

Quantity Avail: 1

Notes:

Expounding Info:

Tank Equipment Type T108

Sale only

Built Date 02/01/2008

Last contained Diesel Fuel

End of Service Date 02/01/2058

Gross Rail Load/Weight 263000 lb

Tare Weight 66600 lb

Load Limit 196400 lb

Gallorage Capacity 30000 usgl

Plate Code C

Outside Length 59 Ft 9 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 4 In

Outside Height Extr Width 3 Ft 5 In

Truck Center Length 46 Ft 4 In

111A100W1 DOT

Bottom Outlet/Fitting TypA308 Value C Bottom Outlet & Sump

Bottom Outlet Valve External Bottom Outlet Ball Valve

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-06.24.21-00



T-07.07.22-00

Category: Tank Car

AAR Car Type: T109

Sale Type: Sale or Lease

Year(s) Built: 1999

Gallons: 34257 gal

Load Cap: 286cap

Length: 67ft 1in outside

Quantity Avail: 76

Notes:

Expounding Info:

Mechanical Tank

Sale or lease

Equipment Type T109

Cars do not have bottom outlet valves

Gross Rail Load/Weigh 286000 lb

Tare Weight 73000 lb

Load Limit 213000 lb

Gallon 34257 usg

Plate Code C

Outside Length 67 Ft 1 In

Outside Extreme Width 10 Ft 5 In

Outside Extreme Height 15 Ft 5 In

Outside Height Extr Width 3 Ft 0 In

Truck Center Length 63 Ft 5 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.07.22-00