www.prscorp.net

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

 $rpaquette @\,prscorp.net$ Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

Table Of Contents

Box Cars	. 3
Box Car Groups	. 3
B-03.14.24-00	. 3
B-03.22.24-00	. 4
B-08.14.23-00	. 5
B-08.14.23-01	. 6
B-08.24.22-00	. 7
Mechanical Refrigerator Groups	. 8
BMR-10.19.23-00	. 8
BMR-10.19.23-01	. 9
Flatcars	10
Bulkhead Flatcar Groups	10
FB-01.23.24-00	10
FB-01.23.24-01	11
FB-01.23.24-02	12
FB-01.23.24-03	13
FB-01.23.24-04	14
Center Beam Flatcar Groups	15
FC-01.17.24-00	15
COFC/TOFC Groups	16
FCO-04.05.24-00	16
Gondolas	17
Container Well Gondola Groups	17
GCW-05.16.23-00	17
Flat Bottom Gondola Groups	18
GFR-01.22.24-00	18
GFR-09.07.23-00	19
Mill Gondola Groups	20
GM-01.22.24-00	20
GM-03.05.24-00	21
Tub Gondola Groups	22
GT-01.25.23-00	22
GT-03.12.24-00	23
GT-08.07.23-00	24
GT-09.07.23-00	25
Woodchip Gondola Groups	26
GW-09.19.23-00	26
Hoppers	27
Covered Hopper Groups	27
HC-01.27.23-00	27
HC-02.01.24-00	28

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

www.prscorp.net

HC-02.28.24-00	29
HC-04.04.24-00	30
HC-07.27.23-00	31
HC-09.07.23-00	32
HC-10.11.23-00	33
HC-11.02.23-00	34
HC-11.22.22-00	35
Covered Plastic Hopper Groups	36
HCP-09.21.22-00	36
Covered PD Hopper Groups	37
HCPD-02.09.24-00	37
HCPD-04.04.24-00	38
Open Hopper Groups	39
HO-02.27.24-00	39
HO-03.14.24-00	40
HO-05.01.24-00	41
Rapid Discharge Hopper Groups	42
HRD-02.08.24-00	42
Locomotives	43
Locomotive Groups	43
L-01.26.23-00	43
L-02.16.24-00	44
L-05.17.23-00	45
L-06.27.23-00	46
L-11.09.23-00	48
L-12.21.22-00	49
Misc Rail Items	50
Misc Groups	50
M-03.26.21-00	50
M-04.12.23-01	51
M-04.12.23-02	52
M-05.07.24-00	53
M-05.07.24-01	54
M-10.22.20-00	55
M-11.14.23-00	56
Tank Cars	57
Tank Car Groups	57
T-01.21.21-00	57
T-03.04.24-00	59
T-05.10.24-00	60
T-06.24.21-00	61
T-07.07.22-00	62



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-03.14.24-00

0-1	Day Can
Category:	Box Car
AAR Car Type:	A603
Sale Type:	Lease Only
Year(s) Built:	1979
Cubes:	6385
Load Cap:	100ton
Length:	67ft 11in outside
Quantity Avail:	42
Notes:	

Expounding Info:

Equipment Type A603

Gross Rail Load/Weight 263000 lb

Lease Only

Tare Weight 72100 lb Load Limit 190900 lb

Cubic Feet Capacity 6385 cuft

Plate Code C

Outside Length 67 ft 11 in

Outside Extreme Width 10 ft 6 in Outside Extreme Height 15 ft 5 in Outside Height Extr Width 14 ft 3 in Outside Upper Eaves Width 10 ft 0 in Outside Upper Eaves Hght 14 ft 8 in Outside Lower Eaves Width 10 ft 0 in

Outside Lower Eaves Hght 14 ft 5 in

Inside Length 60 ft 10 in Inside Width 9 ft 6 in

Inside Height 11 ft 0 in

Side Door Type Single Sliding Doors

Box Side Door C - Centered Side Door Width 12 ft 0 in Side Door Height 10 ft 5 in

Floor Material Steel Nailable, Reinforced (includes

alternate

wood and steel floor

FIr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-03.14.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-03.22.24-00

Category:	Box Car
AAR Car Type:	A405
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5300
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	24
Notes:	

Expounding Info:

Equipment Type Code A405

Partial free move Available in late May or June

Lease Returns Sale or Lease Plate Code C

Gross Rail Load/Weigh 220000 lb

Tare Weight 62400 lb Load Limit 157600 lb

Cubic Feet Capacity 5300 cuft

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 6 In
Outside Extreme Height 15 Ft 5 In
Outside Height Extr Width 14 Ft 3 In
Outside Upper Eaves Width 10 Ft 0 In
Outside Upper Eaves Hght 14 Ft 8 In
Outside Lower Eaves Width 10 Ft 0 In
Outside Lower Eaves Hght 14 Ft 5 In

Inside Length 50 Ft 7 In Inside Width 9 Ft 6 In Inside Height 11 Ft 0 In

Side Door Type B102 - Single Plug Doors Box Side Door Orientation C - Centered

Side Door Width 10 Ft 0 In Side Door Height 10 Ft 3 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-03.22.24-00

Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-08.14.23-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5077
Load Cap:	100ton
Length:	55ft 8in outside
Quantity Avail:	8

Expounding Info:

XP - Box-Non-Insulated

Sale only

Type Code A402

Built Date 12/01/1974

End of Service Date 12/01/2024 Gross Rail Load/Weight 263000 lb

Tare Weight 64000 lb Load Limit 199000 lb

Cubic Feet 5077 cuft

Plate Code B

Outside Length 55 Ft 8 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 14 Ft 9 In Outside Height Extr Width 13 Ft 8 In Outside Upper Eaves Width 10 Ft 0 In Outside Upper Eaves Hight 14 Ft 3 In

Inside Length 50 Ft 6 In Inside Width 9 Ft 6 In Inside Height 10 Ft 7 In

Truck Center Length 40 Ft 10 In

Single Sliding Doors

Box Side Door C - Centered

Side Door Width 10 Ft 0 In Side Door Height 10 Ft 0 In

Floor Material 23 - Steel Nailable (includes alternate wood

and steel floor

FIr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-00



Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-08.14.23-01

Category:	Box Car
AAR Car Type:	A403
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5283
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	10

Expounding Info:

XP - Box-Non-Insulated Type Code A403

Sale only

Built Date 06/01/1974

End of Service Date 06/01/2024 Gross Rail Load/Weight 220000 lb

Tare Weight 67800 lb Load Limit 152200 lb

Cubic Feet Capacity 5283 cuft

Plate Code C

Outside Length 57 Ft 10 In

Outside Extreme Width 10 Ft 7 In Outside Extreme Height 15 Ft 3 In Outside Height Extr Width 5 Ft 5 In Outside Upper Eaves Width 9 Ft 6 In Outside Upper Eaves Hight 14 Ft 8 In

Inside Length 50 Ft 7 In Inside Width 9 Ft 6 In Inside Height 10 Ft 11 In

Truck Center Length 40 Ft 10 In

Double Sliding Doors

Box Side Door Orientation C - Centered

Side Door Width 16 Ft 0 In Side Door Height 10 Ft 4 In

Floor Material Steel Nailable, Reinforced (includes

alternate wood and steel floor FIr Strength 50K - 50000 Pounds

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.14.23-01



Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

B-08.24.22-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5347
Load Cap:	70ton
Length:	50ft
Quantity Avail:	6
Notes:	

Expounding Info:

Equipment Type A402

Sale or lease

Gross Rail Load220000 lb Tare Weight 62900 lb Load Limit 157100 lb Cubic Feet 5347 cuft

Plate Code C

Standard Draft Gear

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 6 In Outside Height Extr 13 Ft 3 In Outside Upper Eaves 9 Ft 7 In

Outside Upper Eaves Hght 14 Ft 10 In Outside Lower Eaves Width 10 Ft 0 In Outside Lower Eaves HghtA18914 Ft 6 In

Inside Length 50 Ft 6 In Inside Width 9 Ft 6 In Inside Height 11 Ft 1 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=B-08.24.22-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

BMR-10.19.23-00

Category:	Mechanical Refrigerator
AAR Car Type:	R360
Sale Type:	Sale Only
Cubes:	4544cu
Load Cap:	100ton
Length:	63ft 4in outside
Quantity Avail:	10
Notes:	

Expounding Info:

Mechanical Designation Box-Refrigerator (Mechanical)

Sale only

Cars have previously been through the ILS process and are

approved for operation until 2035

Can be directed to locations on BNSF or UP without charge

after being released from prior loading

Equipment Type Code R360

Extended Service A096 1 1st ILS Inspection, additional 5

years of Service

Maint of Way Service Type B403 Built Date BLDT 05/01/1970 Rebuilt / ILS Date 05/01/2001 Gross Rail Load/Weight 263000 lb

Tare Weight 89900 lb Load Limit 173100 lb

Cubic Feet Capacity 4544 cuft

Plate Code C

Outside Length 63 ft 4 in

Outside Extreme Width 10 ft 8 in Outside Extreme Height A15 ft 6 in Outside Height Extr Width 8 ft 6 in Outside Upper Eaves Width 10 ft 0 in Outside Upper Eaves Hght 14 ft 1 in

Inside Length 54 ft 7 in

Inside Width 9 ft 0 in Inside Height 9 ft 3 in

Truck Center Length 45 ft 9 in Side Door Type Single Plug Doors Box Side Door C - Centered

Side Door Width 10 ft 6 in Side Door Height 8 ft 8 in

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

BMR-10.19.23-01

Category:	Mechanical Refrigerator
AAR Car Type:	R661
Sale Type:	Sale Only
Year(s) Built:	2000/2001
Cubes:	7883
Load Cap:	286cap
Length:	82ft 2in
Quantity Avail:	20
Notes:	

Expounding Info:

AAR Car type R661 Mech Reefer temperature controlled

mechanically refrigerated boxcars

Boxcars are equipped with an ARX loading system detail on

the racking system are available

Sale only

Gross Rail Load/Weight 286000 lb

Tare Weight 110500 lb Load Limit 175500 lb

Weighing Date 12/01/2000

Plate Code F

Outside Length 82 Ft 2 In

Outside Extreme Width 10 Ft 5 In Outside Extreme Height 17 Ft 0 In Outside Height Extr Width 3 Ft 7 In Outside Upper Eaves Width 10 Ft 0 In Outside Upper Eaves Hght 16 Ft 7 In Outside Lower Eaves 10 Ft 5 In

Outside Lower Eaves Hght 16 Ft 0 In

Inside Length 72 Ft 2 In
Inside Width 9 Ft 2 In
Inside Height 11 Ft 11 In
Truck Center Length 52 Ft 0 In
Side Door Type Single Plug Doors
Box Side Door C - Centered
Side Door Width 10 Ft 0 In

Side Door Height 11 Ft 3 In

Floor Material Reinforced

Flr Strength Class 50K - 50000 Pounds

Refrigeration Fuel Type Diesel

Refrigeration Level Wide Range (Frozen to Non-Frozen)

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-01



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FB-01.23.24-00

Category:	Bulkhead Flatcar
AAR Car Type:	FM
Sale Type:	Sale Only
Year(s) Built:	1973
Load Cap:	100ton
Length:	51ft 10in inside
Quantity Avail:	1

Expounding Info:

At the owner's request please contact us for more information. We can be reached by phone at: +1 708-251-2502, by email at: rpaquette@prscorp.net, or by skype at: rpaquette168

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FB-01.23.24-01

Category:	Bulkhead Flatcar
AAR Car Type:	F451
Sale Type:	Sale Only
Year(s) Built:	1974
Load Cap:	286
Length:	65ft 8in outside
Quantity Avail:	1

Expounding Info:

At the owner's request please contact us for more information. We can be reached by phone at: +1 708-251-2502, by email at: rpaquette@prscorp.net, or by skype at: rpaquette168

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-01



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FB-01.23.24-02

Category:	Bulkhead Flatcar
AAR Car Type:	F451
Sale Type:	Sale Only
Year(s) Built:	1974
Load Cap:	286cap
Length:	65ft 8in outside
Quantity Avail:	1

Expounding Info:

At the owner's request please contact us for more information. We can be reached by phone at: +1 708-251-2502, by email at: rpaquette@prscorp.net, or by skype at: rpaquette168

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-02



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FB-01.23.24-03

Category:	Bulkhead Flatcar	
AAR Car Type:	FB side stakes	
Sale Type:	Sale Only	
Load Cap:	70ton	
Length:	58ft 2 1/4in striker	
Quantity Avail:	1	
Notes:		

Expounding Info:

At the owner's request please contact us for more information. We can be reached by phone at: +1 708-251-2502,

by email at: rpaquette@prscorp.net,

or by skype at: rpaquette168

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-03



Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FB-01.23.24-04

Category:	Bulkhead Flatcar	
AAR Car Type:	F141]
Sale Type:	Sale Only]
Year(s) Built:	1975	
Load Cap:	70ton	1
Length:	60ft 10in	
Quantity Avail:	1	

Expounding Info:

At the owner's request please contact us for more information. We can be reached by phone at: +1 708-251-2502, by email at: rpaquette@prscorp.net, or by skype at: rpaquette168

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=FB-01.23.24-04



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FC-01.17.24-00

Category:	Center Beam Flatcar
AAR Car Type:	F483
Sale Type:	Lease Only
Year(s) Built:	2019
Load Cap:	286
Length:	81ft 10in
Quantity Avail:	173
Notes:	

Expounding Info:

FBC - Flat-Bulkhead Center Beam

Available 4th quarter

Lease Only

Currently running on CN

Type Code F483

Built Date 01/03/2019

Gross Rail Load/Weigh 286000 lb

Tare Weight 62900 lb Load Limit 223100 lb

Plate Code E

Outside Length 81 Ft 10 In

Outside Extreme Width 9 Ft 8 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr Width 3 Ft 2 In Inside Length A135

73 Ft 0 In

Inside Width 9 Ft 2 In

Truck Center Length 60 Ft 0 In

Bulkhead Top Width 9 Ft 2 In

Bulkhd Height Abov Pltfrm 11 Ft 8 In

Floor Material 21 - Steel Floor, (straight deck) without

risers (F-8-)

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FC-01.17.24-00

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

FCO-04.05.24-00

Category:	COFC/TOFC
AAR Car Type:	TOFC
Sale Type:	Sale Only
Year(s) Built:	see expanded info
Load Cap:	70ton
Length:	85ft
Quantity Avail:	43
Notes:	

Expounding Info:

Mechanical Designatio FC - Flat-Intermodal Standard, Low

Profile, Stack

Equipment Descriptor B341 FCC - Standard Intermodal

Following (12) cars were built in the 1960's and are

AAR qualified for 65 years service Equipment Type Code P740

Gross Rail Load/Weight 220000 lb

Tare Weight 60700 lb Load Limit 159300 lb B - Plate Code B

Outside Length 88 Ft 0 In

Outside Extreme Width 10 Ft 2 In Outside Extreme Height 7 Ft 8 In Outside Height Extr Width 6 Ft 0 In

Inside Length 85 Ft 0 In Inside Width 8 Ft 2 In

Platform Hght Above Rail 3 Ft 6 In

Intermodal Loading Method CL - Circus and Lift On-Lift Off

1984 2

19828

19813

19803

1979 4

1978 7

1977 1

1976 4

1975 1

10 cars are out of date and have been used in Maintenance of

Way Service:

2017 1 2016 2

2014 1

2012 1

2011 4

Unknown 1

More information

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=FCO-04.05.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GCW-05.16.23-00

Category:	Container Well Gondola	E
AAR Car Type:	3pkt dbl stack	
Sale Type:	Sale Only	4
Load Cap:	100ton	,
Length:	40ft	
Quantity Avail:	300	

Expounding Info:

40ft 3pack double stack well cars

Sale only

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GCW-05.16.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GFR-01.22.24-00

Category:	Flat Bottom Gondola	Expoundin
AAR Car Type:	G119	
Sale Type:	Sale Only	Available e
Year(s) Built:	2024	Sale Only
Cubes:	2480	Weights ar Load Limit
Load Cap:	286	Light Weig
Length:	37ft 1 1/8in	Gross Rail
Quantity Avail:	100	Capacity le
Notes:		Body Dime
		Length In

na Info:

end of Second Quarter

nd Capacity

Est 235000 lbs

ght of Car Est 51000 lbs

I Load 286000 lbs evel full 2480 cu ft

ensions Reference Only

nside End Top Chords 37ft 1 3/8in

Over Pulling Face of Couplers Normal 42ft 0in

Over Strikers 39ft 4 1/2in

Truck Centers 27ft 1in

Width Over Top Chord 10ft 0 1/2in

Inside the Side Sheets 9ft 2in

Extreme at Bolster 10ft 8in

Height Light car above rail new

Extreme 11ft 1in

Rail to Top of Floor at Bolster 3ft 7 1/2in

Floor to Top of Top Chord 7ft 4 1/4in

Rail to Centerline of Coupler nominal 2ft 10 1/2in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-01.22.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GFR-09.07.23-00

Category:	Flat Bottom Gondola
AAR Car Type:	J301
Sale Type:	Lease Only
Year(s) Built:	1985
Cubes:	4300cu
Load Cap:	286cap
Length:	53ft 1in
Quantity Avail:	35
Notes:	

Expounding Info:

GT - Gondola-High Sides and Ends Alum - for Unloading in

Dumping Machines Only

Lease Only

Equipment Type Code J301 Some freight assistance

E - Built new from July 1,1974, Qualified for 50 Years

Service

Gross Rail Load/Weight 286000 lb

Tare Weight 47300 lb Load Limit 238700 lb

Cubic Feet Capacity 4300 cuft

Plate Code B

Outside Length 53 Ft 1 In Outside Extreme 10 Ft 8 In Outside Extreme 13 Ft 0 In

Outside Height Extr Width 13 Ft 0 In Outside Upper Eaves Width 10 Ft 8 In Outside Upper Eaves Hght 13 Ft 0 In

Inside Length 47 Ft 0 In Inside Width 9 Ft 10 In Inside Height 9 Ft 4 In

Truck Center Length 40 Ft 6 In

Equipment Builder Greenville Steel Car

Floor Material 01 - Aluminum Gondola Floor Design Flat Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GFR-09.07.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GM-01.22.24-00

Category:	Mill Gondola
AAR Car Type:	G519
Sale Type:	Sale or Lease
Year(s) Built:	2024
Cubes:	2950
Load Cap:	286cap
Length:	52ft 3 1/2in
Quantity Avail:	100
Notes:	

Expounding Info:

New available second quarter of 2024

Sale Only AAR G519

Weights and Capacity

Load Limit Est. 225700 lbs

Light Weight of Car Est. 60300 lbs

Gross Rail Load 286000 lbs Capacity Nominal 250 cu. ft.

Capacity Est. including 10in heap 3350 cu. ft.

Body Dimensions Reference Only Length Inside End Sheets 52ft 3 1/2in

Over Pulling Face of Couplers Normal 57ft 4in

Over Strikers 54ft 8 1/2in Truck Centers 40ft 4 1/2in

Widths Extreme 10ft 8in

Inside the Side Sheets at Top ft 7 3/4in Inside the Side Sheets at Bottom ft 1 3/4in

Heights Light car above rail new

Extreme ft 8 /32in

Rail to Top of Floor at Bolster 3ft 7 1/8in

Floor to Top of Top Chord 6ft 0in

Rail to Centerline of Coupler Nominal 2ft 10 1/2in

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-01.22.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GM-03.05.24-00

Category:	Mill Gondola
AAR Car Type:	E504
Sale Type:	Sale Only
Year(s) Built:	80/81
Cubes:	1828cu
Load Cap:	100ton
Length:	52ft 6in inside
Quantity Avail:	70
Notes:	

AAR car type E504

Expounding Info:

Sale Only

Inside Length 52ft 6in Inside Height 3ft 8in Inside Width 9ft 6in

Cubes ft 1828

Outside Length 57ft 2in Outside Height 7ft 4in Outside Width 10ft 8in

Height of Extreme Width 7ft 3in

Upper Eaves 7ft 3in

Upper Eaves width 10ft 8in Max Weight on Rail 263000lbs Tare 62500lbsLoad Limit 200500lbs

Note: 15 are in Ohio now and moving Also the owner wants 25K plus per car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GM-03.05.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-01.25.23-00

Category:	Tub Gondola	ı
AAR Car Type:	aluminum BethGon II	
Sale Type:	Sale or Lease	/
Year(s) Built:	2008	\
Cubes:	4520cu	,
Load Cap:	286cap	
Length:	Length over strikers	
Quantity Avail:	200	

Expounding Info:

At the owner's request please contact us for more information. We can be reached by phone at: +1 708-251-2502, by email at: rpaquette@prscorp.net, or by skype at: rpaquette168

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=GT-01.25.23-00



Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-03.12.24-00

Category:	Tub Gondola
AAR Car Type:	J312
Sale Type:	Sale or Lease
Year(s) Built:	80/85
Cubes:	4240
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	119

Expounding Info:

Mechanical Designation GT - Gondola-High Sides and Ends -

for Unloading in Dumping Machines Only

Sale or Lease

Equipment Type Code J312

Extended Service R - Rule 88, Rebuilt cars

Gross Rail Load/Weight 263000 lb

Tare Weight 53000 lb

Load Limit 210000 lb

Cubic Feet Capacity 4240 cuft

Plate Code C

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 12 Ft 4 In Outside Height Extr Width 11 Ft 2 In Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 4 In

Inside Length 48 Ft 0 In Inside Width 9 Ft 10 In

Body Material 19 - Standard Steel Floor Material 19 - Standard Steel

Gondola Floor Design D - Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-03.12.24-00



Notes:

Paquette Railway Solutions

Current Rolling Stock

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

Raymond Paquette

www.prscorp.net

GT-08.07.23-00

Category:	Tub Gondola
AAR Car Type:	J311
Sale Type:	Sale or Lease
Year(s) Built:	1984/2006
Cubes:	4520cu
Load Cap:	286cap
Length:	53ft 1in outside
Quantity Avail:	60

Expounding Info:

GT - Gondola-High Sides and Ends Alum cars- for Unloading in

Dumping Machines Only

Equipment Type Code J311

Sale or lease

35 of the Ortner 1984 built Texas location

25 Freight America cars 2006 built upstate NY

......35 of the cars are flat bottom (Ortner cars) and

the other

......25 have the concave/depressed bottom

Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 41700 lb

Load Limit 244300 lb

Weighing Date A288 06/02/2006

Cubic Feet Capacity 4520 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 10 In

Outside Height Extr Width 12 Ft 10 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 10 In

Inside Length 47 Ft 10 In

Inside Width 9 Ft 10 In

Inside Height 11 Ft 6 In

Truck Center Length 40 Ft 6 In

Body Material 01 – Aluminum

Gondola Floor Design Depressed Bottom

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-08.07.23-00



Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GT-09.07.23-00

Expounding Info:

Category:	Tub Gondola
AAR Car Type:	Beth Gon
Sale Type:	Lease Only
Year(s) Built:	2005
Cubes:	4520cu
Load Cap:	286cap
Length:	47ft 9 1/8in
Quantity Avail:	25
Notes:	

Beth Gon II Inside Length 47ft 9 1/8in Builder Freight car America Lease 50ft 5 1/2in over striker Extreame Lenght 53ft 1in Inside width 9ft 10in Lt weight 41700lbs Load Limit 244300lbs All steel Underframe

Alum Outside stake Flat intermediate Floor Twin Alum Round bottom Tubs

AAR Plate B Rotary dump

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GT-09.07.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

GW-09.19.23-00

0 1	W 11: 0 11
Category:	Woodchip Gondola
AAR Car Type:	E507
Sale Type:	Sale Only
Year(s) Built:	1980
Cubes:	7000
Load Cap:	100ton
Length:	65ft outside
Quantity Avail:	68
Notes:	

Expounding Info:

Type: E507 Steel suitable for unloading on dumping machines

only.

Inside length 57ft 2in Inside Height 12ft 2in Inside Width 8ft 8in Outside Length 65ft Outside Height 16ft 2in Outside Width 10ft 6in

Plate F Cubes 7000 GRL 263000

Load Limit 194500lbs

Tare 68500lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=GW-09.19.23-00



Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-01.27.23-00

Category:	Covered Hopper
Calegory.	Covered Hopper
AAR Car Type:	c112
Sale Type:	Sale or Lease
Year(s) Built:	2011/2012
Cubes:	3258
Load Cap:	286
Length:	41ft 11in
Quantity Avail:	300
Notes:	

Expounding Info:

Hopper-Covered Sale or lease

Builders 2/3 ARI and 1/3 Trinity.

Basically all the same specs have actual specs for each

group!

Owner would like to do a net lease

Equipment Type C112

Built new Qualified for 50 Years Service

End of Service 3/01/2061

Gross Rail Load/Weight 286000 lb

Tare Weight 53200 lb Load LimitL 232800 lb

Cubic Feet Capacity 3258 cuft

Plate Code C

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 7 In Outside Extreme Height 15 Ft 1 In Outside Height Extr Width 8 Ft 7 In Equipment Builder ARI Industries

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-01.27.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-02.01.24-00

Expounding Info:

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	1992
Cubes:	3000
Load Cap:	100ton
Length:	41ft 11in outside
Quantity Avail:	4
Notes:	

AAR Car Type Code C112
Cubic Ft Capacity 03000 cu ft
Sale Only
Round roof hatch center line of car
built 1992
Plate Clearance B
Outside Length 041 ft 11 in
Outside Extreme Height 15 ft 01 in
Outside Extreme Width 10 ft 08 in
Height of Extreme Width 03 ft 00 in
Upper Eaves Height 14 ft 06 in
Max Weight on Rail 263000 lbs.

Tare Weight 056900 lbs. Load Limit 206100 lbs

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HC-02.01.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-02.28.24-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale Only
Year(s) Built:	2013
Cubes:	3250
Load Cap:	286cap
Length:	39ft 5in over strike
Quantity Avail:	50
Notes:	

Expounding Info:

Built Date 2013
Builder Greenbrier

Sale Only

10ft 8 in Ext Width 15ft 3in ext height

Plate C

Lt weight 54500lbs Load Limit231500lbs 3 round Hatches 36 1/2in

 Cubic Capacity
 3250 CF

 GRL
 286,000

 Light Weight
 54,500

 Load Limit
 231,500

price includes freight assistance anywhere on CSX and also includes any needed ABT or repairs to make them interchange

worthy

Location Various, Southeast

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HC-02.28.24-00



Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-04.04.24-00

Category:	Covered Hopper
AAR Car Type:	C111
Sale Type:	Lease Only
Year(s) Built:	50 yr service
Cubes:	2980
Load Cap:	286cap
Length:	41ft 11in outside
Quantity Avail:	1

.

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C111

Covered Hopper, Gravity Unloading, Permanent Roof, Less than

3000 cu ft capacity

Expounding Info:

Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 53900 lb Load Limit 232100 lb

Cubic Feet Capacity 2980 cuft

Plate Code B

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 4 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 8 In

Outside Lower Eaves Width 10 Ft 2 In

Outside Lower Eaves Hght 13 Ft 10 In

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-04.04.24-00



Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-07.27.23-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	80/81
Cubes:	4600
Load Cap:	100ton
Length:	58ft 1in
Quantity Avail:	5
Notes:	

Expounding Info:

LO - Hopper-Covered

Lease only

Free Move for delivery

Cars are being shopped right now, and they are going into

grain service and will available in 90-120 days

17 cars are 1981-built 10 cars are 1980-built Equipment Type Code C113

Built Date 10/01/1981

Gross Rail Load/Weight A266

263000 lb

Tare Weight 63800 lb Load Limit 199200 lb

Cubic Feet Capacity 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 1 In Outside Height Extr Width 3 Ft 8 In Outside Upper Eaves Width 8 Ft 0 In Outside Upper Eaves Hght 14 Ft 9 In

Lining Material 26 - Synthetic Roof Type 1 - Trough hatch in roof

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-07.27.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-09.07.23-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	80/81
Cubes:	4600
Load Cap:	100ton
Length:	58ft 1in
Quantity Avail:	27
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C113

Lease

Extended Service A096

E - Built new from July 1,1974, Qualified for 50 Years

Service

Gross Rail Load/Weight 263000 lb

Tare Weight 62000 lb Load Limit 201000 lb

Cubic Feet Capacity 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 1 In Outside Height Extr Width 3 Ft 8 In Outside Upper Eaves Width 8 Ft 0 In Outside Upper Eaves Hght 14 Ft 9 In

Unloading System Type GRAV – Gravity

Body Material 19 - Standard Steel

Equipment Builder ACF - American Car & Foundry

Lining Material 26 - Synthetic Roof Type 1 - Trough hatch in roof

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-09.07.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-10.11.23-00

Expounding Info:

Category:	Covered Hopper
AAR Car Type:	C114
Sale Type:	Lease Only
Year(s) Built:	2023
Cubes:	6580
Load Cap:	286cap
Length:	69ft 7in outside
Quantity Avail:	30
Notes:	

Number Available 30
Mechanical Designation LO
Car Type Code C114

Lease Only

Built Date 2023 Builder Gunderson

GRL 286000
Light Weight 68700
Load Limit 217300
Cubic Capacity 6580 CF
Compartments 4

Linings None Outside Length 69ft 07in Extreme Width 10ft 07in Extreme Height 15ft 06in Clearance Diagram Plate C Hatches Trough Gates Gravity 6-1/2 x 9 **Bearings** Wheels 36in

Couplers SBE60EE Bottom

Shelf

Draft Gear Standard

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HC-10.11.23-00



Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-11.02.23-00

Category:	Covered Hopper
AAR Car Type:	C114
Sale Type:	Lease Only
Year(s) Built:	2016
Cubes:	5400
Load Cap:	286cap
Length:	55ft 5in outside
Quantity Avail:	10
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

FS lease 4.5 years sub lease Equipment Type Code C114

Gross Rail Load/Weight 286000 lb

Tare Weight 61800 lb Load Limit 224200 lb

Cubic Feet Capacity 5400 cuft

Plate Code C

Outside Length 55 ft 5 in

Outside Extreme Width 10 ft 8 in Outside Extreme Height 15 ft 6 in Outside Height Extr Width 8 ft 3 in Roof Type Trough hatch in roof

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.02.23-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HC-11.22.22-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale or Lease
Year(s) Built:	87/90
Cubes:	3000
Load Cap:	100ton
Length:	41ft 10in
Quantity Avail:	11
Notes:	

Expounding Info:

Hopper-Covered Sale or lease Cement Gates

Equipment Type C112
Gross Rail Load 263000 lb
Tare Weight 54900 lb
Load Limit 208100 lb
Cubic Feet 3000 cuft

Plate Code B

Outside Length 41 Ft 10 In

Outside Extreme Width 10 Ft 8 In
Outside Extreme Height 15 Ft 0 In
Outside Height Extr Width 13 Ft 8 In
Outside Upper Eaves Width 9 Ft 0 In
Outside Upper Eaves Hght 14 Ft 7 In
Outside Lower Eaves Width 10 Ft 3 In
Outside Lower Eaves Hght 10 Ft 7 In

Lining Material Unlined

Roof TypeA2264 Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HC-11.22.22-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCP-09.21.22-00

Category:	Covered Plastic Hopper
AAR Car Type:	C214
Sale Type:	Lease Only
Cubes:	5850cu
Load Cap:	263 cap
Length:	68ft 3in outside Len
Quantity Avail:	14
Notes:	

Expounding Info:

AAR C214

Formerly Ref# HC-06.14.22-00

Lease only

Plastic Pellet gates

Plate C 5850 cu

4 compartments Round Hatches

Currently at shop and storage on CSX

68ft 3in Outside Length 15ft 5in Extreme Height 10ft 6in Outside width Max weight to rail 263

Tare 68900

Load limit 19433lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCP-09.21.22-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCPD-02.09.24-00

Category:	Covered PD Hopper	Expounding Info:
AAR Car Type:	PD Cov Hopper	
Sale Type:	Lease Only	PD Hoppers 14.7 PSIG
Year(s) Built:	2018	Lease Only
Cubes:	3230	Inside Length 36ft 5in Length over couplers Pulling faces 45ft 8 1/2in
Load Cap:	286cap	Inside Width 10ft 3 11/16in
Length:	43ft 1in over strike	Extreme Width 10ft 4 3/4in
Quantity Avail:	4	Extreme Height 15ft 6in
Notes:		Cubes 3230
		Light Weight 56500
		Gross rail Load 286000lbs
		Load Limit 229500 LBS

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-02.09.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HCPD-04.04.24-00

Category:	Covered PD Hopper
AAR Car Type:	C612
Sale Type:	Lease Only
Year(s) Built:	50 Years Service
Cubes:	3915cu
Load Cap:	100ton
Length:	61 Ft 10 In Outside
Quantity Avail:	12
Notes:	

Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C612

Built new from July 1,1974, Qualified for 50 Years Service

AAR End of service Dates below

2/1/2032 12/1/2029 9/1/2029 11/1/2025 1/1/2030

12/1/2029 10/1/2027 9/1/2029 11/1/2025 3/1/2027 1/1/2031 4/1/2031

Gross Rail Load/Weight 263000 lb

Tare Weight 65200 lb Load Limit 197800 lb

Cubic Feet Capacity 3915 cuft

Plate Code B

Outside Length 61 Ft 10 In

Outside Extreme Width 10 Ft 4 In Outside Extreme Height 13 Ft 4 In

Outside Height Extr Width 8 Ft 2 In

Outside Upper Eaves Width 7 Ft 5 In

Outside Upper Eaves Hght 13 Ft 4 In

Unloading System Type PSDF - Pressure Differential 4-Pressure ABT Recvr Eqpd E – Equipped

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HCPD-04.04.24-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HO-02.27.24-00

Notes:	
Quantity Avail:	42
Year(s) Built:	1999/2005
Sale Type:	Lease Only
AAR Car Type:	H350
Category:	Open Hopper

Expounding Info:

Mechanical Designation HT - Hopper-3 or more Compartments,

Doors Hinged Crosswise, Dumping Between Rails

Alum cars Lease Only Type Code H350 Lease Only

Slope Sheets 60 degrees

Gross Rail Load/Weight 286000 lb

Alum body

Tare Weight 49100 lb Load Limit 236900 lb

Cubic Feet Capacity 4200 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 13 Ft 4 In Outside Height Extr Width 13 Ft 4 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-02.27.24-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HO-03.14.24-00

Category:	Open Hopper
AAR Car Type:	H351
Sale Type:	Sale Only
Year(s) Built:	76/78
Cubes:	4000
Load Cap:	100ton
Length:	53ft 1/2in Outside
Quantity Avail:	8
Notes:	

Expounding Info:

Have available for sale eight steel 100 ton open top hopper

cars.

There cars 7 cars that are 4000 cuft and one car that is

3614 cuft. Sale Only

Cars are built in 1976 and 1978.

There are 5 cars built in 1976 and 3 cars built in 1978.

Load Limit 202700lbs

Lt Wt 60300 Gross 263

Plate B

53ft 1/2in Outside Inside Width 9ft 9 1/2in

Builder Pullman some transportation.

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HO-03.14.24-00



Notes:

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HO-05.01.24-00

Category:	Open Hopper
AAR Car Type:	H340
Sale Type:	Sale Only
Year(s) Built:	1979
Cubes:	2300cu
Load Cap:	100ton
Length:	37ft 11in
Quantity Avail:	20

Expounding Info:

Open top self-clearing car, having fixed sides and ends and bottom consisting of two divided hoppers with doors hinged crosswise of car and dumping between rails

STEEL OPEN TOP HOPPERS

Quantity 20 **Built Date** 1979 **Cubic Capacity** 2300 CF Outside Length 37ft 11in Outside Width 10ft 07in Outside Height 13ft Plate В Light Weight Load Limit

Light Weight 58100 lbs
Load Limit 204900 lbs
GRL 263000
Pockets 2

Gates 4 Manual

Doors Lateral

Slope Sheets 45 Degree Location Southeast US

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=HO-05.01.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

HRD-02.08.24-00

Category:	Rapid Discharge Hopper	Expounding Info:
AAR Car Type:	Auto Flood 111 Alum	
Sale Type:	Lease Only	Auto Flood 111 Alum
Year(s) Built:	2006	Lease Only
Cubes:	4200	Rapid Discharge and rotary dump Possible free move on CSX
Load Cap:	286cap	Outside Stake Double door design Inside Length 47ft 9 1/8in Over Strikers 50ft 5 1/2in
Length:	50ft 5 1/2in	
Quantity Avail:	90	
Notes:		Inside Width 10ft 1 3/8inOver Top Chords 10ft 8In
		Height to top of side top chord 13ft 3in
		Floor Slope 45 degreesLower Intermediate floor 50 degrees
		Cubes 4200cu
		Cubes 10in heap 4603

Light weight 49400lbs Gross Rail Load 286000lbs Load Limit 236000lbs

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=HRD-02.08.24-00

F

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-01.26.23-00

Category:	Locomotive	Expounding Info:
AAR Car Type:	SW1500	
Sale Type:	Sale Only	Three units in excellent condition inspection reports are available! More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=L-01.26.23-0
Quantity Avail:	2	
Notes:		

Par Curr

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-02.16.24-00

Category: Locomotive
AAR Car Type: D - Locomotive

Sale Type: Sale Only

Quantity Avail:

Notes:

Expounding Info:

DFGT Freight Diesel Electric

Sale Only

Locomotive Model Number EMD

Horsepower 1850 Video available

4 axle engine installed new engine in 2015, cameras operational, asset is operational Brakes have 60 Percent remaining. Asset moves forward and backward, Oil changed in November 2023, New Air compressor green 7.3.23. 24 volt batteries were replaced 1 yr ago. Generator is 1 year old.

Service records available.

Outside Length OSLG

56 Ft 2 In

Outside Extreme Width A186

10 Ft 4 In

Outside Extreme Height A185

15 Ft 6 In

Truck Center Length A276

31 Ft 0 In

Front Snowplow Height B101

1 Ft 3 In

Truck Count B256

2

Axle Count A024

4

Wheel Bearing Type B191

R Roller

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-02.16.24-00

www.prscorp.net

Paquette Railway Solutions Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-05.17.23-00

Category: Locomotive AAR Car Type: SW900 Sale Type: Sale Only Quantity Avail: 1 Notes:

Expounding Info:

SW900 switcher for sale Supposed to have 2in wheels

ST. LOUIS location

Unit was in daily use until plant closing, has been

winterized for about 18 months. They can fire it up for you!

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-05.17.23-00

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

Raymond Paquette

www.prscorp.net

L-06.27.23-00

Category:

Locomotive

AAR Car Type:

SHUTTLEWAGON

Sale Type:

Sale Only

Quantity Avail:

Notes:

Expounding Info:

Engine Cylinders

Cummins QSB6.7 6 Cylinder 185 hp 6.7 L Diesel Engine

Blow by @ idle (subjective visual observation)

Minor Starter Operational

Radiator Rating: Good

Oil Leaks

No dripping leaks

Fuel Leaks

No dripping leaks Cooling System Leaks No dripping leaks

Limited Function Check (Engine) The engine started and ran.

LOGISTICS INFORMATION

General Condition

Fair

Shipping Dimensions

20 ft Long x 6 ft Wide x 10 ft 5 in Tall

General Shipping Information

Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the

taller than 12'? No: Is the unit wider than 8'6"? No:

Noticeable fluid leaks?

Modifications

1 Axles, Track Gauge 56 in - 59 in, Max Speed Capability:

Fuel Capacity:

CONTROL STATION

Hydraulic Controls

Rating:

Good

Drivetrain Controls

Rating:

Good

Steering Control

Rating:

Good

Dash Console Condition

Rating:

Good

Oil Pressure

The gauge registers in the operating range.

Continued on Next Page...

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-06.27.23-00

Expounding Info Continued:

Warning Lights

Operational

Gauges

Operational

Hour Meter/Odometer (Start)

684 hrs

Hour Meter/Odometer

684 hrs, Operational hour meter

Limited Function Check (Control Station)

The main components are in place and operational as noted. Brand new remote control cable provided and remote control confirmed to work.

SECTION 5

Frame Condition

Rating:

Good

Belly pans

Rating:

Good

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-06.27.23-00

F

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-11.09.23-00

Category: Locomotive

AAR Car Type: SW900 Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

SW900 JUST OFF LEASE

900 Horsepower

8 cyl 567C D15 MG Good Wheels

Alignment Controlled Couplers, YES

Location, Illinois

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-11.09.23-00

F C

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

L-12.21.22-00

Category: Locomotive AAR Car Type: SD40-2

Sale Type: Sale or Lease

Quantity Avail: 1

Notes:

Expounding Info:

SD40 2 Low nose

Former Conrail & NS unit

Privately owned

Blue card Ready for service

Good wheels

26L brakes with Dymamics

This SD40 2 is an exceptional unit

Completely gone through, no defects blue card qualified

Batteries are new

Has had a new Tri annual

Located in western Indiana near Illinois line

Direct connection on UP

A good lease option to buy as well!

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=L-12.21.22-00

www.prscorp.net

Paquette Railway Solutions

Current Rolling Stock

Raymond Paquette

 $rpaquette @\,prscorp.net$ Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-03.26.21-00

Category:	Misc
AAR Car Type:	Scale test car
Sale Type:	Sale Only
Quantity Avail:	1
Notes:	

Expounding Info:

Scale test car 80050 scale test car as is, where is Bid

Built in 1931 with a tare weight of 80,000 lbs.

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-03.26.21-00

Current Rolling Stock

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

Raymond Paquette

www.prscorp.net

M-04.12.23-01

Category: Misc

AAR Car Type: Vertical Steam Generator

Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

Vertical Steam Generator

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-04.12.23-01

www.prscorp.net

Paquette Railway Solutions Current Rolling Stock

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-04.12.23-02

Category: Misc AAR Car Type: HX30 Vacuum Excavator

Sale Only

Sale Type: Quantity Avail: 1 Expounding Info:

HX30 Vacuum Excavator

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-04.12.23-02

Notes:

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-05.07.24-00

Category: Misc

AAR Car Type: Brushcutter Sale Type: Sale Only

Quantity Avail: 1

Notes:

Expounding Info:

Model 32-7 HBC 9601

Upgraded Diesel Model 6VA129567

Engen upgraded \$11000 Hydraulic Pump rebuilt \$5000

Both Cutter heads rebuild replaced including new cutter head

motors \$2400

Lift Arm Cables replaced \$1500

Hydraulics lines and cylinders replaced or rebuilt \$4500

Location Connersvill Indiana

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-05.07.24-00

Notes:

Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-05.07.24-01

Category: Misc AAR Car Type: Pup Tamper Sale Type: Sale Only Quantity Avail:

Expounding Info:

Manufacturer Jackson Model 2500 TJL525L Rebuilt and improvements Engine rebuilt

Hydraulics rebuilt

Location Connersville Indiana

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-05.07.24-01

F C

Paquette Railway Solutions Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-10.22.20-00

Category: Misc

AAR Car Type: Concrete Pylons

Sale Type: Sale Only

Quantity Avail: 215

Notes:

Expounding Info:

Here is info for the Prestressed Concrete Pylons I have

available

due to bridge design change.

Prestressed concrete pylons

50ft to 120ft long All 30in square

Quantity 215

179 qty over 100ft long

Weight approximately 660lb foot

Average weight 35 tons

Life cycle 100 years ocean exposure

10000 psi concrete

Designed to be water jetted down to 60ft of ocean floor allow for 30ft of erosion and still hold bridge in 135 mph

wind.

Located coastal North Carolina

Barge loading access available.

Save up to 46 weeks on construction schedule.

Contact for further details.

Can arrange for production of additional materials as needed

such as caps beams and deck.

Can assist coordinate logistics and loading.

Suggested use as marker at end of artificial jetties for

warning lighting.

ocean piersdocks for LNG Projects

Tank support and ground stabilization

Advise for additional information.

Suggested use as marker at end of artificial jetties for

warning lighting.

ocean piers docks for LNG Projects,

Tank support and ground stabilization

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=M-10.22.20-00



Category:

Sale Type:

AAR Car Type:

Quantity Avail:

Paquette Railway Solutions **Current Rolling Stock**

www.prscorp.net

Tamping machine

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

M-11.14.23-00

Expounding Info:

The Plasser American Corporation 08 32 Unimat 4s is a fully automatic tamping machine. The 08 32 Unimat can be used to tamp, lift and line switches or plain track. The 08 32 Unimat 4s utilizes the proven Plasser technology along with the AGGS computer geometry system to give superb quality track work. The 08 32 Unimat 4S uses a 32 tool split tamping unit system that allows the independent tamping of inside and outside the rail or any combination there of. The tamping units can also be traversed side to side and telescoped outside the frame, and rotated to allow for the most complete, accurate tamping of a switch. The rail lifting and lining is done with a rail hook and roller clamp assembly. The 08 32 Unimat 4s also has an auxiliary third rail lifting clamp that will allow the lifting of the turnout rail in conjunction with the main lift to eliminate the need for helper jacks to prevent over lifting of the main rail.

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=M-11.14.23-00

Notes:

Sale Only

Misc

www.prscorp.net

Paquette Railway Solutions **Current Rolling Stock**

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-01.21.21-00

Tank Car
T178 - Dot 117J
Sale Only
2014/2015
28371
286cap
59ft 5in

Notes:

Quantity Avail: 211

Expounding Info:

Description 2014-2015 Trinity DOT 117J

Sale only

There may be a little wiggle room on pricing depending on

quantity of cars purchased! Category Rail - Tank Cars

Year 2015

Manufacturer/Make TRINITY

Model DOT 117J

Mechanical Designation

Equipment Type Code T178

Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. -Sample copy of inspection report can be attached. Will consider serious offers to purchase or triple net lease NOVAGUARD 890 coating is a solvent-free, single-coat, novolac phenolic epoxy lining that meets emerging petrochemical industry requirements for the storage of biofuels, including ethanol fuel blends. In addition to holding crude oil at temperatures of up to 194 degrees F, NOVAGUARD 890 coating can be used to store aggressive biofuels, such as gasolines with 5 to 95 percent ethanol. Like NOVAGUARD 840 coating, it has excellent pit-filling characteristics and can be used as a reinforced lining for refurbished tank bottoms.

Built Date 10/01/2014

Gross Rail Load/Weight 286000 lb

Tare Weight 92700 lb

Load Limit 193300 lb

Gallonage Capacity 28470 usgl

Plate Code C

Outside Length 59 Ft 5 In

Outside Extreme Width10 Ft 7 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr Width 8 Ft 0 In

Major Class 17 DOT 117J100W

Coil Material C Carbon Steel

Coils Exterior Interior E Exterior

head Protection Thickness 0.500 9.999 in

Head Protection Type

F - Full Height Head Shield

Jacket Material Category N - CARBON STEEL

Jacket Thickness 0.1196 9.9999 in

Insulatn Thrmal Prot Type

FC - Fiberglass & Ceramic Fiber

Insulation Thickness 3.5 99.9 in

Bottom Outlet/Fitting Typ C - Bottom Outlet & Sump

Continued on Next Page...

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

www.prscorp.net

T-01.21.21-00

Expounding Info Continued:

Bottom Outlet Count 1
Btm Outlet VIv Actuation

C - Handle that is disengaged from the valve when in the closed position and located outside the skid Condition and Notes 1-21-21: Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. - Sample copy of inspection report is available. Will consider serious offers to purchase or triple net lease.

Cars were previously in Baken Oil however since then blasted with new lining cars will need periodic inspections in 2024 2025 Cars have stainless steel valves.

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=T-01.21.21-00



Current Rolling Stoc

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-03.04.24-00

https://www.prscorp.net/ref_details.php?ref=T-03.04.24-00

Category:	Tank Car	Expounding Info:
AAR Car Type:	111A100W1	
Sale Type:	Sale Only	Dot 111a100W1
Year(s) Built:	1975	23500 gal 1975 North American
Gallons:	23500 gal	
Load Cap:	100ton	Last contained Diesel Fuel
Quantity Avail:	2	Cleansed Certificate's available
Notes:		More information is available on our website or at:

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-05.10.24-00

Category:	Tank Car
AAR Car Type:	DOT111A
Sale Type:	Sale Only
Gallons:	30000 gal
Load Cap:	100ton
Quantity Avail:	7
Notes:	

Expounding Info:

7 DOT 111A OIL RAIL TANK CARS INTERCHANGABLE 30000

GAL 263 CARS

7 CARS TOTAL PRICE IS PER CAR SELLING AS A GROUP

ONLY, WILL

NOT BREAK UP . 7 CARS, TOTAL PRICE--\$206,500.00 USD

LOCATED

IN 3 PLACES LOS ANGELES-- 3 CARS TEXAS-- 3 CARS NEW

MEXICO--

1 CAR 30000 GAL 263 GRL CARS IN SERVICE TODAY AND

CERTIFIED

CURRENTLY BEING USED IN COOKING OIL SERVICE

PREVIOUSLY USED

FOR BIODIESEL-RENEWABLE DIESEL. COOKING OIL WOULD

BF A

SEAMLESS FIT. CERTIFIED UNTIL 2027 POSSIBLE FREE MOVE.

BUYER

CAN USE CURRENT OWNERS MARKS TO MOVE THEM IF

ALLOWED BY

UMLER, THE CURRENT OWNER WOULD BE WILLING TO

TRANSFER THEIR

OWNERS MARKS TO BUYER AVAILABLE FOR INSPECTIONS

BUT ARE

MOVING TARGETS AND YOU MAY JUST WANT TO INSPECT A

FEW, ALL

ARE IN SIMILAR GREAT CONDITION. MORE PICS AND DETAILS

COMING

SOON. CALL TO SET UP YOUR INSPECTION WE WILL HOLD

THE CARS

WITH A PROPER LOI AND A DEPOSIT Seven total General

Purpose

Railcars

30,000 gallon DOT111A,

263k GRL, Tank Cars

Previously in Used Cooking Oil service

biodiesel, Renewable diesel, cooking oil would seamless fits

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-05.10.24-00



www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-06.24.21-00

Category:	Tank Car
AAR Car Type:	T108
Sale Type:	Sale Only
Year(s) Built:	2008
Gallons:	30000
Load Cap:	100ton
Length:	59ft 9in outside
Quantity Avail:	1
Notes:	

Expounding Info:

Tank Equipment Type T108

Sale only

Built Date 02/01/2008 Last contained Diesel Fuel End of Service Date 02/01/2058

Gross Rail Load/Weight 263000 lb

Tare Weight 66600 lb Load Limit 196400 lb

Gallonage Capacity 30000 usgl

Plate Code C

Outside Length 59 Ft 9 In

Outside Extreme Width 10 Ft 8 In Outside Extreme Height 15 Ft 4 In Outside Height Extr Width 3 Ft 5 In Truck Center Length 46 Ft 4 In 111A100W1 DOT

Bottom Outlet/Fitting TypA308 Value C Bottom Outlet & Sump Bottom Outlet Valve External Bottom Outlet Ball Valve

More information is available on our website or at: https://www.prscorp.net/ref_details.php?ref=T-06.24.21-00



Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net Office: (708) 251-2502 Fax: (708) 251-0930 Skype: rpaquette168

T-07.07.22-00

_	
Category:	Tank Car
AAR Car Type:	T109
Sale Type:	Sale or Lease
Year(s) Built:	1999
Gallons:	34257 gal
Load Cap:	286cap
Length:	67ft 1in outside
Quantity Avail:	76
Notes:	

Expounding Info:

Mechanical Tank

Sale or lease

Equipment Type T109

Cars do not have bottom outlet valves

Gross Rail Load/Weigh 286000 lb

Tare Weight 73000 lb Load Limit 213000 lb

Gallon 34257 usg

Plate Code C

Outside Length 67 Ft 1 In

Outside Extreme Width 10 Ft 5 In Outside Extreme Height 15 Ft 5 In Outside Height Extr Width 3 Ft 0 In

Truck Center Length 63 Ft 5 In

More information is available on our website or at:

https://www.prscorp.net/ref_details.php?ref=T-07.07.22-00