



## Table Of Contents

<b>Box Cars</b> .....	3
<b>Box Car Groups</b> .....	3
B-07.18.23-00 .....	3
B-08.14.23-00 .....	4
B-08.14.23-01 .....	5
B-08.24.22-00 .....	6
<b>Mechanical Refrigerator Groups</b> .....	7
BMR-10.19.23-00 .....	7
BMR-10.19.23-01 .....	8
<b>Flatcars</b> .....	9
<b>COFC/TOFC Groups</b> .....	9
FCO-11.02.23-00 .....	9
FCO-11.16.23-00 .....	10
<b>General Purpose Flatcar Groups</b> .....	11
FG-08.08.23-00 .....	11
FG-09.07.23-00 .....	12
<b>Gondolas</b> .....	13
<b>Container Well Gondola Groups</b> .....	13
GCW-05.16.23-00 .....	13
<b>Flat Bottom Gondola Groups</b> .....	14
GFR-09.07.23-00 .....	14
<b>Tub Gondola Groups</b> .....	15
GT-01.25.23-00 .....	15
GT-08.07.23-00 .....	16
GT-09.07.23-00 .....	17
GT-11.28.23-00 .....	18
<b>Woodchip Gondola Groups</b> .....	19
GW-09.19.23-00 .....	19
<b>Hoppers</b> .....	20
<b>Covered Hopper Groups</b> .....	20
HC-01.27.23-00 .....	20
HC-07.27.23-00 .....	21
HC-09.07.23-00 .....	22
HC-10.11.23-00 .....	23
HC-11.02.23-00 .....	24
HC-11.22.22-00 .....	25
<b>Covered Plastic Hopper Groups</b> .....	26
HCP-09.21.22-00 .....	26
<b>Rapid Discharge Hopper Groups</b> .....	27
HRD-08.04.23-00 .....	27
<b>Locomotives</b> .....	28



# Paquette Railway Solutions

Current Rolling Stock

www.prscorp.net

Raymond Paquette

rpaquette@prscorp.net

Office: (708) 251-2502

Fax: (708) 251-0930

Skype: rpaquette168

<b>Locomotive Groups</b>	28
L-01.26.23-00	28
L-05.17.23-00	29
L-06.27.23-00	30
L-07.19.23-00	32
L-09.22.23-00	33
L-09.22.23-01	34
L-09.25.23-00	35
L-10.02.23-00	36
L-11.09.23-00	37
L-12.21.22-00	38
<b>Misc Rail Items</b>	39
<b>Misc Groups</b>	39
M-03.26.21-00	39
M-04.12.23-00	40
M-04.12.23-01	41
M-04.12.23-02	42
M-10.22.20-00	43
M-11.14.23-00	44
<b>Tank Cars</b>	45
<b>Tank Car Groups</b>	45
T-01.21.21-00	45
T-06.24.21-00	47
T-07.07.22-00	48
T-11.16.23-00	49
T-11.30.23-00	50



## B-07.18.23-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale Only
Year(s) Built:	1975
Cubes:	5277
Load Cap:	70ton
Length:	50ft
Quantity Avail:	2

**Notes:**

Expounding Info:

Boxcars for Sale

Quantity	4
Built	1975
Cubes	5277
Length	50ft

Nailable steel floors

Floor Material Steel Nailable includes alternate wood and steel floor

Flr Strength 50000 Pounds

Tonnage 70

Plate B

Underframe Ridged

Doors Center Sliding

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-07.18.23-00](https://www.prscorp.net/ref_details.php?ref=B-07.18.23-00)



## B-08.14.23-00

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5077
Load Cap:	100ton
Length:	55ft 8in outside
Quantity Avail:	8

**Notes:**

Expounding Info:

XP - Box-Non-Insulated  
Sale only  
Type Code A402  
Built Date 12/01/1974  
End of Service Date 12/01/2024  
Gross Rail Load/Weight 263000 lb  
Tare Weight 64000 lb  
Load Limit 199000 lb  
Cubic Feet 5077 cuft  
Plate Code B  
Outside Length 55 Ft 8 In  
Outside Extreme Width 10 Ft 8 In  
Outside Extreme Height 14 Ft 9 In  
Outside Height Extr Width 13 Ft 8 In  
Outside Upper Eaves Width 10 Ft 0 In  
Outside Upper Eaves Hght 14 Ft 3 In  
Inside Length 50 Ft 6 In  
Inside Width 9 Ft 6 In  
Inside Height 10 Ft 7 In  
Truck Center Length 40 Ft 10 In  
Single Sliding Doors  
Box Side Door C - Centered  
Side Door Width 10 Ft 0 In  
Side Door Height 10 Ft 0 In  
Floor Material 23 - Steel Nailable (includes alternate wood and steel floor  
Flr Strength 50K - 50000 Pounds

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-08.14.23-00](https://www.prscorp.net/ref_details.php?ref=B-08.14.23-00)



## B-08.14.23-01

Category:	Box Car
AAR Car Type:	A403
Sale Type:	Sale Only
Year(s) Built:	1974
Cubes:	5283
Load Cap:	70ton
Length:	50ft 7in inside
Quantity Avail:	10

**Notes:**

Expounding Info:

XP - Box-Non-Insulated Type Code A403  
 Sale only  
 Built Date 06/01/1974  
 End of Service Date 06/01/2024  
 Gross Rail Load/Weight 220000 lb  
 Tare Weight 67800 lb  
 Load Limit 152200 lb  
 Cubic Feet Capacity 5283 cuft  
 Plate Code C  
 Outside Length 57 Ft 10 In  
 Outside Extreme Width 10 Ft 7 In  
 Outside Extreme Height 15 Ft 3 In  
 Outside Height Extr Width 5 Ft 5 In  
 Outside Upper Eaves Width 9 Ft 6 In  
 Outside Upper Eaves Hght 14 Ft 8 In  
 Inside Length 50 Ft 7 In  
 Inside Width 9 Ft 6 In  
 Inside Height 10 Ft 11 In  
 Truck Center Length 40 Ft 10 In  
 Double Sliding Doors  
 Box Side Door Orientation C - Centered  
 Side Door Width 16 Ft 0 In  
 Side Door Height 10 Ft 4 In  
 Floor Material Steel Nailable, Reinforced (includes alternate wood and steel floor  
 Flr Strength 50K - 50000 Pounds

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-08.14.23-01](https://www.prscorp.net/ref_details.php?ref=B-08.14.23-01)



**B-08.24.22-00**

Category:	Box Car
AAR Car Type:	A402
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5347
Load Cap:	70ton
Length:	50ft
Quantity Avail:	6

**Notes:**

Expounding Info:

Equipment Type A402  
Sale or lease  
Gross Rail Load 220000 lb  
Tare Weight 62900 lb  
Load Limit 157100 lb  
Cubic Feet 5347 cuft  
Plate Code C  
Standard Draft Gear  
Outside Length 57 Ft 3 In  
Outside Extreme Width 10 Ft 8 In  
Outside Extreme Height 15 Ft 6 In  
Outside Height Extr 13 Ft 3 In  
Outside Upper Eaves 9 Ft 7 In  
Outside Upper Eaves Hght 14 Ft 10 In  
Outside Lower Eaves Width 10 Ft 0 In  
Outside Lower Eaves Hght 18 Ft 6 In  
Inside Length 50 Ft 6 In  
Inside Width 9 Ft 6 In  
Inside Height 11 Ft 1 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-08.24.22-00](https://www.prscorp.net/ref_details.php?ref=B-08.24.22-00)



## BMR-10.19.23-00

Category:	Mechanical Refrigerator
AAR Car Type:	R360
Sale Type:	Sale Only
Cubes:	4544cu
Load Cap:	100ton
Length:	63ft 4in outside
Quantity Avail:	10

**Notes:**

Expounding Info:

Mechanical Designation Box-Refrigerator (Mechanical)  
Sale only  
Cars have previously been through the ILS process and are approved for operation until 2035  
Can be directed to locations on BNSF or UP without charge after being released from prior loading  
Equipment Type Code R360  
Extended Service A096 1 1st ILS Inspection, additional 5 years of Service  
Maint of Way Service Type B403  
Built Date BLDT 05/01/1970  
Rebuilt / ILS Date 05/01/2001  
Gross Rail Load/Weight 263000 lb  
Tare Weight 89900 lb  
Load Limit 173100 lb  
Cubic Feet Capacity 4544 cuft  
Plate Code C  
Outside Length 63 ft 4 in  
Outside Extreme Width 10 ft 8 in  
Outside Extreme Height A15 ft 6 in  
Outside Height Extr Width 8 ft 6 in  
Outside Upper Eaves Width 10 ft 0 in  
Outside Upper Eaves Hght 14 ft 1 in  
Inside Length 54 ft 7 in  
Inside Width 9 ft 0 in  
Inside Height 9 ft 3 in  
Truck Center Length 45 ft 9 in  
Side Door Type Single Plug Doors  
Box Side Door C - Centered  
Side Door Width 10 ft 6 in  
Side Door Height 8 ft 8 in

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=BMR-10.19.23-00](https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-00)



## BMR-10.19.23-01

Category:	Mechanical Refrigerator
AAR Car Type:	R661
Sale Type:	Sale Only
Year(s) Built:	2000/2001
Cubes:	7883
Load Cap:	286cap
Length:	82ft 2in
Quantity Avail:	20

**Notes:**

Expounding Info:

AAR Car type R661 Mech Reefer temperature controlled mechanically refrigerated boxcars  
Boxcars are equipped with an ARX loading system detail on the racking system are available

Sale only  
Gross Rail Load/Weight 286000 lb

Tare Weight 110500 lb  
Load Limit 175500 lb  
Weighing Date 12/01/2000

Plate Code F  
Outside Length 82 Ft 2 In  
Outside Extreme Width 10 Ft 5 In  
Outside Extreme Height 17 Ft 0 In  
Outside Height Extr Width 3 Ft 7 In  
Outside Upper Eaves Width 10 Ft 0 In  
Outside Upper Eaves Hght 16 Ft 7 In  
Outside Lower Eaves 10 Ft 5 In  
Outside Lower Eaves Hght 16 Ft 0 In

Inside Length 72 Ft 2 In  
Inside Width 9 Ft 2 In  
Inside Height 11 Ft 11 In  
Truck Center Length 52 Ft 0 In  
Side Door Type Single Plug Doors  
Box Side Door C - Centered  
Side Door Width 10 Ft 0 In  
Side Door Height 11 Ft 3 In  
Floor Material Reinforced  
Flr Strength Class 50K - 50000 Pounds  
Refrigeration Fuel Type Diesel  
Refrigeration Level Wide Range (Frozen to Non-Frozen)

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=BMR-10.19.23-01](https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-01)





## FCO-11.02.23-00

Category: COFC/TOFC

AAR Car Type: P740

Sale Type: Sale Only

Year(s) Built: 76-81

Load Cap: 70ton

Length: 85ft

Quantity Avail: 20

**Notes:**

Expounding Info:

FC: Flat cars,  
AAR Type: P740  
specifically equipped to carry trailers, containers,  
chassis, or removable trailer bodies for the transportation  
of freight in TOFC/COFC service.

Cars have ramps

Built dates

4-1976

8-1978

4-1979

3-1980

1-1981

Plate B

Outside Length 88ft

Outside3 Height 7ft 8in

Outside Ext Width 10ft 2in

Platform Height above rail 3ft6in

Height of extremes Width 6ft

Max weight on rail 220000lbs

Tare 60700lbs

Load Limit 159300lbs

Located in Orlando FL with No Freight

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FCO-11.02.23-00](https://www.prscorp.net/ref_details.php?ref=FCO-11.02.23-00)



## FCO-11.16.23-00

Category: COFC/TOFC

AAR Car Type: F126

Sale Type: Sale Only

Year(s) Built: 1974

Load Cap: 70ton

Length: 89ft 4in Inside

Quantity Avail: 3

**Notes:**

Expounding Info:

Mech Designation FMS Flat Straight Deck

EOL starting 2024

AAR code F126

Built 1974

Gross Weight 220000Lbs.

Tare 69900 lbs

Plate G

Outside Length 94ft 8in

Outside Extreme Width 10ft 6in

Outside Extreme Ht 7ft 6in

Inside Length 89ft 4in

Inside Width 9ft 0in

Platform Hght above rail 3ft 6in

Floor Steel

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FCO-11.16.23-00](https://www.prscorp.net/ref_details.php?ref=FCO-11.16.23-00)



## FG-08.08.23-00

Category:	General Purpose Flatcar
AAR Car Type:	F226
Sale Type:	Sale Only
Year(s) Built:	75/76
Load Cap:	100ton
Length:	93ft 10in outside
Quantity Avail:	2

**Notes:**

Expounding Info:

General Purpose Flatcar  
 AAR Type:F226  
 Sale Type: Sale Only  
 Quantity Avail: 49  
 Year(s) Built: 75/76  
 Load Capacity:100ton  
 AAR Type: F226FMS  
 Specialty Ordinary flat car for general service.  
 This car has flooring laid over sills and without sides or ends.  
 Plate: C  
 Max Gross Weight: 263000  
 Load Limit: 180100  
 Outside Length 093 ft 10 in  
 Outside Extreme Height 05 ft 03 in  
 Outside Extreme Width 09 ft 05 in  
 Max Weight on Rail 263000 lbs.  
 Tare Weight 081400 lbs.  
 Load Limit 181600 lbs.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FG-08.08.23-00](https://www.prscorp.net/ref_details.php?ref=FG-08.08.23-00)



## FG-09.07.23-00

Category:	General Purpose Flatcar
AAR Car Type:	P882
Sale Type:	Lease Only
Year(s) Built:	1980
Load Cap:	286cap
Length:	85ft 9in
Quantity Avail:	3

**Notes:**

Expounding Info:

Mech Designation FC  
Build date 1980  
Lease  
AAR car Type P882  
Outside Length 85ft 9in  
Outside extreme Height 8ft 7in  
Outside extreme Width 9ft 8in  
Height of extreme 2ft 11in  
Cap 286  
Tare 62300  
Load Limit 223700lbs.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FG-09.07.23-00](https://www.prscorp.net/ref_details.php?ref=FG-09.07.23-00)



## GCW-05.16.23-00

Category:	Container Well Gondola
AAR Car Type:	3pkt dbl stack
Sale Type:	Sale Only
Load Cap:	100ton
Length:	40ft
Quantity Avail:	300

### Expounding Info:

40ft 3pack double stack well cars  
Sale only

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=GCW-05.16.23-00](https://www.prscorp.net/ref_details.php?ref=GCW-05.16.23-00)

### Notes:



## GFR-09.07.23-00

Category:	Flat Bottom Gondola
AAR Car Type:	J301
Sale Type:	Lease Only
Year(s) Built:	1985
Cubes:	4300cu
Load Cap:	286cap
Length:	53ft 1in
Quantity Avail:	35

**Notes:**

Expounding Info:

GT - Gondola-High Sides and Ends Alum - for Unloading in Dumping Machines Only  
 Equipment Type Code J301  
 Some freight assistance  
 E - Built new from July 1,1974, Qualified for 50 Years Service  
 Gross Rail Load/Weight 286000 lb  
 Tare Weight 47300 lb  
 Load Limit 238700 lb  
 Cubic Feet Capacity 4300 cuft  
 Plate Code B  
 Outside Length 53 Ft 1 In  
 Outside Extreme 10 Ft 8 In  
 Outside Extreme 13 Ft 0 In  
 Outside Height Extr Width 13 Ft 0 In  
 Outside Upper Eaves Width 10 Ft 8 In  
 Outside Upper Eaves Hght 13 Ft 0 In  
 Inside Length 47 Ft 0 In  
 Inside Width 9 Ft 10 In  
 Inside Height 9 Ft 4 In  
 Truck Center Length 40 Ft 6 In  
 Equipment Builder Greenville Steel Car  
 Floor Material 01 - Aluminum  
 Gondola Floor Design Flat Bottom

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GFR-09.07.23-00](https://www.prscorp.net/ref_details.php?ref=GFR-09.07.23-00)



## GT-01.25.23-00

Category:	Tub Gondola
AAR Car Type:	aluminum BethGon II
Sale Type:	Sale or Lease
Year(s) Built:	2008
Cubes:	4520cu
Load Cap:	286cap
Length:	Length over strikers
Quantity Avail:	200

### Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: [rpaquette@prscorp.net](mailto:rpaquette@prscorp.net),

or by skype at: rpaquette168

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-01.25.23-00](https://www.prscorp.net/ref_details.php?ref=GT-01.25.23-00)

### Notes:



## GT-08.07.23-00

Category:	Tub Gondola
AAR Car Type:	J311
Sale Type:	Sale or Lease
Year(s) Built:	1984/2006
Cubes:	4520cu
Load Cap:	286cap
Length:	53ft 1in outside
Quantity Avail:	60

**Notes:**

Expounding Info:

GT - Gondola-High Sides and Ends Alum cars- for Unloading in Dumping Machines Only

Equipment Type Code J311

Sale or lease

35 of the Ortner 1984 built Texas location

25 Freight America cars 2006 built upstate NY

.....35 of the cars are flat bottom (Ortner cars) and the other

.....25 have the concave/depressed bottom

Built new from July 1,1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 41700 lb

Load Limit 244300 lb

Weighing Date A288 06/02/2006

Cubic Feet Capacity 4520 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 10 In

Outside Height Extr Width 12 Ft 10 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 10 In

Inside Length 47 Ft 10 In

Inside Width 9 Ft 10 In

Inside Height 11 Ft 6 In

Truck Center Length 40 Ft 6 In

Body Material 01 &ndash; Aluminum

Gondola Floor Design Depressed Bottom

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-08.07.23-00](https://www.prscorp.net/ref_details.php?ref=GT-08.07.23-00)





## GT-09.07.23-00

Category:	Tub Gondola
AAR Car Type:	Beth Gon
Sale Type:	Lease Only
Year(s) Built:	2005
Cubes:	4520cu
Load Cap:	286cap
Length:	47ft 9 1/8in
Quantity Avail:	25

**Notes:**

Expounding Info:

Beth Gon II Inside Length 47ft 9 1/8in  
 Builder Freight car America  
 Lease  
 50ft 5 1/2in over striker  
 Extreame Lenght 53ft 1in  
 Inside width 9ft 10in  
 Lt weight 41700lbs  
 Load Limit 244300lbs  
 All steel Underframe  
 Alum Outside stake  
 Flat intermediate Floor  
 Twin Alum Round bottom Tubs  
 AAR Plate B  
 Rotary dump

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-09.07.23-00](https://www.prscorp.net/ref_details.php?ref=GT-09.07.23-00)



## GT-11.28.23-00

Category:	Tub Gondola
AAR Car Type:	E306
Sale Type:	Lease Only
Year(s) Built:	1980
Cubes:	4240
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	15

**Notes:**

Expounding Info:

Mechanical Designation  
 Equipped Gondola, Inside Length: 48 . 52ft, Capacity 4,000 .  
 5,000 cu ft Light Density Service  
 Steel Gondola High Sides and Ends, Specially Equipped  
 Equipment Type Code E306  
 Built Date 08.01.1980  
 Gross Rail Load/Weight 263000 lb  
 Cubic Feet Capacity 4240 cuft  
 Tare Weight 53900 lb  
 Load Limit 209100 lb  
 Plate Code C  
 Outside Length 53 Ft 1 In  
 Outside Extreme Width 10 Ft 8 In  
 Outside Extreme Height 12 Ft 4 In  
 Outside Height Extr Width 11 Ft 2 In  
 Outside Upper Eaves Width 10 Ft 8 In  
 Outside Upper Eaves Hght 12 Ft 4 In  
 Inside Length 48 Ft 0 In  
 Inside Width 9 Ft 10 In  
 Inside Height 11 Ft 2 In  
 Truck Center Length 40 Ft 6 In

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=GT-11.28.23-00](https://www.prscorp.net/ref_details.php?ref=GT-11.28.23-00)



## GW-09.19.23-00

Category: Woodchip Gondola

AAR Car Type: E507

Sale Type: Sale Only

Year(s) Built: 1980

Cubes: 7000

Load Cap: 100ton

Length: 65ft outside

Quantity Avail: 80

**Notes:**

Expounding Info:

Type: E507 Steel suitable for unloading on dumping machines only.

Inside length 57ft 2in

Inside Height 12ft 2in

Inside Width 8ft 8in

Outside Length 65ft

Outside Height 16ft 2in

Outside Width 10ft 6in

Plate F

Cubes 7000

GRL 263000

Load Limit 194500lbs

Tare 68500lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GW-09.19.23-00](https://www.prscorp.net/ref_details.php?ref=GW-09.19.23-00)



## HC-01.27.23-00

Category:	Covered Hopper
AAR Car Type:	c112
Sale Type:	Sale or Lease
Year(s) Built:	2011/2012
Cubes:	3258
Load Cap:	286
Length:	41ft 11in
Quantity Avail:	300

**Notes:**

Expounding Info:

Hopper-Covered  
Sale or lease  
Builders 2/3 ARI and 1/3 Trinity.  
Basically all the same specs have actual specs for each group!  
Owner would like to do a net lease  
Equipment Type C112  
Built new Qualified for 50 Years Service  
End of Service 3/01/2061  
Gross Rail Load/Weight 286000 lb  
Tare Weight 53200 lb  
Load LimitL 232800 lb  
Cubic Feet Capacity 3258 cuft  
Plate Code C  
Outside Length 41 Ft 11 In  
Outside Extreme Width 10 Ft 7 In  
Outside Extreme Height 15 Ft 1 In  
Outside Height Extr Width 8 Ft 7 In  
Equipment Builder ARI Industries

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-01.27.23-00](https://www.prscorp.net/ref_details.php?ref=HC-01.27.23-00)



## HC-07.27.23-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	80/81
Cubes:	4600
Load Cap:	100ton
Length:	58ft 1in
Quantity Avail:	27

**Notes:**

Expounding Info:

LO - Hopper-Covered  
 Lease only  
 Free Move for delivery  
 Cars are being shopped right now, and they are going into grain service and will available in 90-120 days  
 17 cars are 1981-built  
 10 cars are 1980-built  
 Equipment Type Code C113  
 Built Date 10/01/1981  
 Gross Rail Load/Weight A266  
 263000 lb  
 Tare Weight 63800 lb  
 Load Limit 199200 lb  
 Cubic Feet Capacity 4600 cuft  
 Plate Code B  
 Outside Length 58 Ft 1 In  
 Outside Extreme Width 10 Ft 8 In  
 Outside Extreme Height 15 Ft 1 In  
 Outside Height Extr Width 3 Ft 8 In  
 Outside Upper Eaves Width 8 Ft 0 In  
 Outside Upper Eaves Hght 14 Ft 9 In  
 Lining Material 26 - Synthetic  
 Roof Type 1 - Trough hatch in roof

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=HC-07.27.23-00](https://www.prscorp.net/ref_details.php?ref=HC-07.27.23-00)



## HC-09.07.23-00

Category:	Covered Hopper
AAR Car Type:	C113
Sale Type:	Lease Only
Year(s) Built:	80/81
Cubes:	4600
Load Cap:	100ton
Length:	58ft 1in
Quantity Avail:	27

**Notes:**

Expounding Info:

Mechanical Designation LO - Hopper-Covered  
Equipment Type Code C113  
Lease  
Extended Service A096  
E - Built new from July 1,1974, Qualified for 50 Years  
Service  
Gross Rail Load/Weight 263000 lb  
Tare Weight 62000 lb  
Load Limit 201000 lb  
Cubic Feet Capacity 4600 cuft  
Plate Code B  
Outside Length 58 Ft 1 In  
Outside Extreme Width 10 Ft 8 In  
Outside Extreme Height 15 Ft 1 In  
Outside Height Extr Width 3 Ft 8 In  
Outside Upper Eaves Width 8 Ft 0 In  
Outside Upper Eaves Hght 14 Ft 9 In  
Unloading System Type GRAV &ndash; Gravity  
Body Material 19 - Standard Steel  
Equipment Builder ACF - American Car & Foundry  
Lining Material 26 - Synthetic  
Roof Type 1 - Trough hatch in roof

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-09.07.23-00](https://www.prscorp.net/ref_details.php?ref=HC-09.07.23-00)



## HC-10.11.23-00

Category:	Covered Hopper
AAR Car Type:	C114
Sale Type:	Lease Only
Year(s) Built:	2023
Cubes:	6580
Load Cap:	286cap
Length:	69ft 7in outside
Quantity Avail:	30

**Notes:**

Expounding Info:

Number Available	30
Mechanical Designation	LO
Car Type Code	C114
Built Date	2023
Builder	Gunderson
GRL	286000
Light Weight	68700
Load Limit	217300
Cubic Capacity	6580 CF
Compartments	4
Linings	None
Outside Length	69ft 07in
Extreme Width	10ft 07in
Extreme Height	15ft 06in
Clearance Diagram	Plate C
Hatches	Trough
Gates	Gravity
Bearings	6-1/2 x 9
Wheels	36in
Couplers	SBE60EE Bottom
Shelf	
Draft Gear	Standard

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=HC-10.11.23-00](https://www.prscorp.net/ref_details.php?ref=HC-10.11.23-00)



## HC-11.02.23-00

Category:	Covered Hopper
AAR Car Type:	C114
Sale Type:	Lease Only
Year(s) Built:	2016
Cubes:	5400
Load Cap:	286cap
Length:	55ft 5in outside
Quantity Avail:	10

**Notes:**

Expounding Info:

Mechanical Designation LO - Hopper-Covered  
 FS lease 4.5 years sub lease  
 Equipment Type Code C114  
 Gross Rail Load/Weight 286000 lb  
 Tare Weight 61800 lb  
 Load Limit 224200 lb  
 Cubic Feet Capacity 5400 cuft  
 Plate Code C  
 Outside Length 55 ft 5 in  
 Outside Extreme Width 10 ft 8 in  
 Outside Extreme Height 15 ft 6 in  
 Outside Height Extr Width 8 ft 3 in  
 Roof Type Trough hatch in roof

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=HC-11.02.23-00](https://www.prscorp.net/ref_details.php?ref=HC-11.02.23-00)





## HC-11.22.22-00

Category:	Covered Hopper
AAR Car Type:	C112
Sale Type:	Sale or Lease
Year(s) Built:	87/90
Cubes:	3000
Load Cap:	100ton
Length:	41ft 10in
Quantity Avail:	11

**Notes:**

Expounding Info:

Hopper-Covered  
 Sale or lease  
 Cement Gates  
 Equipment Type C112  
 Gross Rail Load 263000 lb  
 Tare Weight 54900 lb  
 Load Limit 208100 lb  
 Cubic Feet 3000 cuft  
 Plate Code B  
 Outside Length 41 Ft 10 In  
 Outside Extreme Width 10 Ft 8 In  
 Outside Extreme Height 15 Ft 0 In  
 Outside Height Extr Width 13 Ft 8 In  
 Outside Upper Eaves Width 9 Ft 0 In  
 Outside Upper Eaves Hght 14 Ft 7 In  
 Outside Lower Eaves Width 10 Ft 3 In  
 Outside Lower Eaves Hght 10 Ft 7 In  
 Lining Material Unlined  
 Roof TypeA2264 Round hatches on center line of car

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-11.22.22-00](https://www.prscorp.net/ref_details.php?ref=HC-11.22.22-00)



## HCP-09.21.22-00

Category:	Covered Plastic Hopper
AAR Car Type:	C214
Sale Type:	Lease Only
Cubes:	5850cu
Load Cap:	263 cap
Length:	68ft 3in outside Len
Quantity Avail:	14

**Notes:**

Expounding Info:

AAR C214  
 Formerly Ref# HC-06.14.22-00  
 Lease only  
 Plastic Pellet gates  
 Plate C  
 5850 cu  
 4 compartments  
 Round Hatches  
 Currently at shop and storage on CSX  
 68ft 3in Outside Length  
 15ft 5in Extreme Height  
 10ft 6in Outside width  
 Max weight to rail 263  
 Tare 68900  
 Load limit 19433lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HCP-09.21.22-00](https://www.prscorp.net/ref_details.php?ref=HCP-09.21.22-00)



## HRD-08.04.23-00

Category:	Rapid Discharge Hopper
AAR Car Type:	K341
Sale Type:	Sale or Lease
Year(s) Built:	1990
Cubes:	4000
Load Cap:	100ton
Length:	53ft
Quantity Avail:	107

**Notes:**

Expounding Info:

Alum  
 Mechanical Designation HTS  
 Sale only  
 AAR Car Type Code K341  
 Outside Length 053 ft 01 in  
 Outside Extreme Height 13 ft 03 in  
 Inside Length 00 ft 00 in  
 Outside Extreme Width 10 ft 08 in  
 Inside Height 00 ft 00 in  
 Height of Extreme Width 13 ft 00 in  
 Inside Width 00 ft 00 in  
 Upper Eaves Height 13 ft 03 in  
 Side Door Height 00 ft 00 in  
 Upper Eaves Width 10 ft 08 in  
 Side Door Width 00 ft 00 in  
 Lower Eaves Height 00 ft 00 in  
 Side Door Type  
 Lower Eaves Width 00 ft 00 in  
 Plate Clearance B  
 Compartments 5 Trans Code C  
 Outlets 9  
 Lining U  
 Roof Type Trough  
 Cubic Ft Capacity 04000 cu ft  
 Max Weight on Rail 263000 lbs.  
 Nominal Capacity 000000 lbs.  
 Tare Weight 050600 lbs.  
 Load Limit 212400 lbs.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HRD-08.04.23-00](https://www.prscorp.net/ref_details.php?ref=HRD-08.04.23-00)



## L-01.26.23-00

Category: Locomotive

AAR Car Type: SW1500

Sale Type: Sale Only

Quantity Avail: 2

**Notes:**

Expounding Info:

Three units in excellent condition inspection reports are available!

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=L-01.26.23-00](https://www.prscorp.net/ref_details.php?ref=L-01.26.23-00)



## L-05.17.23-00

Category: Locomotive

AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

Expounding Info:

SW900 switcher for sale

Supposed to have 2in wheels

ST. LOUIS location

Unit was in daily use until plant closing, has been winterized for about 18 months.

They can fire it up for you !

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-05.17.23-00](https://www.prscorp.net/ref_details.php?ref=L-05.17.23-00)



## L-06.27.23-00

Category:	Locomotive
AAR Car Type:	SHUTTLEWAGON
Sale Type:	Sale Only
Quantity Avail:	1

**Notes:**

Expounding Info:

Engine Cylinders  
 Cummins QSB6.7 6 Cylinder 185 hp 6.7 L Diesel Engine  
 Blow by @ idle (subjective visual observation)

Minor  
 Starter  
 Operational  
 Radiator  
 Rating:  
 Good  
 Oil Leaks  
 No dripping leaks  
 Fuel Leaks  
 No dripping leaks  
 Cooling System Leaks  
 No dripping leaks  
 Limited Function Check (Engine)  
 The engine started and ran.

**LOGISTICS INFORMATION**

General Condition  
 Fair  
 Shipping Dimensions  
 20 ft Long x 6 ft Wide x 10 ft 5 in Tall  
 General Shipping Information  
 Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the unit taller than 12'? No: Is the unit wider than 8'6"? No:  
 Noticeable fluid leaks?  
 Modifications  
 1 Axles, Track Gauge 56 in - 59 in, Max Speed Capability:  
 Fuel Capacity:

**CONTROL STATION**

Hydraulic Controls  
 Rating:  
 Good  
 Drivetrain Controls  
 Rating:  
 Good  
 Steering Control  
 Rating:  
 Good  
 Dash Console Condition  
 Rating:  
 Good  
 Oil Pressure  
 The gauge registers in the operating range.

Continued on Next Page...



## L-06.27.23-00

Expounding Info Continued:

Warning Lights

Operational

Gauges

Operational

Hour Meter/Odometer (Start)

684 hrs

Hour Meter/Odometer

684 hrs, Operational hour meter

Limited Function Check (Control Station)

The main components are in place and operational as noted.

Brand new remote control cable provided and remote control confirmed to work.

SECTION 5

Frame Condition

Rating:

Good

Belly pans

Rating:

Good

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-06.27.23-00](https://www.prscorp.net/ref_details.php?ref=L-06.27.23-00)



## L-07.19.23-00

Category: Locomotive

AAR Car Type: SW1500

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

Expounding Info:

SW1500 Switcher

Engine 12 Cyl 645E

Main Gen D32

Aux Gen 18KW

T/Ms D77s

Compressor WBO three cylinder water cooled

Brakes 26L

Trucks AAR

MUable, YES

Alignment control Equipped

Disposition, In service with Blue Card

Wheel Wear, 2" or better

Location, Georgia

Picture, Attached

Condition, Exceptional

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-07.19.23-00](https://www.prscorp.net/ref_details.php?ref=L-07.19.23-00)





### L-09.22.23-00

Category: Locomotive

AAR Car Type: GP10

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

Expounding Info:

Engine 16 - 645E

Horsepower 1850

Generators D12 / 14

T/Ms D77s or better

Compressor GD WBO

Brakes 26L

Wheel wear Thick Flanges / 2in + or - on the Tread

Disposition Blue Carded

Equipped with:

AAR Trucks

Alignment Controlled Couplers

Kim Hot Start, Comfort Fans & Cab Heat

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-09.22.23-00](https://www.prscorp.net/ref_details.php?ref=L-09.22.23-00)



## L-09.22.23-01

Category: Locomotive

AAR Car Type: 9 TM

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

Expounding Info:

9 TM Trackmobile with disc brakes  
generates 23,000 pounds of drawbar pull

Features:

Runs great  
Detroit diesel  
Train air control  
Sander

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-09.22.23-01](https://www.prscorp.net/ref_details.php?ref=L-09.22.23-01)



## L-09.25.23-00

Category: Locomotive

AAR Car Type: CF7

Sale Type: Sale Only

Quantity Avail: 3

**Notes:**

Expounding Info:

Engine.....16  
Cyl 567 BC  
Horsepower..... 1750

Main  
Gen.....D-12/D-14  
Aux Gen.....  
10kw  
T Ms.....  
D47.57  
Compressor.....GD Air  
cooled  
Brakes.....26L

Truck type.....EMD  
Blomberg  
Switch Gear.....Drum  
Cab heat type.....Strip  
heaters

Battery condition .....good.  
EMD CF7, built 1949, rebuilt 1974,  
567BC prime mover, 16 cylinders, 26 air brake  
Painted 2014  
No alignment control couplers (has stop blocks)  
Failed/lock up blower (estimated repair parts cost is \$5,225  
plus 40 hours labor)

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=L-09.25.23-00](https://www.prscorp.net/ref_details.php?ref=L-09.25.23-00)



## L-10.02.23-00

Category:	Locomotive
AAR Car Type:	SD70
Sale Type:	Sale Only
Cubes:	Six / 6 Axle / 4,000 HP
Quantity Avail:	34

**Notes:**

Expounding Info:

Locomotives SD70s available

Six 6 Axle /4000 HP

Running and ready for service

34 available

Quantity purchase discount !

Location Western States

More mechanical data on request

Pictures available

Inspect and make an offer

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-10.02.23-00](https://www.prscorp.net/ref_details.php?ref=L-10.02.23-00)



## L-11.09.23-00

Category: Locomotive

AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

Expounding Info:

SW900 JUST OFF LEASE

900 Horsepower

8 cyl 567C

D15 MG

Good Wheels

Alignment Controlled Couplers, YES

Location, Illinois

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-11.09.23-00](https://www.prscorp.net/ref_details.php?ref=L-11.09.23-00)



## L-12.21.22-00

Category: Locomotive

AAR Car Type: SD40-2

Sale Type: Sale or Lease

Quantity Avail: 1

### Notes:

### Expounding Info:

SD40 2 Low nose

Former Conrail & NS unit

Privately owned

Blue card Ready for service

Good wheels

26L brakes with Dymamics

This SD40 2 is an exceptional unit

Completely gone through, no defects blue card qualified

Batteries are new

Has had a new Tri annual

Located in western Indiana near Illinois line

Direct connection on UP

A good lease option to buy as well !

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-12.21.22-00](https://www.prscorp.net/ref_details.php?ref=L-12.21.22-00)



## M-03.26.21-00

Category: Misc

AAR Car Type: Scale test car

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

Expounding Info:

Scale test car 80050 scale test car as is, where is Bid price

Built in 1931 with a tare weight of 80,000 lbs.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-03.26.21-00](https://www.prscorp.net/ref_details.php?ref=M-03.26.21-00)



---

## M-04.12.23-00

Category:	Misc
AAR Car Type:	Sioux Model SF-50
Sale Type:	Sale Only
Quantity Avail:	1

**Notes:**

Expounding Info:

Sioux Model SF-50 Steam Flo on T24 Trailer-

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-04.12.23-00](https://www.prscorp.net/ref_details.php?ref=M-04.12.23-00)





## M-04.12.23-01

Category:	Misc
AAR Car Type:	Vertical Steam Generator
Sale Type:	Sale Only
Quantity Avail:	1

**Notes:**

Expounding Info:

Vertical Steam Generator

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=M-04.12.23-01](https://www.prscorp.net/ref_details.php?ref=M-04.12.23-01)



## M-04.12.23-02

Category:	Misc
AAR Car Type:	HX30 Vacuum Excavator
Sale Type:	Sale Only
Quantity Avail:	1

**Notes:**

Expounding Info:

HX30 Vacuum Excavator

**More information is available on our website or at:**  
[https://www.prscorp.net/ref\\_details.php?ref=M-04.12.23-02](https://www.prscorp.net/ref_details.php?ref=M-04.12.23-02)



## M-10.22.20-00

Category:	Misc
AAR Car Type:	Concrete Pylons
Sale Type:	Sale Only
Quantity Avail:	215

**Notes:**

Expounding Info:

Here is info for the Prestressed Concrete Pylons I have available

due to bridge design change.

Prestressed concrete pylons

50ft to 120ft long

All 30in square

Quantity 215

179 qty over 100ft long

Weight approximately 660lb foot

Average weight 35 tons

Life cycle 100 years ocean exposure

10000 psi concrete

Designed to be water jetted down to 60ft of ocean floor allow for 30ft of erosion and still hold bridge in 135 mph wind.

Located coastal North Carolina

Barge loading access available.

Save up to 46 weeks on construction schedule.

Contact for further details.

Can arrange for production of additional materials as needed such as caps beams and deck.

Can assist coordinate logistics and loading.

Suggested use as marker at end of artificial jetties for warning lighting.

ocean piersdocks for LNG Projects

Tank support and ground stabilization

Advise for additional information.

Suggested use as marker at end of artificial jetties for warning lighting.

ocean piers docks for LNG Projects,

Tank support and ground stabilization

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-10.22.20-00](https://www.prscorp.net/ref_details.php?ref=M-10.22.20-00)



## M-11.14.23-00

Category:	Misc
AAR Car Type:	Tamping machine
Sale Type:	Sale Only
Quantity Avail:	2

### Notes:

### Expounding Info:

The Plasser American Corporation 08 32 Unimat 4s is a fully automatic tamping machine. The 08 32 Unimat can be used to tamp, lift and line switches or plain track. The 08 32 Unimat 4s utilizes the proven Plasser technology along with the AGGS computer geometry system to give superb quality track work. The 08 32 Unimat 4S uses a 32 tool split tamping unit system that allows the independent tamping of inside and outside the rail or any combination there of. The tamping units can also be traversed side to side and telescoped outside the frame, and rotated to allow for the most complete, accurate tamping of a switch. The rail lifting and lining is done with a rail hook and roller clamp assembly. The 08 32 Unimat 4s also has an auxiliary third rail lifting clamp that will allow the lifting of the turnout rail in conjunction with the main lift to eliminate the need for helper jacks to prevent over lifting of the main rail.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-11.14.23-00](https://www.prscorp.net/ref_details.php?ref=M-11.14.23-00)



## T-01.21.21-00

Category:	Tank Car
AAR Car Type:	T178 - Dot 117J
Sale Type:	Sale Only
Year(s) Built:	2014/2015
Gallons:	28371
Load Cap:	286cap
Length:	59ft 5in
Quantity Avail:	281

**Notes:**

Expounding Info:

Description 2014-2015 Trinity DOT 117J  
Sale only  
There may be a little wiggle room on pricing depending on quantity of cars purchased!  
Category Rail - Tank Cars  
Year 2015  
Manufacturer/Make TRINITY  
Model DOT 117J  
Mechanical Designation  
Equipment Type Code T178  
Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. - Sample copy of inspection report can be attached. Will consider serious offers to purchase or triple net lease  
NOVAGUARD 890 coating is a solvent-free, single-coat, novolac phenolic epoxy lining that meets emerging petrochemical industry requirements for the storage of biofuels, including ethanol fuel blends. In addition to holding crude oil at temperatures of up to 194 degrees F, NOVAGUARD 890 coating can be used to store aggressive biofuels, such as gasolines with 5 to 95 percent ethanol. Like NOVAGUARD 840 coating, it has excellent pit-filling characteristics and can be used as a reinforced lining for refurbished tank bottoms.  
Built Date 10/01/2014  
Gross Rail Load/Weight 286000 lb  
Tare Weight 92700 lb  
Load Limit 193300 lb  
Gallonage Capacity 28470 usgl  
Plate Code C  
Outside Length 59 Ft 5 In  
Outside Extreme Width 10 Ft 7 In  
Outside Extreme Height 15 Ft 6 In  
Outside Height Extr Width 8 Ft 0 In  
Major Class 17 DOT 117J100W  
Coil Material C Carbon Steel  
Coils Exterior Interior E Exterior  
head Protection Thickness 0.500 9.999 in  
Head Protection Type  
F - Full Height Head Shield  
Jacket Material Category N - CARBON STEEL  
Jacket Thickness 0.1196 9.9999 in  
Insulatn Thrmal Prot Type  
FC - Fiberglass & Ceramic Fiber  
Insulation Thickness 3.5 99.9 in  
Bottom Outlet/Fitting Typ C - Bottom Outlet & Sump

Continued on Next Page...



## T-01.21.21-00

Expounding Info Continued:

Bottom Outlet Count 1

Btm Outlet Vlv Actuation

C - Handle that is disengaged from the valve when in the closed position and located outside the skid

Condition and Notes 1-21-21: Cars were shopped for cleaning and adding new interior lining [PPG Novaguard 890]. Ready for immediate service. - Sample copy of inspection report is available. Will consider serious offers to purchase or triple net lease.

Cars were previously in Baken Oil however since then blasted with new lining cars will need periodic inspections in 2024

2025 Cars have stainless steel valves.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-01.21.21-00](https://www.prscorp.net/ref_details.php?ref=T-01.21.21-00)



## T-06.24.21-00

Category:	Tank Car
AAR Car Type:	T108
Sale Type:	Sale Only
Year(s) Built:	2008
Gallons:	30000
Load Cap:	100ton
Length:	59ft 9in outside
Quantity Avail:	1

**Notes:**

Expounding Info:

Tank Equipment Type T108  
 Sale only  
 Built Date 02/01/2008  
 Last contained Diesel Fuel  
 End of Service Date 02/01/2058  
 Gross Rail Load/Weight 263000 lb  
 Tare Weight 66600 lb  
 Load Limit 196400 lb  
 Gallonage Capacity 30000 usgl  
 Plate Code C  
 Outside Length 59 Ft 9 In  
 Outside Extreme Width 10 Ft 8 In  
 Outside Extreme Height 15 Ft 4 In  
 Outside Height Extr Width 3 Ft 5 In  
 Truck Center Length 46 Ft 4 In  
 111A100W1 DOT  
 Bottom Outlet/Fitting TypA308 Value C Bottom Outlet & Sump  
 Bottom Outlet Valve External Bottom Outlet Ball Valve

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-06.24.21-00](https://www.prscorp.net/ref_details.php?ref=T-06.24.21-00)



## T-07.07.22-00

Category:	Tank Car
AAR Car Type:	T109
Sale Type:	Sale or Lease
Year(s) Built:	1999
Gallons:	34257 gal
Load Cap:	286cap
Length:	67ft 1in outside
Quantity Avail:	76

**Notes:**

Expounding Info:

Mechanical Tank  
Sale or lease  
Equipment Type T109  
Gross Rail Load/Weigh 286000 lb  
Tare Weight 73000 lb  
Load Limit 213000 lb  
Gallon 34257 usg  
Plate Code C  
Outside Length 67 Ft 1 In  
Outside Extreme Width 10 Ft 5 In  
Outside Extreme Height 15 Ft 5 In  
Outside Height Extr Width 3 Ft 0 In  
Truck Center Length 63 Ft 5 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-07.07.22-00](https://www.prscorp.net/ref_details.php?ref=T-07.07.22-00)





## T-11.16.23-00

Category: Tank Car

AAR Car Type: Dot 111A

Sale Type: Sale Only

Year(s) Built: 2012

Gallons: 30000

Load Cap: 100ton

Quantity Avail: 100

**Notes:**

Expounding Info:

Tankcar, 111A 30Ks (these are perfect for the storage requests)

Tankcar, 111A, 30Kgal, 263K

Cleaned and stored in Lower Midwest

Previously in Diesel

Not CPC 1232 compliant

Qualifications were due 2022

AAR car type T108

Gross load weight 263000

Tare 68800

Load limit 194200

Gallons 30000

Plate C

Outside Length 59ft 7in

Outside Width 10ft 8in

Outside Height 15ft 6in

Non Insulated

Bottom outlet/Fitting C bottom Outlet and sump

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-11.16.23-00](https://www.prscorp.net/ref_details.php?ref=T-11.16.23-00)



## T-11.30.23-00

Category:	Tank Car
AAR Car Type:	2 compartment tanks Cars
Sale Type:	Sale or Lease
Year(s) Built:	1975
Gallons:	24000 gal
Load Cap:	100ton
Quantity Avail:	6

**Notes:**

Expounding Info:

The following is the info on the two compartment tanks I mentioned. Available 6-24000 gallon 2 compartment tanks Cars can run in interchange until 12/31/25 Location Northeast Texas Tanks are clean Offered f.o.b. origin

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-11.30.23-00](https://www.prscorp.net/ref_details.php?ref=T-11.30.23-00)