



## Table Of Contents

<b>Box Cars</b>	4
Box Car Groups	4
B-01.28.25-00	4
B-02.27.25-00	5
B-02.27.25-01	6
B-03.22.24-00	7
B-04.16.25-00	8
B-06.03.24-00	9
B-08.14.23-00	10
B-08.14.23-01	11
B-08.24.22-00	12
Mechanical Refrigerator Groups	13
BMR-10.19.23-00	13
BMR-10.19.23-01	14
<b>Flatcars</b>	15
COFC/TOFC Groups	15
FCO-02.11.25-00	15
FCO-06.11.25-00	16
FCO-06.25.25-00	17
FCO-07.19.24-00	18
General Purpose Flatcar Groups	19
FG-02.13.25-00	19
<b>Gondolas</b>	20
Container Well Gondola Groups	20
GCW-05.16.23-00	20
Flat Bottom Gondola Groups	21
GFR-05.06.25-00	21
GFR-12.16.24-00	22
Mill Gondola Groups	23
GM-03.26.25-00	23
GM-05.29.25-00	24
GM-06.11.25-00	25
Tub Gondola Groups	26
GT-03.12.24-00	26
GT-03.17.25-00	27
GT-08.07.23-00	28
GT-08.28.24-00	29
GT-09.07.23-00	30
<b>Hoppers</b>	31
Covered Hopper Groups	31
HC-01.27.23-00	31



# Paquette Railway Solutions

Current Rolling Stock

[www.prscorp.net](http://www.prscorp.net)

Raymond Paquette

[rpaquette@prscorp.net](mailto:rpaquette@prscorp.net)

Office: (708) 251-2502

Fax: (708) 251-0930

Skype: rpaquette168

HC-02.01.24-00	32
HC-02.28.24-00	33
HC-04.04.24-00	34
HC-04.24.25-00	35
HC-04.29.25-00	36
HC-05.08.25-00	37
HC-05.08.25-01	38
HC-05.08.25-02	39
HC-05.28.25-00	40
HC-07.09.25-00	41
HC-08.01.24-00	42
HC-08.09.24-00	43
HC-08.27.25-00	44
HC-09.07.23-00	45
HC-11.22.22-00	46
Covered Plastic Hopper Groups	47
HCP-09.21.22-00	47
HCP-12.10.24-00	48
Covered PD Hopper Groups	49
HCPD-02.09.24-00	49
HCPD-04.04.24-00	50
Open Hopper Groups	51
HO-05.21.25-00	51
Aggregate Hopper Groups	52
HOA-04.30.25-00	52
Rapid Discharge Hopper Groups	53
HRD-01.23.25-00	53
<b>Locomotives</b>	54
Locomotive Groups	54
L-01.16.25-00	54
L-01.30.25-00	55
L-04.04.25-00	56
L-04.15.25-00	57
L-06.05.25-00	59
L-06.27.23-00	60
L-08.14.24-00	62
L-11.09.23-00	63
<b>Misc Rail Items</b>	64
Misc Groups	64
M-03.26.21-00	64
M-04.12.23-01	65
M-04.12.23-02	66
M-06.13.24-00	67
M-06.19.25-00	68



# Paquette Railway Solutions

Current Rolling Stock

[www.prscorp.net](http://www.prscorp.net)

Raymond Paquette

[rpaquette@prscorp.net](mailto:rpaquette@prscorp.net)

Office: (708) 251-2502

Fax: (708) 251-0930

Skype: rpaquette168

---

M-11.14.23-00 ..... 69

**Tank Cars** ..... 70

Tank Car Groups ..... 70

T-04.17.25-00 ..... 70

T-05.02.25-00 ..... 71

T-05.10.24-00 ..... 72

T-06.24.21-00 ..... 73

T-07.07.22-00 ..... 74

T-07.16.24-00 ..... 75

T-07.17.24-00 ..... 76

T-07.17.24-01 ..... 77

T-11.12.24-00 ..... 78



## B-01.28.25-00

Category: Box Car

AAR Car Type: A402

Sale Type: Lease Only

Year(s) Built: 1975

Cubes: 5090cu

Load Cap: 70ton

Length: 55ft 7in outside

Quantity Avail: 1

### Notes:

### Expounding Info:

XP - Box-Non-Insulated, Specially Equipped for Specific Commodities

Equipment Type A402

Built Date 10.01.1975

Gross Rail Load. Weight 220000 lb

Tare Weight 58800 lb

Load Limit 161200 lb

Cubic 5090 cuft

Plate Code B

Outside Length 55 Ft 7 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 0 In

Outside Height Extr Width 13 Ft 7 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 14 Ft 4 In

Inside Length 50 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 10 Ft 7 In

Truck Center Length 40 Ft 10 In Single Sliding Doors

Box Side Door Centered

Side Door Width 10 Ft 0 In

Side Door Height 10 Ft 0 In

Floor Material Steel Nailable Reinforced includes alternate wood and steel floor

Flr Strength 50K 50000 Pounds

Lading Strap Anchor Yes

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-01.28.25-00](https://www.prscorp.net/ref_details.php?ref=B-01.28.25-00)



### B-02.27.25-00

Category:	Box Car
AAR Car Type:	A405
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5300
Load Cap:	70ton
Length:	57ft3in Extream
Quantity Avail:	18

#### Notes:

#### Expounding Info:

AAR car type A405  
Doors single Center 10ft Plug  
Builder ACF  
Cush underframe  
Inside Ht. 11ft  
Extreme Ht. 15ft 5in  
Inside Length 50ft 7in  
Extreme Length 57ft 3in  
Inside Width 9ft 6in  
Extreme Width 10ft 6in  
Nailable steel floors  
50K floors  
Cu 5300ft  
Tare 62400Lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-02.27.25-00](https://www.prscorp.net/ref_details.php?ref=B-02.27.25-00)



## B-02.27.25-01

Category:	Box Car
AAR Car Type:	A302
Sale Type:	Sale or Lease
Year(s) Built:	1979
Cubes:	5492cu
Load Cap:	70ton
Length:	57ft 1in Extreme len
Quantity Avail:	5

### Notes:

### Expounding Info:

AAR 302  
Inside Height 11ft  
Extreme Height 15ft 5in  
Inside Length 50ft 6in  
Extreme Length 57ft 1in  
Inside Width 9ft 6in  
Extreme Width 10ft 8in  
50k floor  
Nailable steel floors  
5492 cu  
Tare 64000lbs.  
Plate C  
Steel lined  
10ft Centered sliding doors

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-02.27.25-01](https://www.prscorp.net/ref_details.php?ref=B-02.27.25-01)



### B-03.22.24-00

Category: Box Car

AAR Car Type: A405

Sale Type: Sale or Lease

Year(s) Built: 1979

Cubes: 5300

Load Cap: 70ton

Length: 50ft 7in inside

Quantity Avail: 24

#### Notes:

#### Expounding Info:

Equipment Type Code A405

Partial free move Available in late May or June

Lease Returns

Sale or Lease

Plate Code C

Gross Rail Load/Weigh 220000 lb

Tare Weight 62400 lb

Load Limit 157600 lb

Cubic Feet Capacity 5300 cuft

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 6 In

Outside Extreme Height 15 Ft 5 In

Outside Height Extr Width 14 Ft 3 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 14 Ft 8 In

Outside Lower Eaves Width 10 Ft 0 In

Outside Lower Eaves Hght 14 Ft 5 In

Inside Length 50 Ft 7 In

Inside Width 9 Ft 6 In

Inside Height 11 Ft 0 In

Side Door Type B102 - Single Plug Doors

Box Side Door Orientation C - Centered

Side Door Width 10 Ft 0 In

Side Door Height 10 Ft 3 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-03.22.24-00](https://www.prscorp.net/ref_details.php?ref=B-03.22.24-00)



### B-04.16.25-00

Category: Box Car

AAR Car Type: A605

Sale Type: Sale or Lease

Year(s) Built: 1997

Cubes: 6637 cu

Load Cap: 286cap

Quantity Avail: 100

#### Notes:

#### Expounding Info:

(100) 60ft Plate E, boxcars, with single plug door.

Available in Q4. Sale or Leas

Inside Length 60ft 9in

Length over coupler 69ft 1 1/2in

In side Ht 11ft 6in

Single door 10ft 0on

Plate E

Tare 77000lbs

GRL 286

Cubes 6637cu

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-04.16.25-00](https://www.prscorp.net/ref_details.php?ref=B-04.16.25-00)





### B-06.03.24-00

Category: Box Car

AAR Car Type: A603

Sale Type: Sale or Lease

Year(s) Built: 1979/80

Cubes: 6385

Load Cap: 100ton

Length: 60ft 10in inside

Quantity Avail: 41

#### Notes:

#### Expounding Info:

Mechanical Designation UMMD XP XP - Box-Non-Insulated,  
Specially Equipped for

Equipment Type Code A603

There are 41 cars 30 built in 1979, and (10) in 1980.

Years Service

Gross Rail 263000 lb

Tare Weight 72100 lb

Load Limit 190900 lb

Cubic Feet 6385 cuft

Plate Code C

Outside Length 67 ft 11 in

Outside Extreme Width 10 ft 6 in

Outside Extreme Height 15 ft 5 in

Outside Height Extr Width 14 ft 3 in

Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 8 in

Outside Lower Eaves Width 10 ft 0 in

Outside Lower Eaves Hght 14 ft 5 in

Inside Length 60 ft 10 in

Inside Width 9 ft 6 in

Inside Height 11 ft 0 in

Truck Center Length 46 ft 3 in

Side Door Type Single Sliding Doors

Box Side Door Orientation Centered

Side Door Width 12 ft 0 in

Side Door Height 10 ft 5 in

Floor Material Steel Nailable, Reinforced (includes  
alternate

wood and steel floor

Flr Strength 50000 Pounds

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-06.03.24-00](https://www.prscorp.net/ref_details.php?ref=B-06.03.24-00)



### B-08.14.23-00

Category: Box Car

AAR Car Type: A402

Sale Type: Sale Only

Year(s) Built: 1974

Cubes: 5077

Load Cap: 100ton

Length: 55ft 8in outside

Quantity Avail: 8

#### Notes:

#### Expounding Info:

XP - Box-Non-Insulated

Sale only

Type Code A402

Built Date 12/01/1974

End of Service Date 12/01/2024

Gross Rail Load/Weight 263000 lb

Tare Weight 64000 lb

Load Limit 199000 lb

Cubic Feet 5077 cuft

Plate Code B

Outside Length 55 Ft 8 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 14 Ft 9 In

Outside Height Extr Width 13 Ft 8 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 14 Ft 3 In

Inside Length 50 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 10 Ft 7 In

Truck Center Length 40 Ft 10 In

Single Sliding Doors

Box Side Door C - Centered

Side Door Width 10 Ft 0 In

Side Door Height 10 Ft 0 In

Floor Material 23 - Steel Nailable (includes alternate wood and steel floor

Flr Strength 50K - 50000 Pounds

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-08.14.23-00](https://www.prscorp.net/ref_details.php?ref=B-08.14.23-00)



## B-08.14.23-01

Category: Box Car

AAR Car Type: A403

Sale Type: Sale Only

Year(s) Built: 1974

Cubes: 5283

Load Cap: 70ton

Length: 50ft 7in inside

Quantity Avail: 10

### Notes:

### Expounding Info:

XP - Box-Non-Insulated Type Code A403

Sale only

Built Date 06/01/1974

End of Service Date 06/01/2024

Gross Rail Load/Weight 220000 lb

Tare Weight 67800 lb

Load Limit 152200 lb

Cubic Feet Capacity 5283 cuft

Plate Code C

Outside Length 57 Ft 10 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 15 Ft 3 In

Outside Height Extr Width 5 Ft 5 In

Outside Upper Eaves Width 9 Ft 6 In

Outside Upper Eaves Hght 14 Ft 8 In

Inside Length 50 Ft 7 In

Inside Width 9 Ft 6 In

Inside Height 10 Ft 11 In

Truck Center Length 40 Ft 10 In

Double Sliding Doors

Box Side Door Orientation C - Centered

Side Door Width 16 Ft 0 In

Side Door Height 10 Ft 4 In

Floor Material Steel Nailable, Reinforced (includes alternate wood and steel floor

Flr Strength 50K - 50000 Pounds

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-08.14.23-01](https://www.prscorp.net/ref_details.php?ref=B-08.14.23-01)



### B-08.24.22-00

Category: Box Car

AAR Car Type: A402

Sale Type: Sale or Lease

Year(s) Built: 1979

Cubes: 5347

Load Cap: 70ton

Length: 50ft

Quantity Avail: 6

#### Notes:

#### Expounding Info:

Equipment Type A402

Sale or lease

Gross Rail Load 220000 lb

Tare Weight 62900 lb

Load Limit 157100 lb

Cubic Feet 5347 cuft

Plate Code C

Standard Draft Gear

Outside Length 57 Ft 3 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr 13 Ft 3 In

Outside Upper Eaves 9 Ft 7 In

Outside Upper Eaves Hght 14 Ft 10 In

Outside Lower Eaves Width 10 Ft 0 In

Outside Lower Eaves Hght 18 Ft 6 In

Inside Length 50 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 11 Ft 1 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=B-08.24.22-00](https://www.prscorp.net/ref_details.php?ref=B-08.24.22-00)



## BMR-10.19.23-00

Category: Mechanical Refrigerator

AAR Car Type: R360

Sale Type: Sale Only

Cubes: 4544cu

Load Cap: 100ton

Length: 63ft 4in outside

Quantity Avail: 10

### Notes:

### Expounding Info:

Mechanical Designation Box-Refrigerator (Mechanical)

Sale only

Cars have previously been through the ILS process and are approved for operation until 2035

Railroads AAR Rule 88 Increased Life Status ILS program for service of up to 65 years. Cars will operate the freight cars in interchange service over many portions of the North American railroad network, including all Class I, regional, and switching railroads

Can be directed to locations on BNSF or UP without charge after being released from prior loading

Equipment Type Code R360

Extended Service A096 1 1st ILS Inspection, additional 5 years of Service

Maint of Way Service Type B403

Built Date BLDT 05/01/1970

Rebuilt / ILS Date 05/01/2001

Gross Rail Load/Weight 263000 lb

Tare Weight 89900 lb

Load Limit 173100 lb

Cubic Feet Capacity 4544 cuft

Plate Code C

Outside Length 63 ft 4 in

Outside Extreme Width 10 ft 8 in

Outside Extreme Height A15 ft 6 in

Outside Height Extr Width 8 ft 6 in

Outside Upper Eaves Width 10 ft 0 in

Outside Upper Eaves Hght 14 ft 1 in

Inside Length 54 ft 7 in

Inside Width 9 ft 0 in

Inside Height 9 ft 3 in

Truck Center Length 45 ft 9 in

Side Door Type Single Plug Doors

Box Side Door C - Centered

Side Door Width 10 ft 6 in

Side Door Height 8 ft 8 in

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=BMR-10.19.23-00](https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-00)



## BMR-10.19.23-01

Category: Mechanical Refrigerator

AAR Car Type: R661

Sale Type: Sale Only

Year(s) Built: 2000/2001

Cubes: 7883

Load Cap: 286cap

Length: 82ft 2in

Quantity Avail: 20

### Notes:

### Expounding Info:

AAR Car type R661 Mech Reefer temperature controlled mechanically refrigerated boxcars

Price is open on these!

Boxcars are equipped with an ARX loading system detail on the racking system are available

Sale only

Gross Rail Load/Weight 286000 lb

Tare Weight 110500 lb

Load Limit 175500 lb

Weighing Date 12/01/2000

Plate Code F

Outside Length 82 Ft 2 In

Outside Extreme Width 10 Ft 5 In

Outside Extreme Height 17 Ft 0 In

Outside Height Extr Width 3 Ft 7 In

Outside Upper Eaves Width 10 Ft 0 In

Outside Upper Eaves Hght 16 Ft 7 In

Outside Lower Eaves 10 Ft 5 In

Outside Lower Eaves Hght 16 Ft 0 In

Inside Length 72 Ft 2 In

Inside Width 9 Ft 2 In

Inside Height 11 Ft 11 In

Truck Center Length 52 Ft 0 In

Side Door Type Single Plug Doors

Box Side Door C - Centered

Side Door Width 10 Ft 0 In

Side Door Height 11 Ft 3 In

Floor Material Reinforced

Flr Strength Class 50K - 50000 Pounds

Refrigeration Fuel Type Diesel

Refrigeration Level Wide Range (Frozen to Non-Frozen)

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=BMR-10.19.23-01](https://www.prscorp.net/ref_details.php?ref=BMR-10.19.23-01)



## FCO-02.11.25-00

Category: COFC/TOFC

AAR Car Type: P740

Sale Type: Sale Only

Year(s) Built: Out of date

Load Cap: 70ton

Quantity Avail: 3

### Notes:

### Expounding Info:

AAR Car type code P740

For sale out of date

Outside Length 88ft

Outside Extreme Ht. 7ft 8in

Outside Extreme Width 10ft 2in

Height of Extreme Width 6ft 0in

Max weight to rail 220000lbs.

Tare 60700lbs.

Load Limit 159300lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FCO-02.11.25-00](https://www.prscorp.net/ref_details.php?ref=FCO-02.11.25-00)



## FCO-06.11.25-00

Category:	COFC/TOFC
AAR Car Type:	M530 and P740
Sale Type:	Sale Only
Year(s) Built:	end of life
Load Cap:	70ton
Length:	88ft and 94ft
Quantity Avail:	38

### Notes:

### Expounding Info:

AAR car type codes M530 Misc Cars  
AAR car type P740 Flat cars, specifically equipped to carry trailers, containers, chassis, or removable trailer bodies for the transportation of freight in TOFC/COFC service. Intermodal Cars, Double Length, Standard Level, 8ft Tandem, Circus and lift on/off TOFC/COFC

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FCO-06.11.25-00](https://www.prscorp.net/ref_details.php?ref=FCO-06.11.25-00)





## FCO-06.25.25-00

Category:	COFC/TOFC
-----------	-----------

AAR Car Type:	P882
---------------	------

Sale Type:	Sale Only
------------	-----------

Year(s) Built:	1980
----------------	------

Load Cap:	286cap
-----------	--------

Length:	85ft
---------	------

Quantity Avail:	21
-----------------	----

Notes:	
--------	--

Expounding Info:

Pictures and umler available, cars are in storage in TX with no freight. Also 3 Low Levels in Ohio and 18 Steel Deck Container Flats in TX available immediately! Sorry for the sketchy info my source did not give me better than what I show!

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FCO-06.25.25-00](https://www.prscorp.net/ref_details.php?ref=FCO-06.25.25-00)



## FCO-07.19.24-00

Category: COFC/TOFC

AAR Car Type: In Plant

Sale Type: Sale Only

Load Cap: heavy duty

Length: 89ft 4in

Quantity Avail: 2

### Notes:

### Expounding Info:

Flatcar are very heavy duty and will support 150,000 lbs. at their 66ft 0in truck centers.

Specifications are as follows:

Coupled Length 94ft 0in

Deck Length 89ft 4in

Deck Width 9ft 0in

Truck Centers 66ft 0in

Capacity at 66ft truck centers 150,000 lbs.

2 complete 89ft rail cars for in plant captive use delivered to Tulsa, OK on their own wheels. 22500 each

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FCO-07.19.24-00](https://www.prscorp.net/ref_details.php?ref=FCO-07.19.24-00)



## FG-02.13.25-00

Category: General Purpose Flatcar

AAR Car Type: F302

Sale Type: Sale Only

Year(s) Built: 1975

Load Cap: 100ton

Length: 65ft 10in outside

Quantity Avail: 25

### Notes:

### Expounding Info:

Equipment Type Code F302

Ordinary flat car for general service.

cars has flooring laid over sills and without sides or ends.

Mechanical Designation FM - Flat-Straight Deck

Built Date 10/01/1975

End of Service Date 10/01/2025

Do Not Load After 09/01/2025

Gross Rail Load/Weight 263000 lb

Tare Weight 65000 lb

Load Limit 198000 lb

Plate Code C

Outside Length 65 Ft 10 In

Outside Extreme Width 10 Ft 3 In

Outside Extreme Height 14 Ft 8 In

Outside Height Extr Width 3 Ft 8 In

61ft4in end sill to end sill

Inside Length 56 Ft 8 Inside

Width 10 Ft 3 In

Truck Center Length 49 Ft 0 In

Inset Stake Pkts Plat Wdt 9 Ft 3 In

Platform Hght Above Rail 3 Ft 8 In

Truck Count 2

Axle Count 4

Wheel Bearing Type R Roller

Equipment Builder Thrall

Floor Material Wood

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=FG-02.13.25-00](https://www.prscorp.net/ref_details.php?ref=FG-02.13.25-00)



## GCW-05.16.23-00

Category:	Container Well Gondola
-----------	------------------------

AAR Car Type:	3pkt dbl stack
---------------	----------------

Sale Type:	Sale Only
------------	-----------

Load Cap:	100ton
-----------	--------

Length:	40ft
---------	------

Quantity Avail:	300
-----------------	-----

Expounding Info:

40ft 3pack double stack well cars

Sale only

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GCW-05.16.23-00](https://www.prscorp.net/ref_details.php?ref=GCW-05.16.23-00)

**Notes:**



## GFR-05.06.25-00

Category: Flat Bottom Gondola

AAR Car Type: E534

Sale Type: Lease Only

Year(s) Built: 1976

Cubes: 2370

Load Cap: 286cap

Length: 52ft 11in inside

Quantity Avail: 5

### Notes:

### Expounding Info:

#### Mechanical Designation

Gondola-Flat Bottom E534

Maint of Way Service Type B403

Built Date 10/01/1976

Gross Rail Load 286000 lb

Tare Weight 72000 lb

Load Limit 214000 lb

Weighing Date 10/01/1976

2370 cuft

B - Plate Code B

Outside Length 58 Ft 0 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 9 Ft 3 In

Outside Height Extr Width 8 Ft 3 In

Outside Upper Eaves Width 9 Ft 6 In

Outside Upper Eaves Hght 9 Ft 3 In

Outside Lower Eaves Width 10 Ft 7 In

Outside Lower Eaves Hght 8 Ft 3 In

Inside Length 52 Ft 11 In

Inside Width 9 Ft 6 In

Inside Height 4 Ft 8 In

Floor Material Standard Steel

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GFR-05.06.25-00](https://www.prscorp.net/ref_details.php?ref=GFR-05.06.25-00)



## GFR-12.16.24-00

Category: Flat Bottom Gondola

AAR Car Type: Flat Bottom

Sale Type: Sale Only

Year(s) Built: 76/79

Cubes: 4000

Load Cap: 100ton

Length: 53ft 1in

Quantity Avail: 10

### Notes:

### Expounding Info:

Ten 4000 cuft gondolas, flat bottom, steel.

One car built 1976

Six cars built 1977

Two cars built 1978

One car built 1979

Inside length 46 ft 11 in

inside width 8 ft 8 in

inside height 9 ft 2 in

outside length 53 ft 1in

4012 cubic capacity

Approximate tare 60,000lbs

263,000# GRL

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GFR-12.16.24-00](https://www.prscorp.net/ref_details.php?ref=GFR-12.16.24-00)



## GM-03.26.25-00

Category: Mill Gondola

AAR Car Type: E534

Sale Type: Lease Only

Year(s) Built: 1980

Cubes: 2244

Load Cap: 100ton

Length: 52ft 6in

Quantity Avail: 23

### Notes:

### Expounding Info:

GBS - Gondola-Flat Bottom

Equipment Type Code E534

Built Date 01/01/1981

Gross Rail Load/Weight 263000 lb

Tare Weight 62900 lb

Load Limit 200100 lb

Cubic Feet Capacity 2244 cuft

Plate Code B

Outside Length 56 Ft 11 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 8 Ft 1 In

Outside Height Extr Width 8 Ft 1 In

Outside Upper Eaves Width 10 Ft 7 In

Outside Upper Eaves Hght 8 Ft 1 In

Inside Length 52 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 4 Ft 6 In

Truck Center Length 43 Ft 5 In

Body Material Standard Steel

Floor Material Standard Steel

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GM-03.26.25-00](https://www.prscorp.net/ref_details.php?ref=GM-03.26.25-00)



## GM-05.29.25-00

Category: Mill Gondola

AAR Car Type: E534

Sale Type: Sale Only

Year(s) Built: 1980/81

Cubes: 2494cu

Load Cap: 100ton

Length: 52ft 6in inside

Quantity Avail: 60

### Notes:

### Expounding Info:

Mechanical Designation Gondola-Flat Bottom, Specially Equipped

Equipment Type Code E534

Gross Rail Load/Weight 263000 lb

Tare Weight 70400 lb

Load Limit 192600 lb

Cubic Feet Capacity 2494 cuft

Plate Code B

Outside Length 57 Ft 2 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 8 Ft 7 In

Outside Height Extr Width 8 Ft 7 In

Outside Upper Eaves Width 10 Ft 7 In

Outside Upper Eaves Hght 8 Ft 7 In

Inside Length 52 Ft 6 In

Inside Width 9 Ft 6 In

Inside Height 5 Ft 0 In

Truck Center Length 43 Ft 6 In

Body Material 19 Standard Steel

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GM-05.29.25-00](https://www.prscorp.net/ref_details.php?ref=GM-05.29.25-00)





## GM-06.11.25-00

Category:	Mill Gondola
AAR Car Type:	End of life gons
Sale Type:	Sale Only
Year(s) Built:	71/76
Cubes:	Various
Quantity Avail:	59

**Notes:**

Expounding Info:

End of life gons have now become available low prices. All transportation costs to be paid be paid by the buyer. Most are located in Parsons, KS or Pond Creek, OK.

----4 cars 1971 1972 AAR Type: E507

Detail Info: Equipped Gondola, Inside Length: 52-61ft,  
Capacity: Over 5,000 cu ft \*Light Density Service

----23 cars 1974 1975 AAR Type: E534

Detail Info: Equipped Gondola, Inside Length: 52-61ft,  
Capacity: Less than 3,000 cu ft \*Light Density Service

-----14 cars 1975 AAR Type: M190 Various car numbers are available on all cars once mutual interest has been established.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GM-06.11.25-00](https://www.prscorp.net/ref_details.php?ref=GM-06.11.25-00)



## GT-03.12.24-00

Category:	Tub Gondola
AAR Car Type:	J312
Sale Type:	Sale or Lease
Year(s) Built:	80/85
Cubes:	4240
Load Cap:	100ton
Length:	53ft 1in
Quantity Avail:	74

### Notes:

### Expounding Info:

Mechanical Designation GT - Gondola-High Sides and Ends -  
for Unloading in Dumping Machines Only

Sale or Lease

Equipment Type Code J312

Extended Service R - Rule 88, Rebuilt cars

Gross Rail Load/Weight 263000 lb

Tare Weight 53000 lb

Load Limit 210000 lb

Cubic Feet Capacity 4240 cuft

Plate Code C

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 4 In

Outside Height Extr Width 11 Ft 2 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 4 In

Inside Length 48 Ft 0 In

Inside Width 9 Ft 10 In

Body Material 19 - Standard Steel

Floor Material 19 - Standard Steel

Gondola Floor Design D - Depressed Bottom

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-03.12.24-00](https://www.prscorp.net/ref_details.php?ref=GT-03.12.24-00)



## GT-03.17.25-00

Category:	Tub Gondola
AAR Car Type:	E707
Sale Type:	Sale Only
Year(s) Built:	1996
Cubes:	8200
Load Cap:	286cap
Length:	72ft 1in outside
Quantity Avail:	38

### Notes:

### Expounding Info:

Gondola-High Sides and Ends, Specially Equipped  
Equipment Type E707  
Double Tub  
Body Material Standard Steel  
Gross Rail Load/Weight 286000 lb  
Tare Weight 73600 lb  
Load Limit 212400 lb  
Cubic Feet Capacity 8200 cuft  
Built 1996  
Plate Code F  
Outside Length 72 Ft 1 In  
Outside Extreme Width 9 Ft 11 In  
Outside Extreme Height 16 Ft 3 In  
Outside Height Extr Width 16 Ft 2 In  
Outside Upper Eaves Width 9 Ft 11 In  
Outside Upper Eaves Hght 16 Ft 2 In  
Inside Length 67 Ft 5 In  
Inside Width 9 Ft 1 In  
Inside Height 13 Ft 11 In  
Truck Center Length 59 Ft 6 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-03.17.25-00](https://www.prscorp.net/ref_details.php?ref=GT-03.17.25-00)



## GT-08.07.23-00

Category: Tub Gondola

AAR Car Type: J311

Sale Type: Sale or Lease

Year(s) Built: 1984/2006

Cubes: 4520cu

Load Cap: 286cap

Length: 53ft 1in outside

Quantity Avail: 60

### Notes:

### Expounding Info:

GT - Gondola-High Sides and Ends Alum cars- for Unloading in Dumping Machines Only

Equipment Type Code J311

Sale or lease

35 of the Ortner 1984 built Texas location

25 Freight America cars 2006 built upstate NY

.....35 of the cars are flat bottom (Ortner cars) and the other

.....25 have the concave/depressed bottom

Built new from July 1, 1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 41700 lb

Load Limit 244300 lb

Weighing Date A288 06/02/2006

Cubic Feet Capacity 4520 cuft

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 12 Ft 10 In

Outside Height Extr Width 12 Ft 10 In

Outside Upper Eaves Width 10 Ft 8 In

Outside Upper Eaves Hght 12 Ft 10 In

Inside Length 47 Ft 10 In

Inside Width 9 Ft 10 In

Inside Height 11 Ft 6 In

Truck Center Length 40 Ft 6 In

Body Material 01 &ndash; Aluminum

Gondola Floor Design Depressed Bottom

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-08.07.23-00](https://www.prscorp.net/ref_details.php?ref=GT-08.07.23-00)



## GT-08.28.24-00

Category: Tub Gondola

AAR Car Type: Beth Gon

Sale Type: Sale Only

Year(s) Built: 1998

Cubes: 4400cu

Load Cap: 100ton

Length: 53ft 1in

Quantity Avail: 130

### Notes:

### Expounding Info:

Will not sell small numbers of cars must be 20 or 25 at least!

Alum Beth Gons

Inside length 47ft 9 1/8in

inside Width 9ft 9 1/2in

Extreme Ht. 12ft 9 1/2in

Light Weight 43500lbs

GRL 286000lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-08.28.24-00](https://www.prscorp.net/ref_details.php?ref=GT-08.28.24-00)



### GT-09.07.23-00

Category: Tub Gondola

AAR Car Type: Beth Gon

Sale Type: Lease Only

Year(s) Built: 2005

Cubes: 4520cu

Load Cap: 286cap

Length: 47ft 9 1/8in

Quantity Avail: 25

#### Notes:

#### Expounding Info:

Beth Gon II Inside Length 47ft 9 1/8in

Builder Freight car America

Lease

50ft 5 1/2in over striker

Extreame Lenght 53ft 1in

Inside width 9ft 10in

Lt weight 41700lbs

Load Limit 244300lbs

All steel Underframe

Alum Outside stake

Flat intermediate Floor

Twin Alum Round bottom Tubs

AAR Plate B

Rotary dump

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=GT-09.07.23-00](https://www.prscorp.net/ref_details.php?ref=GT-09.07.23-00)



## HC-01.27.23-00

Category: Covered Hopper

AAR Car Type: c112

Sale Type: Sale Only

Year(s) Built: 2011/2012

Cubes: 3258

Load Cap: 286

Length: 41ft 11in

Quantity Avail: 275

### Notes:

### Expounding Info:

Hopper-Covered

Sale or lease

Builders 2/3 ARI and 1/3 Trinity.

Basically all the same specs have actual specs for each group!

Owner would like to do a net lease

Equipment Type C112

Built new Qualified for 50 Years Service

End of Service 3/01/2061

Gross Rail Load/Weight 286000 lb

Tare Weight 53200 lb

Load LimitL 232800 lb

Cubic Feet Capacity 3258 cuft

Plate Code C

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 8 Ft 7 In

Equipment Builder ARI Industries

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-01.27.23-00](https://www.prscorp.net/ref_details.php?ref=HC-01.27.23-00)



## HC-02.01.24-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 1992

Cubes: 3000

Load Cap: 100ton

Length: 41ft 11in outside

Quantity Avail: 4

### Notes:

### Expounding Info:

AAR Car Type Code C112

Cubic Ft Capacity 03000 cu ft

Sale Only

Round roof hatch center line of car  
built 1992

Plate Clearance B

Outside Length 041 ft 11 in

Outside Extreme Height 15 ft 01 in

Outside Extreme Width 10 ft 08 in

Height of Extreme Width 03 ft 00 in

Upper Eaves Height 14 ft 06 in

Max Weight on Rail 263000 lbs.

Tare Weight 056900 lbs.

Load Limit 206100 lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-02.01.24-00](https://www.prscorp.net/ref_details.php?ref=HC-02.01.24-00)





## HC-02.28.24-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 2013

Cubes: 3250

Load Cap: 286cap

Length: 39ft 5in over strike

Quantity Avail: 50

### Notes:

### Expounding Info:

Built Date 2013

Builder Greenbrier

Sale Only

10ft 8 in Ext Width

15ft 3in ext height

Plate C

Lt weight 54500lbs

Load Limit 231500lbs

3 round Hatches 36 1/2in

Cubic Capacity 3250 CF

GRL 286,000

Light Weight 54,500

Load Limit 231,500

price includes freight assistance anywhere on CSX and also includes any needed ABT or repairs to make them interchange worthy

Location Various, Southeast

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-02.28.24-00](https://www.prscorp.net/ref_details.php?ref=HC-02.28.24-00)



## HC-04.04.24-00

Category:	Covered Hopper
-----------	----------------

AAR Car Type:	C111
---------------	------

Sale Type:	Lease Only
------------	------------

Year(s) Built:	50 yr service
----------------	---------------

Cubes:	2980
--------	------

Load Cap:	286cap
-----------	--------

Length:	41ft 11in outside
---------	-------------------

Quantity Avail:	1
-----------------	---

**Notes:**

## Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C111

Covered Hopper, Gravity Unloading, Permanent Roof, Less than 3000 cu ft capacity

Built new from July 1, 1974, Qualified for 50 Years Service

Gross Rail Load/Weight 286000 lb

Tare Weight 53900 lb

Load Limit 232100 lb

Cubic Feet Capacity 2980 cuft

Plate Code B

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 4 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 8 In

Outside Lower Eaves Width 10 Ft 2 In

Outside Lower Eaves Hght 13 Ft 10 In

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

**More information is available on our website or at:**[https://www.prscorp.net/ref\\_details.php?ref=HC-04.04.24-00](https://www.prscorp.net/ref_details.php?ref=HC-04.04.24-00)



## HC-04.24.25-00

Category: Covered Hopper

AAR Car Type: c112

Sale Type: Sale Only

Year(s) Built: 2006/2007

Cubes: 3200

Load Cap: 286cap

Quantity Avail: 75

**Notes:**

Expounding Info:

At the owner's request please contact us for more information.

We can be reached by phone at: +1 708-251-2502,

by email at: [rpaquette@prscorp.net](mailto:rpaquette@prscorp.net),

or by skype at: rpaquette168

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-04.24.25-00](https://www.prscorp.net/ref_details.php?ref=HC-04.24.25-00)



## HC-04.29.25-00

Category: Covered Hopper

AAR Car Type: Sand Hopper

Sale Type: Sale Only

Year(s) Built: 1999

Cubes: 3250

Quantity Avail: 100

**Notes:**

Expounding Info:

Cubes 3250

Built 1999

Hatches Round

Last commodity Sand

Location Midwest

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-04.29.25-00](https://www.prscorp.net/ref_details.php?ref=HC-04.29.25-00)



## HC-05.08.25-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 1985

Cubes: 3000 cu

Load Cap: 100ton

Length: 41ft 11in outside

Quantity Avail: 4

### Notes:

### Expounding Info:

Mechanical Designation Hopper-Covered

Equipment Type Code C112

Gross Rail Load/Weight 263000 lb

Tare Weight 56800 lb

Load Limit 206200 lb

Cubic Feet Capacity 3000 cuft

Plate Code B

Outside Length 41 Ft 11 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 3 Ft 0 In

Outside Upper Eaves Width 9 Ft 5 In

Outside Upper Eaves Hght14 Ft 6 In

Unloading System GRAV & Gravity

Vacuum hose attachment

Lining Material Unlined

Roof Type 4 Round hatches on center line of car

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-05.08.25-00](https://www.prscorp.net/ref_details.php?ref=HC-05.08.25-00)



## HC-05.08.25-01

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Sale or Lease

Year(s) Built: 1981

Cubes: 4750

Load Cap: 100ton

Length: 59ft 4in outside

Quantity Avail: 164

### Notes:

### Expounding Info:

AAR Car type C113

Covered Hopper

Sale or lease

4750cu

Outside Length 59ft 4in

Outside Extreme Height 15ft 1 in

Outside Extreme Width 10ft 6 in

Height of Extreme Width 13ft 8 in

Tare 63200lbs

Load Limit 199800 lbs

100x 263

(20x 1977)

(48x 1980)

(32x 1981)

In interchange condition

In good shape

Grain service

Can be inspected

Can be cherry picked

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-05.08.25-01](https://www.prscorp.net/ref_details.php?ref=HC-05.08.25-01)



## HC-05.08.25-02

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Sale or Lease

Year(s) Built: 1980

Cubes: 4600 cu

Load Cap: 100ton

Length: 58ft 1 in Outside

Quantity Avail: 52

### Notes:

### Expounding Info:

AAR Car type C113

4600 cu

Covered Hopper

Outside Length 58ft 0 in

Outside Extreme Height 15ft 1 in

Outside Extreme Width 10ft 8in

Rood Trough Hatch

GRL 263000lbs

Tare 63800

Load Limit 199200lbs

Build dates

12x 1979

12x 1980

28x 1981

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-05.08.25-02](https://www.prscorp.net/ref_details.php?ref=HC-05.08.25-02)



## HC-05.28.25-00

Category: Covered Hopper

AAR Car Type: Sand Hoppers

Sale Type: Sale Only

Year(s) Built: 1999

Cubes: 3256 /3281 cu ft

Load Cap: 286cap

Quantity Avail: 113

### Notes:

### Expounding Info:

Small Cube Covered Hoppers for sale (1999 Build

286k GRL, 3256 .3281 cu. ft.

Location: Midwest

Current Service: Sand

Shopping: Cars will be fully shopped prior to delivery and include a free move into service

### Breakdown

87x Thrall builds with 24x54 gates, stub sill

18x Trinity builds with 13x42 gates, through sill

8x ARI builds with 13x42 gates

### Additional Info

Cars are in good condition considering their age shopping will be important to ensure readiness

Owner requires 30 days notice to the shipper to release the cars

Detailed specs or diagrams are not available, as these were part of a larger portfolio purchase without individual car documentation

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-05.28.25-00](https://www.prscorp.net/ref_details.php?ref=HC-05.28.25-00)





## HC-07.09.25-00

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Sale or Lease

Cubes: 4600

Load Cap: 100ton

Quantity Avail: 1

### Notes:

### Expounding Info:

Mechanical Designation Hopper-Covered  
Lease

Equipment Type Code C113

Built Date 10/01/1981

Gross Rail Load/Weight 263000 lb

Tare Weight 63000 lb

Load Limit 200000 lb

Cubic Feet 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 3 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 9 In

Body Material Standard Steel

Unloading System Type GRAV &ndash; Gravity

Equipment Builder ACF - American Car & Foundry

Lining Material Synthetic

Roof Type 1 - Trough hatch in roof

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-07.09.25-00](https://www.prscorp.net/ref_details.php?ref=HC-07.09.25-00)



### HC-08.01.24-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale Only

Year(s) Built: 2011

Cubes: 3250

Load Cap: 286cap

Quantity Avail: 60

#### Notes:

#### Expounding Info:

Mechanical Designation	LO
Car Type Code	C112
Last commodity	Sand
Built Date	2011
Builder	Gunderson
Construction	Steel, Through Sill
Cubic Capacity	3250 CF
GRL	286000
Light Weight	52700
Compartments	2
Gates	2 Miner 13 x 42
rack and pinion, low profile	
Hatches	3 Centerline
Couplers	SBE60EE Bottom
Shelf	
Clearance Diagram	Plate C
Availability	Immediate
Location	In-Service,
Midwest	

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-08.01.24-00](https://www.prscorp.net/ref_details.php?ref=HC-08.01.24-00)



## HC-08.09.24-00

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Lease Only

Year(s) Built: 82/83

Cubes: 4750

Load Cap: 100ton

Quantity Avail: 25

### Notes:

### Expounding Info:

Mechanical Designation LO - Hopper-Covered

Coming out of grain service

Free move on CSX. Dirty with grain.

Equipment Type Code C113

Roof Type 1 - Trough hatch in roof

Gross Rail Load/Weight 268000 lb

Tare Weight 60600 lb

Load Limit 207400 lb

Plate Code B

Outside Length 60 Ft 0 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 14 Ft 11 In

Outside Height Extr Width 3 Ft 6 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 6 In

Unlined

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-08.09.24-00](https://www.prscorp.net/ref_details.php?ref=HC-08.09.24-00)



## HC-08.27.25-00

Category: Covered Hopper

AAR Car Type: Sand Hoppers

Sale Type: Sale or Lease

Year(s) Built: 2006/07

Cubes: 3200

Load Cap: 286cap

Quantity Avail: 100

**Notes:**

Expounding Info:

100+ cars for lease; potential of small # for sale

2006/7 ARL Built 286 GRL 3200 Cu small cubes for lease

Currently in cement service in the SW

Owner will move to almost any reasonably located location on an empty return diversion from last delivery

Going to be scrapped

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-08.27.25-00](https://www.prscorp.net/ref_details.php?ref=HC-08.27.25-00)



## HC-09.07.23-00

Category: Covered Hopper

AAR Car Type: C113

Sale Type: Lease Only

Year(s) Built: 80/81

Cubes: 4600

Load Cap: 100ton

Length: 58ft 1in

Quantity Avail: 27

**Notes:**

## Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C113

Lease

Extended Service A096

E - Built new from July 1, 1974, Qualified for 50 Years

Service

Gross Rail Load/Weight 263000 lb

Tare Weight 62000 lb

Load Limit 201000 lb

Cubic Feet Capacity 4600 cuft

Plate Code B

Outside Length 58 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 3 Ft 8 In

Outside Upper Eaves Width 8 Ft 0 In

Outside Upper Eaves Hght 14 Ft 9 In

Unloading System Type GRAV &amp; Gravity

Body Material 19 - Standard Steel

Equipment Builder ACF - American Car &amp; Foundry

Lining Material 26 - Synthetic

Roof Type 1 - Trough hatch in roof

**More information is available on our website or at:**[https://www.prscorp.net/ref\\_details.php?ref=HC-09.07.23-00](https://www.prscorp.net/ref_details.php?ref=HC-09.07.23-00)



## HC-11.22.22-00

Category: Covered Hopper

AAR Car Type: C112

Sale Type: Sale or Lease

Year(s) Built: 87/90

Cubes: 3000

Load Cap: 100ton

Length: 41ft 10in

Quantity Avail: 13

### Notes:

### Expounding Info:

Hopper-Covered

Sale or lease

Maybe some wiggle room in the price

Cement Gates

Hawker Sidley builder

Equipment Type C112

Gross Rail Load 263000 lb

Tare Weight 54900 lb

Load Limit 208100 lb

Cubic Feet 3000 cuft

Plate Code B

Outside Length 41 Ft 10 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 0 In

Outside Height Extr Width 13 Ft 8 In

Outside Upper Eaves Width 9 Ft 0 In

Outside Upper Eaves Hght 14 Ft 7 In

Outside Lower Eaves Width 10 Ft 3 In

Outside Lower Eaves Hght 10 Ft 7 In

Lining Material Unlined

Roof TypeA2264 Round hatches on center line of car

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HC-11.22.22-00](https://www.prscorp.net/ref_details.php?ref=HC-11.22.22-00)



## HCP-09.21.22-00

Category: Covered Plastic Hopper

AAR Car Type: C214

Sale Type: Lease Only

Cubes: 5850cu

Load Cap: 263 cap

Length: 68ft 3in outside Len

Quantity Avail: 14

### Notes:

### Expounding Info:

AAR C214

Formerly Ref# HC-06.14.22-00

Lease only

Plastic Pellet gates

Plate C

5850 cu

4 compartments

Round Hatches

Currently at shop and storage on CSX

68ft 3in Outside Length

15ft 5in Extreme Height

10ft 6in Outside width

Max weight to rail 263

Tare 68900

Load limit 19433lbs

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HCP-09.21.22-00](https://www.prscorp.net/ref_details.php?ref=HCP-09.21.22-00)



## HCP-12.10.24-00

Category: Covered Plastic Hopper

AAR Car Type: C114

Sale Type: Lease Only

Year(s) Built: 2023

Cubes: 6580

Load Cap: 286cap

Length: 69ft 7in outside

Quantity Avail: 30

**Notes:**

## Expounding Info:

Number Available 30

Mechanical Designation LO

Car Type Code C114

Lease Only

Built Date 2023

Builder Gunderson

GRL 286000

Light Weight 68700

Load Limit 217300

Cubic Capacity 6580 CF

Compartments 4

Linings None

Outside Length 69ft 07in

Extreme Width 10ft 07in

Extreme Height 15ft 06in

Clearance Diagram Plate C

Hatches Trough

Gates Gravity

Bearings 6-1/2 x 9

Wheels 36in

Couplers SBE60EE Bottom

Shelf

Draft Gear Standard

**More information is available on our website or at:**[https://www.prscorp.net/ref\\_details.php?ref=HCP-12.10.24-00](https://www.prscorp.net/ref_details.php?ref=HCP-12.10.24-00)





## HCPD-02.09.24-00

Category:	Covered PD Hopper
-----------	-------------------

AAR Car Type:	PD Cov Hopper
---------------	---------------

Sale Type:	Lease Only
------------	------------

Year(s) Built:	2018
----------------	------

Cubes:	3230
--------	------

Load Cap:	286cap
-----------	--------

Length:	43ft 1in over strike
---------	----------------------

Quantity Avail:	4
-----------------	---

**Notes:**

## Expounding Info:

PD Hoppers 14.7 PSIG

Lease Only

Can be used in cement

Have interior linings

Inside Length 36ft 5in

Length over couplers Pulling faces 45ft 8 1/2in

Inside Width 10ft 3 11/16in

Extreme Width 10ft 4 3/4in

Extreme Height 15ft 6in

Cubes 3230

Light Weight 56500

Gross rail Load 286000lbs

Load Limit 229500 LBS

**More information is available on our website or at:**[https://www.prscorp.net/ref\\_details.php?ref=HCPD-02.09.24-00](https://www.prscorp.net/ref_details.php?ref=HCPD-02.09.24-00)



## HCPD-04.04.24-00

Category: Covered PD Hopper

AAR Car Type: C612

Sale Type: Lease Only

Year(s) Built: 50 Years Service

Cubes: 3915cu

Load Cap: 100ton

Length: 61 Ft 10 In Outside

Quantity Avail: 12

**Notes:**

## Expounding Info:

Mechanical Designation LO - Hopper-Covered

Equipment Type Code C612

Built new from July 1,1974, Qualified for 50 Years Service

AAR End of service Dates below

2/1/2032

12/1/2029

9/1/2029

11/1/2025

1/1/2030

12/1/2029

10/1/2027

9/1/2029

11/1/2025

3/1/2027

1/1/2031

4/1/2031

Gross Rail Load/Weight 263000 lb

Tare Weight 65200 lb

Load Limit 197800 lb

Cubic Feet Capacity 3915 cuft

Plate Code B

Outside Length 61 Ft 10 In

Outside Extreme Width 10 Ft 4 In

Outside Extreme Height 13 Ft 4 In

Outside Height Extr Width 8 Ft 2 In

Outside Upper Eaves Width 7 Ft 5 In

Outside Upper Eaves Hght 13 Ft 4 In

Unloading System Type PSDF - Pressure Differential

4-Pressure ABT Recvr Eqpd E &amp;ndash; Equipped

Lining Material 28 - Unlined

Roof Type 4 - Round hatches on center line of car

**More information is available on our website or at:**[https://www.prscorp.net/ref\\_details.php?ref=HCPD-04.04.24-00](https://www.prscorp.net/ref_details.php?ref=HCPD-04.04.24-00)



## HO-05.21.25-00

Category: Open Hopper

AAR Car Type: Open top

Sale Type: Sale Only

Year(s) Built: 79/80

Cubes: 3625

Quantity Avail: 40

### Notes:

### Expounding Info:

Open Top Hoppers

3625 Cube

Quantity Avail: 40

Steel Construction

Year(s) Built 1979-80

Manual bottom discharge

15 running in aggregate service in the east on CSX and another 25 cars in western coal service in the west on BNSF. Limited free move on each railroad.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HO-05.21.25-00](https://www.prscorp.net/ref_details.php?ref=HO-05.21.25-00)



## HOA-04.30.25-00

Category: Aggregate Hopper

AAR Car Type: Aggregate Hopper

Sale Type: Lease Only

Year(s) Built: 2025

Cubes: 3443

Load Cap: 286cap

Length: 45ft 6 1/2in over co

Quantity Avail: 200

### Notes:

### Expounding Info:

Aggregate Hopper

Alum Body

Inside Length 40ft 8 1/2in

Length over pulling face 45ft 6 1/2in

Inside Width 9ft 10 3/16in

Extream Width 10ft 7 7/8in

Extream Height 13ft 5 15/16in

Cubic ft level 3443cu

Cubic ft 10in heap 377cu

Light Weight 45500lbs

Max Gross 286lbs

load limit 24500lbs

Builder Trinity

Line drawing available upon request.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HOA-04.30.25-00](https://www.prscorp.net/ref_details.php?ref=HOA-04.30.25-00)



## HRD-01.23.25-00

Category:	Rapid Discharge Hopper
AAR Car Type:	H350
Sale Type:	Sale Only
Year(s) Built:	1999/2005
Cubes:	4200
Load Cap:	286cap
Length:	53ft 1in
Quantity Avail:	42

### Notes:

### Expounding Info:

Mechanical Designation UMMD

Sale only

Aluminum Rapid Discharge Cars

HT Hopper 3 or more Compartments, Doors Hinged Crosswise,

Dumping Between Rails

Equipment Type Code H350

Gross Rail Load/Weight 286000 lb

Tare Weight 49100 lb

Load Limit 236900 lb

Plate Code B

Outside Length 53 Ft 1 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 13 Ft 4 In

Outside Height Extr Width 13 Ft 4 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=HRD-01.23.25-00](https://www.prscorp.net/ref_details.php?ref=HRD-01.23.25-00)



## L-01.16.25-00

Category: Locomotive

AAR Car Type: VO1000

Sale Type: Lease Only

Year(s) Built: 1943 Rebuilt 1985

Quantity Avail: 1

### Notes:

### Expounding Info:

Lease Only Baldwin VO1000 rebuilt to SW1200 specs. This has been fully upgraded but we've just acquired another locomotive to replace this one. This is a terrific locomotive that would serve someone very well. It's stored in operating condition in our heated shop due an inoperable PDI engine coolant heater system. We just installed a new alerted system in anticipation of the FRA one person crew rule deadline. Here is some info  
VO1000 frame, EMD 12 cylinder 567BC block  
Built 1943 rebuilt 1985  
fully FRA compliant, currently blue carded and operable  
currently in service  
MU equipped  
26NL brakes  
alerted installed 2024  
modern electrical and AAR control stand  
good wheels  
interchange capable  
PDI engine heater currently INOP  
body in excellent condition, very well kept  
GURU freeze protection valves installed

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-01.16.25-00](https://www.prscorp.net/ref_details.php?ref=L-01.16.25-00)



## L-01.30.25-00

Category: Locomotive

AAR Car Type: GP9

Sale Type: Sale Only

Year(s) Built: 1954

Quantity Avail: 1

### Notes:

### Expounding Info:

Located in New Castle, Indiana

Last up dated 10.03.2023

GP9 blue carded and running

Plate Code C

Outside Length 56 Ft 2 In

Outside Extreme Width 10 Ft 0 In

Outside Extreme Height 14 Ft 9 In

Truck Center Length 40 Ft 0 In

Alignment control inserts, movable on NS

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-01.30.25-00](https://www.prscorp.net/ref_details.php?ref=L-01.30.25-00)



## L-04.04.25-00

Category: Locomotive

AAR Car Type: SD40-3

Sale Type: Sale Only

Quantity Avail: 2

### Notes:

### Expounding Info:

2 ea SD40 3 Locomotives for sale

Complete overhaul to include every nut and bolt!

EMD locomotive in shops which are ready to ship. Class SD40 3

Type Locomotive Freight

Transmission Diesel Electric

Diesel engine make model EMD 16 645E3B

Main generator make model AR10

Traction motors make model D78

Wheel arrangement Co Co

Specification AAR

Maximum speed 105 km h 65 mph

Power 2 237 kW 3 000 hp

Build year 1972 1989

Maker EMD

Re build year 2020

Quantity produced 4 175

Quantity offered 2

Gauge 1435 mm 56.5in ; Narrow and Standard Available

Length over buffers 20 980 mm 68ft 10in

Width 3 162 mm 10ft 4.5in

Height 4 672 mm 15ft 4in

Fuel capacity 11 000 L 3 000 gallons

Brake manufacturer Wabtec Fast Brake ECP

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-04.04.25-00](https://www.prscorp.net/ref_details.php?ref=L-04.04.25-00)



**L-04.15.25-00**

Category: Locomotive

AAR Car Type: SD40-2

Sale Type: Sale Only

Year(s) Built: 1973

Quantity Avail: 2

**Notes:**

## Expounding Info:

HAS LOW PROFILE CAB (FLAT)  
EQUIP W/ HOT START AND CATTTRON REMOTE  
ALL WHEELS HAVE ROOL OVER  
IMPACT DAMAGE LS FRONT STEPSKIRT  
REAR HVC DOOR MISSING  
REMOTE LITE GLOBES MISSING  
ENG RM FLOOR/SUMP OILY  
Front: LONG Nose: Low MU: NO MU Hoses: NO  
Dynamics: NO Extended: No Grid(s)Condition: NA  
Bell: YES Horn: YES Frame Condition: FAIR  
Fuel Tank Size: 600? Retention  
Tank: NO Condition:  
Wheels: L1 2 1/4 L4 2 1/4 R1 2 1/4 R4 2 1/2  
SIZE: L2 2 1/2 L5 NA R2 2 1/4 R5 NA  
L3 2 1/4 L6 NA R3 2 1/2 R6 NA  
Box TYPE: TIMKIN  
1:T 2: T 3: T 4: T 5: N/A 6: N/A  
T.M. Type: 1 D77/78 4 D77/78 List Cut/Missing TM  
leads: NONE  
2 D77/78 5 NA Gear Ratio: 62:15 Brake Shoe Type: IRON  
3 D77/78 6 NA Axle Drive Type & Condition: NA  
Draft Gear Type & Condition: Front: 485 Rear: 485  
Draft Gear Pocket Condition: Front: FAIR Rear: FAIR  
Coupler  
Type: Front: E Rear: E Self-Aligning: NO Condition: FAIR  
Pilot Type: PLATE General Condition: BENT Plow  
Type: PLATE  
Truck Type: 1 AAR 2 AAR Rigging Pin Type: 1 2  
Brake Cyl.: 1 High 2 High  
LONGHOOD INSPECTION  
Walkway Condition: FAIR Handrail Condition: FAIR  
Engine Type: 12-645E S/N: 73-L1-1030 EMD Block No. (from A  
frame): 12E73J4 Bars Over: NO  
GE  
Engines: Block#: H'Number: MFG: Japstar Anleister BCI Other:

Engine Overall Condition: FAIR Internal/Bottom End  
Condition: OK  
Turbo P/N: NA S/N: Condition: Diffusor Condition:  
Fuel Pump: Yes PreHeater: YES Oil Cooler: Yes Starter: NO  
Fuel Bypass Valve & Gage: NO Spark Arrestors: NO Exhaust  
Leaks:  
Spin On Filters: YES Load Regulator  
Style: Unknown Defective Tag: NO  
Radiators: IN Leaks: Radiator Type: LS -  
SOLDER RS-MECH  
Fire Extinguishers: Longhood: YES Cab: YES

Continued on Next Page...



## **L-04.15.25-00**

Expounding Info Continued:

AC Cabinet: NO Fan Fuses: NO 200Lb. Air Gauge: NO

Air Compressor Type: WBO Base Style:

LOW Condition: FAIR

Air Filter Type/System: Condition:

Air Filter Media Type: BAGGIE

Air Braker Type/System: 26L Condition: FAIR TO POOR

EMD Main Gen/Alt.

Type: D32B S/N: 73-L1-1070 Condition: FAIR

EMD Aux. Generator

Type 10KW S/N: 94AC55 Condition: FAIR

GE AUX1: Model: S/N: Condition:

GE EXCITER: Model: S/N: Condition:

A.G. Blower Wheel Type: Condition:

units will need some work

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-04.15.25-00](https://www.prscorp.net/ref_details.php?ref=L-04.15.25-00)



## L-06.05.25-00

Category: Locomotive

AAR Car Type: SW1200

Sale Type: Sale Only

Quantity Avail: 1

### Notes:

### Expounding Info:

SW1200 for Sale

1200

Engine

M / gen

Aux / gen

T / Ms

Brakes

Self-aligning couplers

Wheel wear

Location,

Disposition,

Horsepower

567C

D15C

10KW

D57s or better

26NL

Equipped

2in plus

Indiana

In service

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-06.05.25-00](https://www.prscorp.net/ref_details.php?ref=L-06.05.25-00)



## L-06.27.23-00

Category: Locomotive

AAR Car Type: SHUTTLEWAGON

Sale Type: Sale Only

Quantity Avail: 1

### Notes:

### Expounding Info:

#### Engine Cylinders

Cummins QSB6.7 6 Cylinder 185 hp 6.7 L Diesel Engine

Blow by @ idle (subjective visual observation)

Minor

Starter

Operational

Radiator

Rating:

Good

Oil Leaks

No dripping leaks

Fuel Leaks

No dripping leaks

Cooling System Leaks

No dripping leaks

Limited Function Check (Engine)

The engine started and ran.

### LOGISTICS INFORMATION

General Condition

Fair

Shipping Dimensions

20 ft Long x 6 ft Wide x 10 ft 5 in Tall

General Shipping Information

Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the unit

taller than 12'? No: Is the unit wider than 8'6"? No:

Noticeable fluid leaks?

Modifications

1 Axles, Track Gauge 56 in - 59 in, Max Speed Capability:

Fuel Capacity:

### CONTROL STATION

Hydraulic Controls

Rating:

Good

Drivetrain Controls

Rating:

Good

Steering Control

Rating:

Good

Dash Console Condition

Rating:

Good

Oil Pressure

The gauge registers in the operating range.

Continued on Next Page...



## L-06.27.23-00

Expounding Info Continued:

Warning Lights

Operational

Gauges

Operational

Hour Meter/Odometer (Start)

684 hrs

Hour Meter/Odometer

684 hrs, Operational hour meter

Limited Function Check (Control Station)

The main components are in place and operational as noted.

Brand new remote control cable provided and remote control confirmed to work.

SECTION 5

Frame Condition

Rating:

Good

Belly pans

Rating:

Good

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-06.27.23-00](https://www.prscorp.net/ref_details.php?ref=L-06.27.23-00)

**L-08.14.24-00**

Category: Locomotive

AAR Car Type: SW1200

Sale Type: Sale Only

Quantity Avail: 1

**Notes:**

## Expounding Info:

LOCOMOTIVE MODEL: SW1200  
MANUFACTURER . YR BUILT: EMD 1958  
FOB POINT: WASHINGTON  
LOW OR HIGH NOSE: SWITCHER  
SHORT OR LONG HOOD FORWARD: SWITCHER  
LOCOMOTIVE WEIGHT: 120 TONS  
ENGINE MODEL: 12 567C  
TURBO MODEL: NOT EQUIPPED  
MAX HORSEPOWER: 1200 HP  
GENERATOR/ALTERNATOR: D15C  
AUXILIARY GENERATOR: 10KW  
AIR COMPRESSOR: WXO  
DYNAMIC BRAKING: N/A  
EXTENDED RANGE: N/A  
AIR BRAKE TYPE: 26L  
CURRENT AIR DATE: STORAGE CREDIT  
TRACTION MOTORS: D77 S  
TRUCKS: AAR SWITCHER  
JOURNAL BOXES: ROLLER  
WHEEL TREAD THICKNESS: ALMOST NEW WHEELS  
FRA QUALIFIED: YES  
DITCH LIGHTS: NOT EQUIPPED  
MULTIPLE UNIT: EQUIPPED  
ELECTRICAL CABINETS: EXCELLENT  
BATTERIES: USED  
COOLING FANS: BELT DRIVEN  
CAB/CARBODY CONDITION: VERY GOOD  
PAINT CONDITION: OK  
FUEL CAPACITY: 600 GALLON  
SPEED RECORDER: NOT EQUIPPED  
CONTROL STAND: NEW STYLE CASH REGISTER  
MODIFICATIONS: SPARK ARRESTORS  
COMMENTS: THIS LOCOMOTIVE IS IN  
GOOD CONDITION

**More information is available on our website or at:**[https://www.prscorp.net/ref\\_details.php?ref=L-08.14.24-00](https://www.prscorp.net/ref_details.php?ref=L-08.14.24-00)



## L-11.09.23-00

Category: Locomotive

AAR Car Type: SW900

Sale Type: Sale Only

Quantity Avail: 1

### Notes:

### Expounding Info:

SW900 JUST OFF LEASE

900 Horsepower

8 cyl 567C

D15 MG

Good Wheels

Alignment Controlled Couplers, YES

F couplers

Location,

Minooka,

Illinois

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=L-11.09.23-00](https://www.prscorp.net/ref_details.php?ref=L-11.09.23-00)



## M-03.26.21-00

Category: Misc

AAR Car Type: Scale test car

Sale Type: Sale Only

Quantity Avail: 1

### Notes:

### Expounding Info:

Scale test car 80050 scale test car as is, where is Bid price

Built in 1931 with a tare weight of 80,000 lbs.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-03.26.21-00](https://www.prscorp.net/ref_details.php?ref=M-03.26.21-00)





## M-04.12.23-01

Category:	Misc
AAR Car Type:	Vertical Steam Generator
Sale Type:	Sale Only
Quantity Avail:	1

### Notes:

Expounding Info:

Vertical Steam Generator

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-04.12.23-01](https://www.prscorp.net/ref_details.php?ref=M-04.12.23-01)



## M-04.12.23-02

Category:	Misc
AAR Car Type:	HX30 Vacuum Excavator
Sale Type:	Sale Only
Quantity Avail:	1

### Notes:

Expounding Info:

HX30 Vacuum Excavator

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-04.12.23-02](https://www.prscorp.net/ref_details.php?ref=M-04.12.23-02)



## M-06.13.24-00

Category:	Misc
AAR Car Type:	ABDX Values
Sale Type:	Sale Only
Quantity Avail:	3

**Notes:**

Expounding Info:

3 Rebuilt ABDX values located in Salt Lake City Offers

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-06.13.24-00](https://www.prscorp.net/ref_details.php?ref=M-06.13.24-00)



## M-06.19.25-00

Category:	Misc
AAR Car Type:	Storage Tanks non railcar
Sale Type:	Sale Only
Cubes:	18k,30k,60k
Quantity Avail:	20

### Notes:

### Expounding Info:

I have a decent quantity of 18,000 30,000 and 60,000 gallon Propane tanks available in Wisconsin Illinois and Tennessee. Please let me know if you have any interest  
Specs pictures etc on request

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-06.19.25-00](https://www.prscorp.net/ref_details.php?ref=M-06.19.25-00)



## M-11.14.23-00

Category: Misc

AAR Car Type: Tamping machine

Sale Type: Sale Only

Quantity Avail: 2

### Notes:

### Expounding Info:

The Plasser American Corporation 08 32 Unimat 4s is a fully automatic tamping machine. The 08 32 Unimat can be used to tamp, lift and line switches or plain track. The 08 32 Unimat 4s utilizes the proven Plasser technology along with the AGGS computer geometry system to give superb quality track work. The 08 32 Unimat 4S uses a 32 tool split tamping unit system that allows the independent tamping of inside and outside the rail or any combination there of. The tamping units can also be traversed side to side and telescoped outside the frame, and rotated to allow for the most complete, accurate tamping of a switch. The rail lifting and lining is done with a rail hook and roller clamp assembly. The 08 32 Unimat 4s also has an auxiliary third rail lifting clamp that will allow the lifting of the turnout rail in conjunction with the main lift to eliminate the need for helper jacks to prevent over lifting of the main rail.

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=M-11.14.23-00](https://www.prscorp.net/ref_details.php?ref=M-11.14.23-00)



### T-04.17.25-00

Category:	Tank Car	Expounding Info:
AAR Car Type:	T106	AAR car type T106
Sale Type:	Lease Only	Built 2015
Year(s) Built:	2015	Lease only
Gallons:	25498	Lt wt. 80800GRL 286
Load Cap:	286cap	Load Limit 205200
Length:	59ft 3 1/4in	Manway 20in
Quantity Avail:	2	Line drawing available

#### Notes:

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-04.17.25-00](https://www.prscorp.net/ref_details.php?ref=T-04.17.25-00)



### T-05.02.25-00

Category: Tank Car

AAR Car Type: Tank car

Sale Type: Sale Only

Year(s) Built: 1980

Gallons: 17500gal

Quantity Avail: 1

#### Notes:

#### Expounding Info:

- (1) 1980 UTC Tankcar, 17.5K, C&I, lined, 263K

Sale only

- Currently stored in TN, liquid fertilizer service

- Tank qualifications due 2026

- Has been reported to have leaking bottom valve

- Sold "As is, Where is"

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-05.02.25-00](https://www.prscorp.net/ref_details.php?ref=T-05.02.25-00)



### T-05.10.24-00

Category: Tank Car

AAR Car Type: DOT111A

Sale Type: Sale Only

Gallons: 30000 gal

Load Cap: 100ton

Quantity Avail: 7

#### Notes:

#### Expounding Info:

Sale only

7 DOT 111A OIL RAIL TANK CARS INTERCHANGABLE 30000 GAL 263

CARS

7 CARS TOTAL PRICE IS PER CAR SELLING AS A GROUP ONLY, WILL

NOT BREAK UP . 7 CARS, TOTAL PRICE--\$206,500.00 USD LOCATED

IN 3 PLACES LOS ANGELES-- 3 CARS TEXAS-- 3 CARS NEW MEXICO--

1 CAR 30000 GAL 263 GRL CARS IN SERVICE TODAY AND CERTIFIED

CURRENTLY BEING USED IN COOKING OIL SERVICE PREVIOUSLY USED

FOR BIODIESEL-RENEWABLE DIESEL. COOKING OIL WOULD BE A

SEAMLESS FIT. CERTIFIED UNTIL 2027 POSSIBLE FREE MOVE. BUYER

CAN USE CURRENT OWNERS MARKS TO MOVE THEM IF ALLOWED BY

UMLER, THE CURRENT OWNER WOULD BE WILLING TO TRANSFER THEIR

OWNERS MARKS TO BUYER AVAILABLE FOR INSPECTIONS BUT ARE

MOVING TARGETS AND YOU MAY JUST WANT TO INSPECT A FEW, ALL

ARE IN SIMILAR GREAT CONDITION. MORE PICS AND DETAILS COMING

SOON. CALL TO SET UP YOUR INSPECTION WE WILL HOLD THE CARS

WITH A PROPER LOI AND A DEPOSIT Seven total General Purpose

Railcars

30,000 gallon DOT111A,

263k GRL, Tank Cars

Previously in Used Cooking Oil service

biodiesel, Renewable diesel, cooking oil would seamless fits

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-05.10.24-00](https://www.prscorp.net/ref_details.php?ref=T-05.10.24-00)





## T-06.24.21-00

Category: Tank Car

AAR Car Type: T108

Sale Type: Sale Only

Year(s) Built: 2008

Gallons: 30000

Load Cap: 100ton

Length: 59ft 9in outside

Quantity Avail: 7

### Notes:

### Expounding Info:

Tank Equipment Type T108

Sale only

will need recertification

Built Date 02/01/2008

Were Diesel Fuel now in storage of fertilizer

End of Service Date 02/01/2058

Gross Rail Load/Weight 263000 lb

Tare Weight 66600 lb

Load Limit 196400 lb

Gallorage Capacity 30000 usgl

Plate Code C

Outside Length 59 Ft 9 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 4 In

Outside Height Extr Width 3 Ft 5 In

Truck Center Length 46 Ft 4 In

111A100W1 DOT

Bottom Outlet/Fitting TypA308 Value C Bottom Outlet & Sump

Bottom Outlet Valve External Bottom Outlet Ball Valve

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-06.24.21-00](https://www.prscorp.net/ref_details.php?ref=T-06.24.21-00)



### T-07.07.22-00

Category: Tank Car

AAR Car Type: T109

Sale Type: Sale or Lease

Year(s) Built: 1999

Gallons: 34257 gal

Load Cap: 286cap

Length: 67ft 1in outside

Quantity Avail: 45

#### Notes:

#### Expounding Info:

Mechanical Tank

Sale or lease

Equipment Type T109

Cars do not have bottom outlet valves

Gross Rail Load/Weigh 286000 lb

Tare Weight 73000 lb

Load Limit 213000 lb

Gallon 34257 usg

Plate Code C

Outside Length 67 Ft 1 In

Outside Extreme Width 10 Ft 5 In

Outside Extreme Height 15 Ft 5 In

Outside Height Extr Width 3 Ft 0 In

Truck Center Length 63 Ft 5 In

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-07.07.22-00](https://www.prscorp.net/ref_details.php?ref=T-07.07.22-00)



## T-07.16.24-00

Category: Tank Car

AAR Car Type: T106

Sale Type: Lease Only

Gallons: 23500 gal

Load Cap: 100ton

Length: 55ft 5in outside

Quantity Avail: 10

### Notes:

### Expounding Info:

Tank Cars for Lease

Equipment Type Code T106

Gross Rail Load/Weight 263000 lb

Tare Weight 71500 lb

Load Limit 191500 lb

Gallorage Capacity 23683 usgl

Plate Code B

Outside Length 55 Ft 5 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 15 Ft 1 In

Outside Height Extr Width 8 Ft 0 In

Truck Center Length 41 Ft 9 In

General Service Carbon Steel Tank Welded or Riveted Includes Rubber Lined

non-hazard commodity service; tallows, fats & oils

Design Shipping Cont Spec 111A100W3 - DOT 111A100W3

Stenciled Shipping Spec 111A100W3 - Major Class 10/18 - DOT 111A100W3

Stub Sill Design Type TRNTY3 - TRNTY3 Stub Sill Design

Coils Exterior/Interior E &ndash; Exterior

Insulatn/Thrmal Prot Type FG - Standard Fiberglass

Bottom Outlet/Fitting Typ B - Bottom Outlet

Bottom Outlet Count 1

General Purpose (GP), Externally Coiled & Insulated, not lined

Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.

Car Locations (Running / Various)

Full-Service Lease [For Lease Only]

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-07.16.24-00](https://www.prscorp.net/ref_details.php?ref=T-07.16.24-00)



## T-07.17.24-00

Category: Tank Car

AAR Car Type: T 107

Sale Type: Lease Only

Gallons: 25532

Load Cap: 100ton

Length: 56ft 8in

Quantity Avail: 30

### Notes:

### Expounding Info:

Equipment Type T107

Lease only

Gross Rail Load/Weight 263000 lb

Tare Weight 74400 lb

Load Limit 188600 lb

Gallorage Capacity 25532 usgl

Plate Code C

Outside Length 56 Ft 8 In

Outside Extreme Width 10 Ft 8 In

Outside Extreme Height 14 Ft 11 In

Outside Height Extr Width 4 Ft 1 In

111A100W1 - Major Class 10/18 - DOT 111A100W1

Non-hazard commodity service; tallows, fats & oils

TRNTY3 - TRNTY3 Stub Sill Design

Coil Material C - Carbon Steel

Coils Exterior/Interior Exte

Insulatn/Thrmal FG - Standard Fiberglass

Bottom Outlet Count 1

General Purpose (GP), Externally Coiled & Insulated, not lined

Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.

Car Locations (Running / Various)

Full-Service Lease [For Lease Only]

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-07.17.24-00](https://www.prscorp.net/ref_details.php?ref=T-07.17.24-00)



### T-07.17.24-01

Category: Tank Car

AAR Car Type: T108

Sale Type: Lease Only

Gallons: 28170gal

Load Cap: 286cap

Length: 59ft 0in

Quantity Avail: 20

#### Notes:

#### Expounding Info:

Equipment Type Code T108

Lease only

Gross Rail Load/Weight 286000 lb

Tare Weight 76000 lb

Load Limit 210000 lb

Gallorage Capacity 28170 usgl

Plate Code C

Outside Length 59 Ft 0 In

Outside Extreme Width 10 Ft 7 In

Outside Extreme Height 15 Ft 6 In

Outside Height Extr Width 8 Ft 0 In

Truck Center Length 45 Ft 5 In

General Service Carbon Steel Tank Welded or Riveted Includes Rubber Lined

Non-hazard commodity service; tallows, fats & oils

Design Shipping Cont Spec 111A100W1 - DOT 111A100W1

TRN023 Stub Sill Design

Coil Material Carbon Steel

Coils Exterior/Interior E &ndash; Exterior

Insulatn/Thrmal Standard Fiberglass

Bottom Outlet Count 1

General Purpose (GP), Externally Coiled & Insulated, not lined

Coming from non-hazard commodity service; tallows, fats & oils and would need to go in something similar.

Car Locations (Running / Various)

Full-Service Lease [For Lease Only]

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-07.17.24-01](https://www.prscorp.net/ref_details.php?ref=T-07.17.24-01)



## T-11.12.24-00

Category: Tank Car

AAR Car Type: T 106

Sale Type: Sale Only

Gallons: 23673

Load Cap: 100ton

Length: 50ft 8in

Quantity Avail: 1

### Notes:

### Expounding Info:

Car is good for training

Sale Only

Mechanical Designation T Tank

Equipment Type Code T106

Gross Rail Load Weight 263000 lb

Tare Weight 76900 lb

Load Limit 186100 lb

Gallorage Capacity 23673 usgl

Plate Code B

Outside Length 59 Ft 8 In

Outside Extreme Width 10 Ft 4 In

Outside Extreme Height 14 Ft 7 In

Outside Height Extr Width 4 Ft 0 In

111A100W3 Major Class 10.18 DOT 111A100W3

Coil Material C Carbon Steel

Coils Exterior Interior E Exterior

Insulatn Thrmal Prot Type FT High Temp Fiberglass

Insulation Thickness 4.0 99.9 in

currently in Newcastle, PA

**More information is available on our website or at:**

[https://www.prscorp.net/ref\\_details.php?ref=T-11.12.24-00](https://www.prscorp.net/ref_details.php?ref=T-11.12.24-00)